



Cervical Screening Programme

England

2008-09

The NHS Information Centre
is England's central, authoritative source
of health and social care information.

Acting as a 'hub' for high quality, national,
comparative data, we deliver information for local
decision makers, to improve the quality and
efficiency of care.

www.ic.nhs.uk

Author: The NHS Information Centre, Workforce and Facilities team

Responsible Statistician: Jim Waldron - Programme Manager

Date of Publication: 22 October 2009

Contents

Summary	05
Introduction	07
Call and Recall Programme	08
Cervical Cytology	15
Colposcopy	20
Definitions	25
Further information	27
Index to tables	29
Reference tables	31-62

Summary

Cervical Screening Programme, England 2008-09

Women between the ages of 25 and 64 are invited for regular cervical screening under a national programme. This is intended to detect abnormalities within the cervix that could, if untreated, develop into cancer.

Women are screened every three or five years depending on their age.

At 31st March 2009:

- For the first time since 2002 the percentage of eligible women aged 25 to 64 who have been screened at least once in the previous 5 years (coverage*) has increased. It is now 78.9% compared with 78.6% last year, 81.6% in 2002 and 82.3% in 1999.
- The increase in coverage is more prominent amongst the younger age groups. The proportion of 25 to 49 year olds (screened every 3 to 3.5 years) increased to 72.5% compared with 69.3% last year (a 3.2 percentage point increase). Within the older age range (50 to 64 – screened every five years) the proportion of women being screened has fallen slightly to 80.0% compared with 80.3% last year.
- Coverage (25 to 64) was 80% or higher in 67 of the 152 Primary Care Organisations (PCOs), compared to 63 in the previous year.

2008-09

- The number of women invited for screening (25 to 64) has fallen this year to 4.0 million from 4.2 million last year, a decrease of 3.8% (around 157,000).
- The number of women screened (all ages) has increased to 3.7 million compared with 3.4 million last year, an increase of 10.5% (around 353,000), those within the 25 to 64 age range have risen to 3.6 million from 3.2 million last year, an 11.9% increase (around 384,000). The majority of this increase is for women aged 25 to 49.
- Test results were available for 21.4% of women within two weeks compared to 11.1% last year, and 65.5% were available within 4 weeks compared to 59.6% last year.

Pathology laboratory figures below are based on data sourced by GP and NHS Community Clinics (NHSCC) unless otherwise stated

- Laboratories examined 3.7 million samples (for women of all ages), a 10.1% increase (around 342,000) from 2007-08 (figures between 2007-08 and 2006-07 fell by 0.7%).
- Prior to the introduction of new technology (liquid based cytology, LBC), rates of

inadequate samples were between 9% and 10% or about 300,000 women a year being screened again (aged 25 to 64). As LBC has been rolled out across the country this rate has fallen every year and is now at a record low of 2.5% or around 90,000 women. (Note these numbers will include some women who will need more than one repeat test).

- The percentage of laboratory tests reported within 4 weeks has levelled out this year, 83.5% compared with 83.1% last year however, the percentage reported within 2 weeks has continued to rise (from 48.6% to 54.0%). (Time from receipt of sample to authorisation of report).

* **Coverage** is defined as the percentage of women in a population eligible for screening at a given point in time who were less than a specified period since their last test producing an adequate test result. Women aged 25 to 49 are invited every 3 to 3.5 years and those aged 50 to 64 are invited every 5 years. When presenting the complete target age group (25 to 64) data relates to 5 years. Women ineligible for screening, and thus not included in the numerator or denominator of the coverage calculation, are those whose recall has been ceased for clinical reasons (most commonly due to hysterectomy).

Introduction

Cervical Screening – a general overview

1.1 Information on the Cervical Screening Programme has been collected since 1988-89 on the following Information Centre returns:

- KC53 – information from the call and re-call system, collected from all 152 Primary Care Organisations.
- KC61 – information on screening samples examined by pathology laboratories, collected from 119 laboratories carrying out cervical cytology.
- KC65 – information on referrals to colposcopy, subsequent treatment and outcome, collected from 220 clinics/trusts providing colposcopy services. In some instances, smaller clinics have included their data in the main hospital return. The KC65 return was first collected in 2000-01.


1.2 National policy for the screening programme is that eligible women should be invited for screening every 3 or 5 years. This varies according to age, women aged 25-49 are invited every 3 years, those aged 50-64 every 5 years. Since 2003, women have been eligible for routine screening from age 25 (previously age 20). In this bulletin, the target group of 25-64 has been used wherever possible.

1.3 In presenting laboratory statistics, data about samples from GP and NHS Community Clinics have been used in most tables in preference to data about samples from all sources, so as to reflect more closely the results from screening programme tests.


Call and Recall Programme

2.1 Coverage (Tables 1, 2, 3, 3a, 11, 12 & 13)

2.1.1 Of eligible women, (aged 25-64) at 31st March 2009, 78.9% were recorded as being tested within 5 years of their last adequate test (coverage), compared to 78.6% in 2008. This is the first year-on-year increase in coverage since 2002. (Figure 1)



2.1.2 Since last year the increase in coverage is most evident among younger women. For those aged 25 to 49 (screened every 3 to 3.5 years) coverage has increased to 72.5% compared with 69.3% last year (a 3.2% increase). Among women in the older age range (50 to 64) coverage has fallen slightly to 80.0% from 80.3% last year. (Figure 2)




2.1.3 Coverage of the target age group 25-64 varied between Strategic Health Authorities, with 6 achieving 80% or more and 4 below. The highest reported coverage was in the East Midlands at 82.4%, the lowest was London at 73.8%. All regions show small increases over the previous year.

At Primary Care Organisation (PCO) level, only 1 of the 152 PCOs reported coverage of 85% or higher, 66 PCOs were between 80% and 85%, 58 were between 75% and 80% and 27 were below 75%. **(Figures 3 and 3a)**

2.1.4 In addition to the 73.2% of women in the 25-64 age group (including those with recall ceased for clinical reasons) who were less than 5 years since their last test on 31st March 2009, a further 7.2% were within 10 years of their last test and 2.3% were within 15 years. About 1.5% of women were reported as having had at least one adequate screening test

but not within the last 15 years. Only 0.2% had attended but never had an adequate test, 8.1% had been called but had never attended for screening and 0.1% of women in the target age group were reported as having no cytology record at all.

Figure 3 - Cervical screening: coverage of the target age group (25-64) by Primary Care Organisation, England 31 March 2009




Source: KC53 The Information Centre

2.2 Invitations for screening (Tables 4, 5 & 11)

2.2.1 Just over 4.1 million women of all ages were invited for screening in 2008-09, a decrease of 5.0% compared with 2007-08. For 14.4% of women this was their first invitation (call) and for 63.2% a routine recall. 15.4% of invitations were early recalls for surveillance, 4.2% were early recalls following persistent findings of borderline changes or mild dyskaryosis and 2.8% were recalls following inadequate tests.

Figure 3a - Cervical screening: Coverage of women (less than 5 years since last adequate test) aged 25-64 by Primary Care Organisation, 2008-09




2.2.2 Just over 3.6 million women in the target age range 25-64 were tested in the year. Of these, 2.8 million were tested following an invitation within the screening programme. Around 0.7 million women (20.4%) had screening tests not prompted by the programme, i.e. tests initiated by the sample taker or opportunistically by the woman, without her necessarily having been invited. In particular, some women are routinely recalled by their GPs possibly earlier than at the “locally” agreed standard interval. Because women recorded as having a test not prompted by the programme may nevertheless have been invited through such a GP programme, it is not possible to calculate the percentage uptake of invitations from the call/recall database.

2.3 Test results (Tables 5, 6, 7, 8, 11 & 12)

2.3.1 Some women have more than one test during the year for clinical reasons and the 3.7 million women of all ages tested in 2008-09 generated over 3.9 million tests. About 3% of tests do not have a result, as the sample is “inadequate” i.e. it does not contain material suitable for analysis (see 3.1.2 below for more information on inadequate samples). For women tested again due to an earlier inadequate test, 10.1% resulted in a repeated inadequate result, a decrease on 2007-08 (11.9%).

2.3.2 Of the 3.6 million women aged 25-64, who had an adequate result in 2008-09, 93.1% were negative, 3.6% showed borderline changes, 2.0% showed mild dyskaryosis, 0.6% showed moderate dyskaryosis, 0.7% showed severe dyskaryosis and 0.1% showed invasive



Source KC53 The Information Centre


carcinoma or glandular neoplasia. Within the target age range the percentage of results which are severe or worse shows a distinct pattern by age, being highest at 1.6% for women aged 25-29, falling to 0.3% for women aged 60-64. (Figure 4)

2.3.3 Across the country as a whole, about 6.9% of women aged 25-64, with at least one adequate test result, had a result categorised as abnormal (including severe dyskaryosis or worse). At PCO level, in 108 of the 152 PCOs the proportion of women presenting with an abnormal result was between 4% and 8%. In 3 PCOs it lay below 4%; in 33 PCOs the proportion was between 8% and 10%; and in 8 PCOs the proportion lay above 10% (maximum was 12.1%). (Figure 5)

2.4 Time from screening to availability of result (Tables 9 & 9a)

2.4.1 Information about the time from the taking of a sample to the availability of the test result is currently available only where the result letter is produced by the Primary Care Organisation. This occurred in 95.3% of cases overall in 2008-09.

Figure 5 - Cervical screening: Percentage of tests for women aged 25-64, with an abnormal result by Primary Care Organisation, England 2008-09




Source: KC53 The Information Centre

In 2008-09 21.4% of letters were available within 2 weeks a 10.3% increase on the previous year (11.1% available within 2 weeks in 2007-08). A further 44.1% were available between 2 and 4 weeks of the sample being taken. Overall therefore 65.5% of result letters produced by PCOs were available within 4 weeks, compared with 59.6% last year. A further 29.6% were available between 4 and 8 weeks, and 4.6% between 8 and 12 weeks. In only 0.4% of cases, the time to availability was over 12 weeks.

Regionally the 2 week availability of results ranged from 38.9% (Yorkshire & Humber) to 8.7% (South Central). The cumulative total for availability within 4 weeks ranges from 91.3% (Yorkshire & Humber – 76.1% last year) to 41.6% (South Central – 41.6% last year). (Figure 6)

Figure 6: Cervical Screening: Proportion of results available within 4 weeks by Strategic Health Authority, 2008-09



Source: KC53 The Information Centre

2.5 Recall status (Table 10)

2.5.1 Normal recall status, defined as action code A (routine recall), is normally used only where the test result is negative, however HPV sentinel sites (trialled for the first time in 2007-08) show small numbers of normal results within the borderline changes and mild dyskaryosis categories (2.0% and 0.7% respectively). For more information on these sites go to the NHS Cancer Screening Programme website (see further information). In 2008-09, about 85.7% of women who had nothing other than a negative test result in the year had a normal recall status. Almost all the remaining women with negative results (13.5%) had a repeat recall status due to previous history; and about 0.8% had a suspend recall status as they were currently under hospital care.

2.5.2 Repeat recall status, action code R, requires a further test earlier than routine recall, typically within 6 months of the previous test. This may be used where a test result is negative, inadequate, borderline or mild dyskaryosis. In 2008-09, about 31.6% of women whose most severe test result in the year was mild dyskaryosis had a repeat recall status; the corresponding proportion for borderline was 75.8%, and for inadequate 97.2%. The remaining majority of women in these three groups had a suspend recall status.

2.5.3 Suspend recall status, action code S, is an indication that recall has been suspended due to referral. This should be the only allowable status following a test result of moderate dyskaryosis or worse. In 2008-09, all women whose most severe test result in the year was moderate dyskaryosis or worse had a suspend recall status; no women were recorded with repeat recall status.


Cervical Cytology

3.1 Samples examined (Tables 14, 15, 17 & 19)

3.1.1 Just under 4 million samples were examined by pathology laboratories in 2008-09, a large increase of 9.9% or around 360,000 samples from 2007-08 (3.6 million). About 3.7 million (93.7% of the total) were submitted by GPs or by NHS community clinics - almost all these would have been samples taken as part of the screening programme. A further 0.2 million (5.2%) were from NHS hospitals - most of these were likely to have been samples taken following the discovery of symptoms or cytological abnormality.

3.1.2 Of the GP and NHS Community Clinic samples examined in 2008-09 for women aged between 25 and 64, 2.5% were inadequate specimens for which no result could be determined, a smaller proportion than in any of the previous years. The proportion of samples found inadequate is falling for women in the younger age bands but the proportion inadequate has risen slightly for women aged over 55 in 2008-09. Overall, the proportion of inadequate results was around 6% in the years 1989-90 to 1992-93, but rose in each year to 1999-2000 where it peaked at 9.8%. The percentage stayed at over 9% through until 2006, since then the percentage has continually fallen reaching an all time low of 2.5% in 2008-09 thanks mainly to the introduction of liquid based cytology (LBC), see below. (Figure 7)

Figure 7 - Cervical cytology: Percentages of samples from GP & NHS Community Clinics found to be inadequate, from women of all ages, England 1999 to 2009




Source: KC61The Information Centre

© Data prior to 2005, re-used with the permission to the Department of Health

3.1.3 At laboratory level, there was wide variation in the proportion of samples judged to be inadequate. The use of liquid based cytology (LBC) began in April 2001 with three pilot laboratories. In October 2003 the National Institute for Clinical Excellence recommended its use

nationally. It was expected that the use of LBC would substantially reduce the proportion of inadequate samples, and figures for recent years confirm this. During 2004-05, a number of laboratories began the conversion to LBC and by the end of 2008-09 all laboratories had converted or had plans in place to convert in the near future. Most laboratories (116 labs) had inadequate results of less than 6%, the remaining 3 laboratories were between 6% and 9%. Last year 17 labs had inadequate rates over 6% with a peak of 11%. (Figures 7 & 7a)

Figure 7a - Cervical cytology: Percentage of samples from GP & NHS Community Clinics found to be inadequate, for women aged 25-64, by laboratory, England 2008-09



Source: KC61 The Information Centre

3.2 Results (Tables 15, 16, 16a, & 19)

3.2.1 The percentage of adequate GP and NHS Community Clinic samples tested in 2008-09 for women aged 25-64, which were reported as being negative was 93.4%. Borderline

changes were found in 3.7% of adequate tests, mild dyskaryosis in 1.8%, moderate dyskaryosis in 0.5% and severe dyskaryosis in 0.6%; suspected invasive carcinoma or glandular neoplasia were found in less than 0.1% of samples.

Generally, the older the women the higher the proportion of tests found to be negative. The proportion of tests showing suspected invasive carcinoma or glandular neoplasia also increases with age. Borderline changes and mild dyskaryosis occurred more frequently in samples from younger women; moderate dyskaryosis accounted for a higher proportion of results from women aged 20-29 than from women in other age groups; the proportion of severe dyskaryosis was highest in samples from women aged 20-34.

3.2.2 At laboratory level there was wide variation in the percentage distribution of results, in particular in the proportion reported as borderline or mild.

3.2.3 The distribution of the individual laboratory results is used for quality assurance purposes, as set out in sections 8.2 – 8.4 of the second edition of Achievable Standards for Cervical Cytopathology, NHSCSP publication No 1, May 2000.

Target ranges for laboratory reporting are set from the 10th and 90th percentiles of the distributions of 4 key indicators. The ranges for 2007-08 and 2008-09 are set out in Table A which report on women aged 25-64 tested in GP or NHS Community Clinics and include results from all laboratories. Ranges for 'percentage inadequate' will not be shown until the phased roll out of LBC, which affects the inadequacy rate, is complete.

3.2.4 Average times from the receipt of the specimen at the laboratory until the authorisation of the report fell during 2008-09. 54.0% of tests were reported within 2 weeks of receipt at the lab, up from 48.6% in 2007-08, a further 29.5% were reported within 4 weeks (34.4% in 2007-08). This fall in turnaround times is probably due to the continued

Indicator	10th - 90th percentile range*	
	2007-08	2008-09
Mild / borderline as % of adequate samples	3.6% - 7.6%	4.0% - 7.5%
Moderate or worse as % of adequate samples	0.7% - 1.4%	0.8% - 1.5%
PPV for CIN2 or worse	70.7% - 88.9%	75.3% - 88.6%
<i>Number of laboratories whose results were used</i>	124	119

Source: Form KC61


* Based on results for women aged 25-64 from GP & NHS Community Clinics

implementation of LBC. Only 1.6% of tests were reported more than 8 weeks after receipt (3.0% in 2007-08). At a laboratory level there was wide variation within these timeframes.

3.3 Outcome of gynaecological referrals (Tables 18, 18a & 19)

3.3.1 Information about outcomes of gynaecological referrals for tests registered during April – June 2008 was provided by all laboratories with sizeable numbers of screening programme tests.

Figure 8a - Outcome of referral, following persistent non-negative test result, England April 2008 - June 2008




Source: KC61 Part C1 The Information Centre

3.3.2 For women referred following persistent non-negative tests whose referral outcome was known, 0.1% were found to have cervical cancers and 7.2% showed CIN3 or adenocarcinoma in situ; 10.7% showed CIN2 and 24.9% showed CIN1; 13.0% showed HPV only, 12.7% showed no CIN or HPV, 2.0% were inadequate biopsies and in 28.7% no abnormality was detected at colposcopy. Non-cervical cancers were identified from 0.1% of referrals. **(Figure 8a)**

3.3.3 For referrals with known outcomes following a single occurrence of a potentially significant abnormality, 2.4% were found to be cervical cancers and 55.7% showed CIN3 or adenocarcinoma in situ; 22.7% showed CIN2 and 8.9% showed CIN1; 2.6% showed HPV only, 4.1% showed no CIN or HPV, 0.6% were

Figure 8b - Outcome of referral, following single occurrence of potentially significant abnormality, England April 2008 - June 2008




Source: KC61 Part C1 The Information Centre

inadequate biopsies and in 2.4% no abnormality was detected at colposcopy. Non-cervical cancers were identified from 0.5% of referrals. (Figure 8b)

3.3.4 A positive predictive value (PPV) was calculated for each laboratory (see 5.4 below for a definition); reported PPVs ranged from around 50% to 100% with the majority lying between 75% and 90%. (Figure 9)

Figure 9 - Positive Predictive Values¹, England April 2008 - June 2008



1. See definition 5.4

Source: KC61 Part C1 The Information Centre

3.3.5 Retrospective information regarding referrals from an earlier complete year was collected again in 2008-09, relating to referrals in the 12 month period April 2007 to March 2008. The results from the whole year (2007-08) were similar to the first quarter of 2008-09.

Colposcopy

4.1 Referrals for colposcopy (Tables 20 & 21)

4.1.1 Details of the first referrals of each quarter to each clinic were recorded, regardless of whether or not the woman kept her appointment. A little under 134,000 referrals to colposcopy were reported in 2008-09, an increase of 9.6% from 2007-08 (122,000 referrals). Of these, 79.7% were reported as being triggered by a screening test and 16.8% were clinically indicated. Of women referred to colposcopy after a screening test, almost half (49.2%) followed findings of borderline changes or mild dyskaryosis; 12.6% of referrals followed findings of moderate dyskaryosis and 16.3% followed findings of severe dyskaryosis or worse.


4.1.2 Clinics were asked to supply data on the time between the date on the woman's referral letter and her first offered out patient appointment, regardless of whether she attended the appointment or not. Where direct referral systems are in operation, the referral date has been taken to be the date the test was reported. In 2008-09, data shows an improvement over recent years with 22.7% of women offered an appointment within 2 weeks, rising to 62.4% within 4 weeks and 96.4% by 8 weeks from referral. Women with more serious test results tended to be offered appointments earlier; 87.3% of the women with a result of moderate or severe dyskaryosis were offered an appointment within 4 weeks (an increase of 4.1% compared with 2007-08). (Figure 10)

4.1.3 There were improvements in almost all regions in the percentage of all women offered an appointment within 8 weeks. Percentages ranged from 91.6% in South East Coast to 99.6% in the North East. For those with moderate or severe dyskaryosis the percentage seen within 4 weeks ranged from 72.8% in South Central to 98.5% in the North East.

4.1.4 The time from referral to the first offered appointment was over 12 weeks for 0.8% of women referred. This could be where patients had requested a delayed

appointment for personal reasons or where treatment for another condition had to be completed before colposcopy could take place.

Figure 10 - Women referred to colposcopy: time from referral to first offered appointment, England 2008-09



Source: KC65 The Information Centre

4.2 Appointments for colposcopy (Table 22)

4.2.1 During 2008-09 a total of 402,406 appointments were reported at colposcopy clinics, an increase of 6.8% from 2007-08 (376,673 appointments). Of these, 41.1% were new appointments, i.e. all appointments offered for a first visit, 7.9% were for return for treatment and 51.0% were follow-up appointments.

4.2.2 Broadly speaking, out of every 10 new and return for treatment appointments, 8 were attended, 1 was cancelled by the patient and 1 was defaulted (where the patient failed to turn up with no advance warning being given). 1.4% of new appointments and 2.0% of return for treatment appointments were cancelled by the clinic.

4.2.3 Only 68.2% of follow-up appointments were attended; 13.1% were cancelled by the patient and 4.2% by the clinic. In 14.5% of cases the patients failed to turn up.

4.3 First Attendances at colposcopy (Table 23)

4.3.1 Clinics are required to supply details of all treatment and procedures undertaken at first attendance at the colposcopy clinic. The data collected relate only to procedures undertaken the first time a woman attends. In the case of deferred treatment the woman will be recorded as having no treatment at her first attendance.

4.3.2 Just under 129,400 first attendances at colposcopy were reported in 2008-09, an increase of 11.2% from 2007-08 (116,300 attendances). Most will relate to a referral in that year, although some women attending may have been referred in a previous year and some of the women referred in this year will attend in the next.

4.3.3 Overall, 64.0% women attending had some treatment or procedure at first attendance. For those attending with high-grade abnormalities, the proportion was 83.2%.

4.3.4 The most common treatment or procedure at first attendance was diagnostic biopsy. This was carried out at 45.7% of all first attendances. The use of this procedure was more common amongst those attending with low-grade abnormalities (58.3%) with only 4.2% undergoing excision. Conversely, for those attending with high-grade abnormalities the most common treatment at first attendance was excision (46.1%) and 36.4% had a diagnostic biopsy.

Regional variations:

4.3.5 Treatment patterns vary considerably at local and regional level. The percentage of all women receiving some treatment or procedure at first attendance ranged from 51.4% in the West Midlands to 79.2% in the North East. Similar patterns are reported in the use of treatment for those attending with both high and low grade abnormalities.

4.3.6 The use of diagnostic biopsy for those attending with a high-grade abnormality ranged from 24.9% in the West Midlands to 66.4% in London. For low-grade the equivalent range was 36.1% in the West Midlands to 81.8% in the North East.

4.3.7 The use of excision at first attendance was more common for those attending with a high-grade abnormality. It ranged from 14.1% in London to 62.0% in the East of England.

4.3.8 It is likely that the majority of those women presenting with high-grade abnormalities and reported as having either no treatment or a diagnostic biopsy went on to receive therapeutic treatment at a subsequent attendance.

4.4 Biopsies (Tables 24 & 25)

4.4.1 For each biopsy taken, the time elapsing before the woman is informed in writing of her result is recorded. The interval measured is the time between the date on which the biopsy was taken and the date on the letter that is sent to the patient informing her of her result. In order to allow time for follow up of results, the return relates only to those biopsies taken in the first month of each quarter. The data include all biopsies taken, not just those taken from women on first attendance. It is possible that more than one biopsy may be taken from the same woman.

4.4.2 In 2008-09 just over 45,100 biopsies were reported by clinics in the four sample months. These represent approximately one third of the total annual workload. The woman was informed of her result within 2 weeks in 28.8% of all cases, with a further 43.7% being informed within 4 weeks, 2.3% of women had not been informed of their result within 12 weeks. This figure includes cases where the result had yet to be reported to the clinic. Variations in working practices may account for this delay: for example, where a cytology test has been taken at the same time as a biopsy, the clinic may not report the biopsy result until the cytology result is also known.

4.4.3 Clinics are asked to supply data on the histological result for each biopsy taken. Of all biopsies reported 63.3% were diagnostic, 35.5% were excision and the remaining 1.2% were other non-diagnostic biopsies. These are similar proportions to last year.

4.4.4 Of all non-diagnostic biopsies i.e. excision biopsies and other non-diagnostic biopsies, taken in 2008-09 86.5% showed evidence of CIN or worse (85.8% last year). The proportion ranged from 83.8% in South Central to 89.1% in Yorkshire and the Humber.

4.5 Clinic data (Tables 26a & Table 26b)

Colposcopy data for individual clinics is shown in Tables 26a and 26b. These may be used to identify different treatment patterns across the country and show wide variation between clinics. Some of this variation may arise from the fact that many clinics deal with only a small number of cases and this should be borne in mind when interpreting the clinic level results.

Definitions

5.1 Coverage is defined as the percentage of women in a population eligible for screening at a given point in time who were less than a specified period (the headline coverage figure relates to 5 years) since their last test producing an adequate test result. Women ineligible for screening, and thus not included in the numerator or denominator of the coverage calculation, are those whose recall has been ceased for clinical reasons (most commonly due to hysterectomy).

5.2 Local level coverage is calculated for Primary Care Organisations (i.e. Primary Care Trusts or Care Trusts). Although PCOs do have a defined geographical boundary, the populations used are not those of women resident within the PCO boundaries. Instead the populations of women for whom each PCO is responsible are used. Responsible populations include women on the list of GPs who comprise the PCO, regardless of which geographical PCO they live in; where women on the call/recall register are not under the care of a GP at the time coverage is calculated, they are allocated to a PCO on a geographical basis.

5.3 The terms “abnormal” and “negative” used in the text to describe the result of a cytology test are defined as follows in terms of the categories used on the cytology report form HMR 101/5:

Potential cancer: cat. 5 (severe dyskaryosis/?invasive carcinoma) or cat. 6 (? glandular neoplasia); women who have such test results are usually referred directly for further investigation, e.g. biopsy.

Abnormal: HMR 101/5 cat. 4 (severe dyskaryosis), cat. 3 (mild dyskaryosis), cat. 7 (moderate dyskaryosis) or cat. 8 (borderline changes); women who have an abnormal test categorised as result code 3 or 8 will usually be recalled early for another test. Women who have an abnormal test categorised as result code 7 will be referred immediately for further investigation, e.g. colposcopy. Potential cancers are also included.

Negative: HMR 101/5 cat. 2 (negative); women with a negative test result will be returned to the screening programme to be called again usually at the normal interval (3 or 5 years).

5.4 A positive predictive value (PPV) relating cytology with histology was calculated from outcomes of referral for tests with result moderate dyskaryosis or worse as follows:

Numerator:

Number of tests with outcome of referral cancer, adenocarcinoma in situ, CIN3 or CIN2.

Denominator:

Number of tests with outcome of referral known and not recorded as inadequate biopsy.

5.5 CIN (cervical intra-epithelial neoplasia) CIN is not cancer but an indicator of the depth of abnormal cells within the surface layer of the cervix, and is divided into 3 grades. The higher the number/grade the more severe the condition:

- CIN 1 – one third of the thickness of the surface layer of the cervix is affected.
- CIN 2 – two thirds of the thickness of the surface layer of the cervix is affected.
- CIN 3 – full thickness of the surface layer of the cervix is affected (also known as carcinoma in situ).

5.6 For definitions of further medical terminology please visit the Cancer Screening Programmes website at www.cancerscreening.nhs.uk

5.7 In the tables:

- .. = Not available
- = Zero

Further information

This bulletin and copies of the Korner returns KC53, KC61 and KC65 can be found on the Information Centre website at:

www.ic.nhs.uk/pubs/cervscreen0809

Since 2004/05 this bulletin has been produced by The Information Centre. Previous editions, including those published by the Department of Health, can be found at:

<http://www.ic.nhs.uk/statistics-and-data-collections/screening/cervical-cancer>

Further information about cervical screening is available from the NHS Cancer Screening Programmes:

<http://www.cancerscreening.nhs.uk/>

INDEX TO TABLES

Table number	Description
1	Statistics on cervical cancer and the NHS Cervical Screening Programme, 1999 to 2009
2	NHS Cervical Screening Programme: test status of women and coverage by age, 31st March 2009
3	NHS Cervical Screening Programme: test status of women by age (numbers), 31st March 2009
3a	NHS Cervical Screening Programme: test status of women by age, 31st March 2009
4	NHS Cervical Screening Programme: number of women invited in the year by type of invitation and age, 2008-09
5	NHS Cervical Screening Programme: number of women tested in the year by type of invitation and age, 2008-09
6	NHS Cervical Screening Programme: number of women aged 25-64 tested in the year by type of invitation and result, 2008-09
7	NHS Cervical Screening Programme: number and percentage of tests in the year by type of invitation and result, 2008-09
8	NHS Cervical Screening Programme: results of adequate tests by age, 2008-09
9	NHS Cervical Screening Programme: Time from screening to availability of result by Strategic Health Authority, 2008-09
9a	NHS Cervical Screening Programme: Time from screening to availability of result by Primary Care Organisation, 2008-09
10	NHS Cervical Screening Programme: Recall status by most severe screening result and Strategic Health Authority, 2008-09
11	NHS Cervical Screening Programme: Summary of Strategic Health Authority data for women aged 25-64, 2008-09
12	NHS Cervical Screening Programme: Target Age Group (25-64), results of tests by Primary Care Organisation, 2008-09
13	NHS Cervical Screening Programme: Coverage by ageband and Primary Care Organisation, 2007-08 to 2008-09
14	Samples examined by pathology laboratories, by source of sample and result of test, 2008-09
15	GP & NHS Community Clinic samples examined by pathology laboratories, by result and age of women, 2008-09

- 16 Samples examined by pathology laboratories: Time from receipt of sample to authorisation of report by Strategic Health Authority, 2008-09
 - 16a Samples examined by pathology laboratories: Time from receipt of sample to authorisation of report by laboratory, 2008-09
 - 17 Samples examined by pathology laboratories, by source of sample, result of test and Strategic Health Authority, 2008-09
 - 18 Outcome of referrals for samples registered at the laboratory between April 2007 - March 2008, by Strategic Health Authority
 - 18a Outcome of referrals for samples registered at the laboratory between April - June 2008, by Strategic Health Authority
 - 19 GP and NHS Community Clinic samples from women aged 25-64 examined by pathology laboratories, by laboratory and result, 2008-09
 - 20 Women referred to colposcopy: referral indication of first offered appointment, by Strategic Health Authority, 2008-09
 - 21 Women referred to colposcopy: time from referral to first offered appointment, by referral indication and Strategic Health Authority, 2008-09
 - 22 Appointments for colposcopy: attendance status and appointment type, by Strategic Health Authority, 2008-09
 - 23 Women referred to colposcopy: first attendance by result of referral, type of procedure and Strategic Health Authority, 2008-09
 - 24 Biopsies taken at colposcopy: time from biopsy until patient informed of result, by Strategic Health Authority (4 month sample), 2008-09
 - 25 Non diagnostic biopsies taken at colposcopy: by type, outcome and Strategic Health Authority (4 month sample) 2008-09
 - 26a Summary statistics by colposcopy clinic, England 2008-09
 - 26b Summary statistics by colposcopy clinic, England 2008-09
-
-

Table 1: Statistics on cervical cancer and the NHS Cervical Screening Programme, 1999 to 2009

England		units	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Cervical Screening Programme data													
Coverage-less than 5 years ⁽¹⁾													
Women aged 25-64		%	82.3	82.0	81.3	81.6	81.2	80.6	80.3	79.5	79.2	78.6	78.9
Ages to be screened within 5 years *	Under 20	%	2.0	1.4	1.0	0.7	0.5	0.4	0.2	0.1	0.1	0.1	0.1
	20-24	%	59.4	56.6	54.1	53.0	52.0	50.5	44.6	30.4	24.0	15.1	9.1
	25-29	%	78.0	77.0	75.5	75.0	74.0	72.8	71.6	69.4	68.2	66.2	66.4
	30-34	%	83.0	82.5	81.5	81.7	81.0	80.0	79.2	78.0	77.5	76.8	77.8
	35-39	%	84.9	84.5	83.7	84.1	83.7	82.9	82.4	81.8	81.4	81.0	81.8
	40-44	%	84.9	84.6	84.0	84.3	84.0	83.6	83.4	83.0	82.8	82.5	83.2
	45-49	%	85.0	84.8	84.1	83.9	83.8	83.3	83.3	83.1	83.1	83.0	83.6
	50-64	%	--	--	--	81.0	81.0	80.8	81.0	80.7	80.5	80.3	80.0
	50-54	%	83.9	83.8	83.4	83.3	83.2	82.9	82.9	82.5	82.3	82.2	82.5
	55-59	%	80.8	81.0	80.9	81.4	81.4	81.2	81.3	81.1	80.8	80.5	80.1
	60-64	%	75.8	76.1	76.1	77.0	77.3	77.5	78.0	77.9	78.0	77.8	77.2
	65-69	%	54.1	52.5	51.1	51.5	51.5	51.5	51.2	50.1	50.4	51.4	52.5
	70-74	%	14.0	13.7	12.6	11.5	10.5	9.6	9.3	8.5	8.1	7.7	7.2
	75 and over	%	1.9	1.8	1.7	1.5	1.4	1.3	1.2	1.0	0.9	0.9	0.8
Coverage-less than 3 or 3.5 years ⁽²⁾													
Women aged 25-64		%	67.4	67.2	66.1	71.2	70.8	70.3	69.7	69.8	69.4	69.0	69.3
Ages to be screened within 3 or 3.5 years *	Under 20	%	2.0	1.4	0.9	0.7	0.5	0.4	0.2	0.1	0.1	0.1	0.1
	20-24	%	51.9	49.5	47.2	48.8	48.4	47.2	41.0	26.9	20.6	12.3	7.7
	25-49	%	--	--	--	71.7	71.2	70.6	69.6	69.6	69.2	69.3	72.5
	25-29	%	65.5	64.4	62.3	65.8	65.0	64.1	62.5	60.8	59.8	58.6	61.5
	30-34	%	69.6	68.9	67.1	71.8	71.0	70.2	68.9	68.5	68.1	68.0	71.1
	35-39	%	70.7	70.2	68.7	74.1	73.5	72.9	71.9	72.2	72.0	72.2	75.3
	40-44	%	69.0	68.9	67.7	73.5	73.2	72.9	72.3	73.1	73.0	73.7	77.2
	45-49	%	68.7	68.8	67.7	73.1	72.8	72.6	72.3	73.4	73.3	74.3	77.8
	50-54	%	67.3	67.5	66.8	72.4	72.1	71.8	71.6	72.1	71.7	72.0	73.2
	55-59	%	64.5	65.3	65.0	70.6	70.5	70.3	70.4	70.5	69.9	67.4	56.9
	60-64	%	59.0	60.0	60.3	66.1	66.2	66.3	66.9	67.4	67.0	64.5	53.5
	65-69	%	29.3	28.0	27.2	33.1	33.0	32.6	31.5	31.6	31.7	31.9	28.5
	70-74	%	5.6	5.4	5.0	5.7	5.5	5.3	4.8	4.4	4.2	3.9	3.6
	75 and over	%	1.0	0.9	0.8	0.9	0.8	0.7	0.7	0.6	0.6	0.5	0.5
* National policy for the screening programme is that eligible women aged 25-49 are to be screened every 3 years (from 2002 3.5 years) and women aged 50-64 are to be screened every 5 years													
Invitations and outcomes ⁽³⁾													
Women invited (20-64)	millions	3.45	3.74	3.97	4.28	4.25	4.33	4.63	4.35	4.24	4.29	4.08	
Women invited (25-64)	4.15	4.06	4.01	4.18	4.02	
Women screened (20-64)	millions	3.65	3.64	3.52	3.77	3.60	3.53	3.56	3.55	3.31	3.32	3.68	
Women screened (25-64)	3.28	3.36	3.17	3.22	3.61	
Women with low-grade abnormalities (20-64)	millions	0.22	0.23	0.21	0.23	0.21	0.20	0.19	0.19	0.18	0.19	0.21	
Women with low-grade abnormalities (25-64)	%	6.2	6.5	6.4	6.2	6.2	6.0	5.6	5.5	5.6	5.7	5.8	
Women with high-grade abnormalities (20-64)	millions	0.16	0.16	0.16	0.17	0.20	
Women with high-grade abnormalities (25-64)	%	4.9	5.0	5.2	5.4	5.6	
Women with high-grade abnormalities (20-64)	millions	0.06	0.06	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.05	
Women with high-grade abnormalities (25-64)	%	1.7	1.6	1.5	1.5	1.5	1.4	1.3	1.3	1.3	1.3	1.4	
	millions	0.04	0.04	0.04	0.04	0.05	
	%	1.2	1.2	1.2	1.2	1.3	
Pathology Laboratory data ⁽⁴⁾													
Samples examined (All ages)	millions	3.94	3.87	3.72	4.01	3.82	3.71	3.74	3.70	3.40	3.38	3.72	
Samples found inadequate (All ages)	%	9.2	9.8	9.7	9.2	9.4	9.3	9.2	7.4	4.7	2.9	2.5	
Samples examined (20-64)	millions	3.77	3.72	3.59	3.89	3.72	3.63	3.68	3.65	3.36	3.34	3.69	
Samples found inadequate (20-64)	%	9.3	9.8	9.7	9.2	9.4	9.3	9.2	7.4	4.7	2.9	2.5	
Samples examined (25-64)	millions	3.35	3.42	3.19	3.21	3.58	
Samples found inadequate (25-64)	%	9.0	7.2	4.7	2.9	2.5	
Cervical Cancer registration data ⁽⁵⁾													
Registrations in women aged 25-64		1,907	1,728	1,750	1,668	1,669	1,655	1,673	1,745	
Registrations in women of all ages		2,709	2,459	2,479	2,344	2,361	2,245	2,253	2,321	
Registrations per 100,000 popn (25-64)	rate	14.5	13.1	13.1	12.4	12.4	12.1	12.4	12.8	
Registrations per 100,000 popn (all ages)	rate	9.6	8.7	8.8	8.2	8.2	7.9	8	9.0	
Cervical Cancer mortality data ⁽⁶⁾													
Deaths (25-64)		480	505	473	434	404	423	386	388	413	380	..	
Deaths (all ages)		1,027	1,033	952	929	888	895	841	769	756	759	..	
Deaths per 100,000 popn (25-64)	rate	3.4	3.5	3.2	2.9	2.7	2.9	2.8	2.8	3.0	2.7	..	
Deaths per 100,000 popn (all ages)	rate	3.2	3.3	3.0	2.8	2.7	2.7	2.5	2.3	2.3	2.3	..	

⁽¹⁾ Source: Form KC53; data are as at 31 March (except 2006 - 10th August) and are of women less than 5 years since last test with an adequate result (Data prior to 2002 were based on last test with a result, not last adequate test, and have been adjusted to allow for this)

⁽²⁾ Source: Form KC53; data are as at 31 March (except 2006 - 10th August) and are of women less than 3 years (from 2002 3.5 years) since last test with an adequate result (Data prior to 2002 were based on last test with a result, not last adequate test)

⁽³⁾ Source: Form KC53; data are for 12 months ending 31 March; percentage with abnormalities is based on women with a test result, excluding those whose samples were inadequate
 Low-grade abnormalities: Borderline dyskaryosis, Mild dyskaryosis
 High-grade abnormalities: Moderate dyskaryosis, Severe dyskaryosis, Severe dyskaryosis/Invasive carcinoma, Glandular neoplasia

⁽⁴⁾ Source: Form KC61 Part B; data are for 12 months ending 31 March and relate to samples from GP and NHS Community Clinics only

⁽⁵⁾ Source: National Cancer Intelligence Centre, ONS; data are for year commencing 1 January

⁽⁶⁾ Figures for mortality are taken from the ONS Death Registration figures
 Registration and death rates are Directly Age Standardised Rates using the European Standard Population (DAS(E))

Table 2: NHS Cervical Screening Programme: test status of women and coverage by age, 31 March 2009

England										Thousands
Age at 31 March 2009	Number of women resident	Number of women with recall ceased			Number of eligible women	Number of women less than 3.5 years since last adequate test	Coverage ⁽¹⁾ (less than 3.5 years since last adequate test)(%)	Number of women less than 5 years since last adequate test	Coverage ⁽¹⁾ (less than 5 years since last adequate test)(%)	
		for clinical reasons	for age reasons	for other reasons						
All age groups	27,312.1	1,786.4	2,582.5	979.8	25,525.6	9,772.0	38.3	11,351.2	44.5	
25-64	14,491.6	1,050.4	349.6	166.5	13,441.2	9,319.7	69.3	10,610.2	78.9	
25-49⁽²⁾	9,692.0	224.0	-	49.7	9,468.0	6,865.9	72.5	7,430.6	78.5	
50-64⁽²⁾	4,799.6	826.5	349.6	116.8	3,973.2	2,453.8	61.8	3,179.6	80.0	
Under 20	6,246.0	0.0	-	0.0	6,245.9	4.8	0.1	4.9	0.1	
20-24	1,856.3	0.1	-	0.2	1,856.2	142.3	7.7	169.0	9.1	
25-29	1,958.9	0.9	-	5.6	1,958.0	1,205.1	61.5	1,299.6	66.4	
30-34	1,806.2	4.1	-	7.9	1,802.1	1,280.5	71.1	1,402.3	77.8	
35-39	1,961.1	20.0	-	9.8	1,941.2	1,461.9	75.3	1,587.1	81.8	
40-44	2,049.3	64.8	-	12.2	1,984.5	1,532.5	77.2	1,651.8	83.2	
45-49	1,916.5	134.2	-	14.3	1,782.3	1,385.9	77.8	1,489.8	83.6	
50-54	1,653.5	203.3	-	15.9	1,450.2	1,061.0	73.2	1,195.7	82.5	
55-59	1,545.8	270.0	-	19.9	1,275.7	726.1	56.9	1,021.4	80.1	
60-64	1,600.4	353.1	349.6	81.1	1,247.3	666.7	53.5	962.6	77.2	
65-69	1,216.2	286.8	576.7	151.7	929.4	265.1	28.5	487.8	52.5	
70-74	1,076.0	221.6	567.3	209.4	854.4	30.3	3.6	61.9	7.2	
75-79	924.0	149.7	522.6	202.2	774.3	6.8	0.9	12.5	1.6	
80 and over	1,501.9	77.8	566.2	249.8	1,424.2	2.8	0.2	5.0	0.3	

Notes:

⁽¹⁾ The denominator used in calculating the percentage is the resident population less those women with recall ceased for clinical reasons

⁽²⁾ National policy for the screening programme is that eligible women aged 25-49 are to be screened every 3 years and women aged 50-64 are to be screened every 5 years

Source: KC53 Parts A2 and A3

Copyright © 2009, The Information Centre. All rights reserved

Table 3: NHS Cervical Screening Programme: test status of eligible women ⁽¹⁾ by age, 31 March 2009

England										<i>Thousands</i>
Age at 31 March 2009	Number of women - Time since last adequate test (years)							Women called but not tested		
	less than 1.5 years	1.5 years & up to 3 years	3 years & up to 3.5 years	3.5 years & up to 5 years	5 years & up to 10 years	10 years & up to 15 years	15 years and over	no adequate sample	never attended	no cytology record
All ages groups	5,082.2	3,909.6	780.2	1,579.2	1,811.3	1,105.1	1,017.1	41.5	1,935.2	8,264.2
25-64	4,914.6	3,707.8	697.3	1,290.4	1,048.1	338.3	213.2	30.0	1,180.4	21.2
Under 20	4.1	0.7	0.1	0.1	0.0	0.0	-	0.1	0.2	6,240.8
20-24	94.7	37.9	9.7	26.6	6.7	0.0	0.0	2.5	335.7	1,342.3
25-29	749.4	399.6	56.0	94.5	109.4	4.5	0.0	10.7	521.1	12.7
30-34	738.9	464.2	77.3	121.8	139.4	29.2	2.4	6.8	217.8	4.2
35-39	829.6	549.4	82.9	125.2	157.7	50.1	16.3	4.0	124.2	1.9
40-44	860.4	590.9	81.2	119.3	157.9	58.0	30.1	2.5	83.2	0.9
45-49	761.3	552.0	72.6	103.9	135.1	54.1	37.0	1.8	63.9	0.6
50-54	525.9	449.4	85.7	134.7	114.3	45.2	38.5	1.4	54.6	0.4
55-59	243.2	360.5	122.4	295.2	114.2	45.0	41.0	1.3	52.6	0.2
60-64	205.8	341.7	119.2	295.8	120.1	52.0	47.9	1.5	63.0	0.3
65-69	56.7	144.2	64.2	222.7	273.7	53.4	46.4	1.2	57.1	9.7
70-74	8.7	14.6	7.0	31.6	393.5	236.5	68.9	1.4	71.0	21.1
75-79	2.4	3.1	1.3	5.7	68.8	368.7	192.0	1.9	99.6	30.8
80 and over	1.0	1.2	0.5	2.1	20.6	108.1	496.6	4.5	191.2	598.3

Notes:

⁽¹⁾Excludes women with recall ceased for clinical reasons

Source: KC53 Part A3

Copyright © 2009, The Information Centre. All rights reserved

Table 3a: NHS Cervical Screening Programme: test status of women by age, 31 March 2009

England								<i>Percentages</i>
Age at 31 March 2009	Number of women resident	Women with at least one adequate test result recorded			Women called but not tested			
		Ceased for clinical reasons	less than 5 years since adequate test	5 years or more since adequate test	no adequate sample	never attended	Women with no cytology record	
All age groups	27,312.1	6.5	41.6	14.4	0.2	7.1	30.3	
25-64	14,491.6	7.2	73.2	11.0	0.2	8.1	0.1	
Under 20	6,246.0	0.0	0.1	0.0	0.0	0.0	99.9	
20-24	1,856.3	0.0	9.1	0.4	0.1	18.1	72.3	
25-29	1,958.9	0.0	66.3	5.8	0.5	26.6	0.6	
30-34	1,806.2	0.2	77.6	9.5	0.4	12.1	0.2	
35-39	1,961.1	1.0	80.9	11.4	0.2	6.3	0.1	
40-44	2,049.3	3.2	80.6	12.0	0.1	4.1	0.0	
45-49	1,916.5	7.0	77.7	11.8	0.1	3.3	0.0	
50-54	1,653.5	12.3	72.3	12.0	0.1	3.3	0.0	
55-59	1,545.8	17.5	66.1	13.0	0.1	3.4	0.0	
60-64	1,600.4	22.1	60.1	13.7	0.1	3.9	0.0	
65-69	1,216.2	23.6	40.1	30.7	0.1	4.7	0.8	
70-74	1,076.0	20.6	5.8	65.0	0.1	6.6	2.0	
75-79	924.0	16.2	1.4	68.1	0.2	10.8	3.3	
80 and over	1,501.9	5.2	0.3	41.6	0.3	12.7	39.8	

Source: KC53 Parts A2 and A3

Copyright © 2009, The Information Centre. All rights reserved

Table 4: NHS Cervical Screening Programme: number of women invited in the year by type of invitation and age, 2008-09

England							<i>Number</i>
Age at 31 March 2009	Type of Invitation						
	Total	Call	Repeat in less than 3 years for reasons of			Inadequate Sample	
			Routine Recall	Surveillance	Abnormality		
All Age Groups	4,122,131	592,889	2,603,206	635,782	173,651	116,603	
25-64	4,020,652	562,279	2,572,212	613,282	162,627	110,252	
Under 20	617	50	7	106	361	93	
20-24	57,490	26,019	9,040	10,884	8,774	2,773	
25-29	757,760	317,446	276,093	101,197	45,016	18,008	
30-34	648,856	101,169	375,063	121,101	32,877	18,646	
35-39	686,813	54,301	463,967	122,805	26,968	18,772	
40-44	682,413	32,801	507,434	102,065	22,750	17,363	
45-49	600,915	22,915	473,830	73,179	17,079	13,912	
50-54	382,686	15,435	302,128	45,568	9,929	9,626	
55-59	144,092	10,547	93,114	28,213	4,788	7,430	
60-64	117,117	7,665	80,583	19,154	3,220	6,495	
65-69	31,350	2,685	16,634	8,105	1,284	2,642	
70-74	7,963	1,053	3,559	2,413	363	575	
75 and over	4,059	803	1,754	992	242	268	

Source: KC53 Part B
Copyright © 2009, The Information Centre. All rights reserved

Table 5: NHS Cervical Screening Programme: number of women tested in the year by type of invitation and age, 2008-09

England										<i>Number</i>
Age at 31 March 2009	Type of Invitation									
	Total	Call	Repeat in less than 3 years for reasons of				Inadequate Sample	While Recall Suspended	While Recall Ceased	Outside Programme
			Routine Recall	Surveillance	Abnormality					
All Age Groups	3,728,052	166,840	1,978,049	484,230	78,467	56,609	137,069	31,430	795,358	
25-64	3,607,373	164,311	1,962,336	469,603	74,127	54,708	129,673	16,146	736,469	
Under 20	3,595	0	4	42	100	19	100	-	3,330	
20-24	76,661	2,381	6,005	7,302	3,661	1,151	5,251	11	50,899	
25-29	588,957	104,120	193,061	76,131	19,475	10,288	34,421	374	151,087	
30-34	562,404	28,709	266,546	92,651	14,146	10,109	27,611	553	122,079	
35-39	622,815	13,725	349,693	95,606	12,019	9,883	22,231	509	119,149	
40-44	632,643	7,505	398,852	79,595	10,803	8,760	17,574	644	108,910	
45-49	550,703	4,666	376,062	56,727	8,959	6,523	12,586	792	84,388	
50-54	364,016	2,931	248,442	34,708	5,179	4,304	7,539	760	60,153	
55-59	157,573	1,624	68,764	20,917	2,195	2,716	4,446	761	56,150	
60-64	128,262	1,031	60,916	13,268	1,351	2,125	3,265	11,753	34,553	
65-69	32,262	138	9,121	5,499	435	638	1,443	11,081	3,907	
70-74	5,727	9	486	1,410	101	68	391	2,805	457	
75 and over	2,434	1	97	374	43	25	211	1,387	296	

Source: KC53 Part C1

Table 6: NHS Cervical Screening Programme: number of women aged 25-64 tested in the year by type of invitation and result, 2008-09

England										Number
Result of test	Type of Invitation									
	Total	Call	Repeat in less than 3 years for reasons of					While Recall Suspended	While Recall Ceased	Outside Programme
			Routine Recall	Surveillance	Abnormality	Inadequate Sample				
25-64	3,607,371	164,311	1,962,336	469,601	74,127	54,708	129,673	16,146	736,469	
Inadequate	88,996	4,041	45,835	9,132	1,165	3,894	2,856	609	21,464	
Negative	3,280,608	144,943	1,831,947	427,531	48,624	47,418	96,239	15,078	668,828	
Borderline changes	128,130	7,136	48,761	20,190	12,433	1,831	13,336	258	24,185	
Mild Dyskaryosis	67,051	4,825	19,964	8,652	8,596	858	11,816	100	12,240	
Moderate Dyskaryosis	18,010	1,367	6,166	2,003	1,788	264	2,785	21	3,616	
Severe Dyskaryosis	22,044	1,868	8,643	1,924	1,426	389	2,392	49	5,353	
?Invasive Carcinoma	852	81	258	35	41	25	112	9	291	
?Glandular Neoplasia	1,680	50	762	134	54	29	137	22	492	

Source: KC53 Part C2

Copyright © 2009, The Information Centre. All rights reserved

Table 7: NHS Cervical Screening Programme: number and percentage of tests in the year by type of invitation and result, 2008-09

England										
Result of test	Type of Invitation									
	Total	Call	Repeat in less than 3 years for reasons of					While Recall Suspended	While Recall Ceased	Outside Programme
			Routine Recall	Surveillance	Abnormality	Inadequate Sample				
Numbers										
Total	3,967,975	166,941	1,978,783	542,541	132,283	106,361	190,632	31,764	818,670	
Inadequate	104,107	4,105	46,334	10,660	2,102	10,499	4,333	1,287	24,787	
Negative	3,558,018	147,168	1,846,976	491,338	84,981	90,156	132,314	29,594	735,491	
Borderline changes	161,291	7,291	49,210	25,025	23,564	3,261	22,332	491	30,117	
Mild Dyskaryosis	91,424	4,922	20,252	10,753	16,032	1,462	21,322	150	16,531	
Moderate Dyskaryosis	23,504	1,410	6,243	2,402	3,144	403	5,232	38	4,632	
Severe Dyskaryosis	26,543	1,908	8,741	2,173	2,323	500	4,584	72	6,242	
?Invasive Carcinoma	1,018	82	260	36	49	28	195	47	321	
?Glandular Neoplasia	2,070	55	767	154	88	52	320	85	549	
Percentage of tests by result										
Total	100.0	4.2	49.9	13.7	3.3	2.7	4.8	0.8	20.6	
Inadequate	100.0	3.9	44.5	10.2	2.0	10.1	4.2	1.2	23.8	
Negative	100.0	4.1	51.9	13.8	2.4	2.5	3.7	0.8	20.7	
Borderline changes	100.0	4.5	30.5	15.5	14.6	2.0	13.8	0.3	18.7	
Mild Dyskaryosis	100.0	5.4	22.2	11.8	17.5	1.6	23.3	0.2	18.1	
Moderate Dyskaryosis	100.0	6.0	26.6	10.2	13.4	1.7	22.3	0.2	19.7	
Severe Dyskaryosis	100.0	7.2	32.9	8.2	8.8	1.9	17.3	0.3	23.5	
?Invasive Carcinoma	100.0	8.1	25.5	3.5	4.8	2.8	19.2	4.6	31.5	
?Glandular Neoplasia	100.0	2.7	37.1	7.4	4.3	2.5	15.5	4.1	26.5	
Percentage of tests by invitation										
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Inadequate	2.6	2.5	2.3	2.0	1.6	9.9	2.3	4.1	3.0	
Negative	89.7	88.2	93.3	90.6	64.2	84.8	69.4	93.2	89.8	
Borderline changes	4.1	4.4	2.5	4.6	17.8	3.1	11.7	1.5	3.7	
Mild Dyskaryosis	2.3	2.9	1.0	2.0	12.1	1.4	11.2	0.5	2.0	
Moderate Dyskaryosis	0.6	0.8	0.3	0.4	2.4	0.4	2.7	0.1	0.6	
Severe Dyskaryosis	0.7	1.1	0.4	0.4	1.8	0.5	2.4	0.2	0.8	
?Invasive Carcinoma	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	
?Glandular Neoplasia	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.3	0.1	

Source: KC53 Part C3

Copyright © 2009, The Information Centre. All rights reserved

Table 8: NHS Cervical Screening Programme: results of adequate tests by age, 2008-09

England		Result ⁽²⁾							Number
Age at 31 March 2009	Total ⁽¹⁾	Negative	Borderline Changes	Mild Dyskaryosis	Moderate Dyskaryosis	Severe Dyskaryosis	Severe / ?Invasive Carcinoma	?Glandular Neoplasia	
Numbers									
All age groups	3,687,498	3,422,394	135,362	79,341	21,990	25,467	979	1,965	
25-64	3,565,258	3,317,986	127,442	72,781	20,277	24,039	895	1,838	
Under 20	3,594	2,725	402	385	61	21	-	-	
20-24	79,014	64,175	6,438	5,562	1,533	1,257	23	26	
25-29	581,783	507,190	32,319	25,288	7,676	8,842	141	327	
30-34	555,594	507,207	22,669	14,637	4,680	5,883	177	341	
35-39	615,609	575,423	21,297	11,054	3,151	4,188	171	325	
40-44	625,799	591,645	19,953	9,111	2,189	2,531	139	231	
45-49	544,854	519,238	16,310	6,371	1,312	1,352	89	182	
50-54	360,161	345,713	9,182	3,595	721	704	75	171	
55-59	155,174	149,210	3,493	1,650	339	305	47	130	
60-64	126,284	122,360	2,219	1,075	209	234	56	131	
65-69	31,717	30,248	796	433	81	92	17	50	
70-74	5,592	5,196	172	123	26	31	17	27	
75 and over	2,323	2,064	112	57	12	27	27	24	
Percentages									
All age groups	100.0	92.8	3.7	2.2	0.6	0.7	0.0	0.1	
25-64	100.0	93.1	3.6	2.0	0.6	0.7	0.0	0.1	
Under 20	100.0	75.8	11.2	10.7	1.7	0.6	-	-	
20-24	100.0	81.2	8.1	7.0	1.9	1.6	0.0	0.0	
25-29	100.0	87.2	5.6	4.3	1.3	1.5	0.0	0.1	
30-34	100.0	91.3	4.1	2.6	0.8	1.1	0.0	0.1	
35-39	100.0	93.5	3.5	1.8	0.5	0.7	0.0	0.1	
40-44	100.0	94.5	3.2	1.5	0.3	0.4	0.0	0.0	
45-49	100.0	95.3	3.0	1.2	0.2	0.2	0.0	0.0	
50-54	100.0	96.0	2.5	1.0	0.2	0.2	0.0	0.0	
55-59	100.0	96.2	2.3	1.1	0.2	0.2	0.0	0.1	
60-64	100.0	96.9	1.8	0.9	0.2	0.2	0.0	0.1	
65-69	100.0	95.4	2.5	1.4	0.3	0.3	0.1	0.2	
70-74	100.0	92.9	3.1	2.2	0.5	0.6	0.3	0.5	
75 and over	100.0	88.9	4.8	2.5	0.5	1.2	1.2	1.0	

⁽¹⁾ Excluding women all of whose tests during the year were classified as 'inadequate'⁽²⁾ Most severe result in the year

Source: KC53 Part D

Copyright © 2009, The Information Centre. All rights reserved

Table 9: NHS Cervical Screening Programme: Time from screening to availability of result by Strategic Health Authority, 2008-09

	Percentages & Numbers										
	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of England	London	South East Coast	South Central	South West
Up to 2 weeks	21	12	14	39	23	18	23	17	28	9	30
>2 weeks up to 4 weeks	44	62	42	52	60	45	32	40	53	33	40
>4 weeks up to 6 weeks	21	23	24	8	12	26	25	28	17	31	12
>6 weeks up to 8 weeks	8	3	14	1	2	8	12	10	2	17	9
>8 weeks up to 10 weeks	4	0	6	0	1	2	5	4	0	7	6
>10 weeks up to 12 weeks	1	0	1	0	2	1	2	1	0	2	1
Over 12 weeks	0	0	0	0	0	0	1	0	0	2	0
Total with letter sent by Primary Care Organisation = 100% (number)	3,784,790	165,051	520,104	372,519	284,936	388,011	409,842	678,748	306,746	283,578	375,255
Letter not sent by Primary Care Organisation (number)	187,344	19,921	6,204	7,191	35,616	6,576	32,050	23,976	8,086	29,255	18,469

Source: KC53 Part E

Copyright © 2009, The Information Centre. All rights reserved

Table 9a: NHS Cervical Screening Programme: Time from screening to availability of result by Primary Care Organisation, 2008-09

	Percentages & Numbers								
	Total with letter sent by Primary Care Organisation = 100% (number)	Up to 2 weeks (%)	>2 weeks up to 4 weeks	>4 weeks up to 6 weeks	>6 weeks up to 8 weeks	>8 weeks up to 10 weeks	>10 weeks up to 12 weeks	over 12 weeks	Letter not sent by Primary Care Organisation (number)
England	3,784,790	21.4	44.1	21.1	8.4	3.5	1.0	0.4	187,344
North East SHA	165,051	12.0	61.6	23.1	2.8	0.2	0.1	0.1	19,921
SND County Durham PCT	35,271	18.7	70.5	10.0	0.6	0.1	0.1	0.1	343
SJ9 Darlington PCT	7,158	20.4	71.2	8.1	0.2	0.1	0.0	0.1	68
5KF Gateshead PCT	14,573	25.1	63.5	10.8	0.4	0.1	0.0	0.1	183
5D9 Hartlepool PCT	5,659	7.5	70.2	21.9	0.3	0.0	0.0	0.1	55
5KM Middlesbrough PCT	8,715	18.4	71.8	9.3	0.3	0.0	0.0	0.1	67
5D7 Newcastle PCT	18,531	5.4	50.8	37.6	5.0	0.6	0.2	0.4	276
5D8 North Tyneside PCT	16,050	4.0	48.6	39.9	6.5	0.6	0.1	0.2	209
TAC Northumberland Care Trust	5,011	0.9	51.9	38.5	6.4	1.7	0.3	0.2	18,320
5QR Redcar & Cleveland PCT	8,379	15.1	73.7	10.7	0.4	0.0	0.0	0.0	67
5KG South Tyneside PCT	10,208	20.3	66.9	12.3	0.2	0.1	0.0	0.0	62
5E1 Stockton-on-Tees Teaching PCT	11,816	7.5	64.3	27.5	0.4	0.0	0.0	0.1	133
5KL Sunderland Teaching PCT	23,680	0.8	49.8	41.1	8.1	0.2	0.0	0.1	138
North West SHA	520,104	13.8	41.5	23.7	13.8	5.6	1.3	0.3	6,204
5HG Ashton, Leigh & Wigan PCT	22,495	0.6	7.4	28.2	43.3	17.9	2.1	0.3	246
5CC Blackburn with Darwen PCT	9,825	15.4	72.0	12.3	0.2	0.1	0.0	0.1	61
5HP Blackpool PCT	11,510	15.6	77.3	6.5	0.3	0.1	0.1	0.1	103
5HQ Bolton PCT	20,361	8.5	41.0	15.6	12.6	15.0	6.9	0.3	243
5JX Bury PCT	14,675	14.5	61.6	19.7	2.6	1.0	0.4	0.1	216
5NP Central & Eastern Cheshire PCT	32,269	7.8	72.2	12.8	5.8	0.8	0.5	0.2	439
5NG Central Lancashire PCT	33,798	51.1	28.4	12.6	4.3	3.2	0.3	0.1	260
5NE Cumbria PCT	36,196	30.6	44.6	14.9	5.0	1.9	1.0	0.1	349
5NH East Lancashire PCT	25,428	22.7	64.3	12.1	0.7	0.1	0.1	0.1	167
5NM Halton & St Helens PCT	23,032	21.2	38.9	27.3	8.4	2.7	1.0	0.5	228
5NQ Heywood, Middleton & Rochdale PCT	15,321	15.6	61.9	18.8	2.2	1.0	0.3	0.1	155
5J4 Knowsley PCT	11,768	20.0	40.5	24.1	8.3	4.1	2.6	0.4	96
5NL Liverpool PCT	33,985	0.3	21.0	34.5	27.1	13.2	3.1	0.8	363
5NT Manchester PCT	37,464	4.9	13.9	30.7	34.6	14.2	1.4	0.3	844
5NF North Lancashire PCT	23,934	10.9	62.1	18.0	4.0	2.1	1.9	1.0	249
5J5 Oldham PCT	16,370	12.9	47.7	23.1	9.6	5.4	1.2	0.1	130
5FS Salford PCT	17,912	3.1	14.1	29.7	36.5	15.0	1.3	0.2	357
5NJ Salford PCT	18,468	0.3	40.7	39.6	14.6	3.2	1.6	0.1	174
5F7 Stockport PCT	22,429	9.2	28.5	43.4	16.8	1.3	0.4	0.4	336
5LH Tameside & Glossop PCT	18,118	3.3	23.8	50.5	19.7	2.0	0.5	0.1	134
5NR Trafford PCT	18,900	4.0	15.1	28.0	35.6	15.5	1.5	0.2	439
5J2 Warrington PCT	15,715	2.7	36.3	44.3	13.1	2.8	0.6	0.2	212
5NN Western Cheshire PCT	17,340	23.3	64.6	10.7	0.8	0.3	0.2	0.1	243
5NK Wirral PCT	22,791	12.7	73.2	12.7	0.9	0.3	0.1	0.2	160
Yorkshire & the Humber SHA	372,519	38.9	52.4	7.8	0.5	0.1	0.1	0.1	7,191
5JE Barnsley PCT	19,316	19.3	46.1	3.2	0.6	0.0	0.0	0.0	201
5NY Bradford & Airedale Teaching PCT	35,801	17.8	65.5	15.8	0.6	0.2	0.1	0.1	391
5J6 Calderdale PCT	16,706	19.2	78.7	2.0	0.1	0.0	0.0	0.0	213
5N5 Doncaster PCT	21,194	66.6	33.0	0.3	0.1	0.0	0.0	0.1	210
5NW East Riding of Yorkshire PCT	19,864	40.8	48.8	8.5	0.9	0.4	0.4	0.2	274
5NX Hull Teaching PCT	19,323	55.3	37.7	5.2	0.7	0.5	0.5	0.1	100
5N2 Kirkstree PCT	31,516	26.6	69.1	4.1	0.2	0.0	0.0	0.0	393
5N1 Leeds PCT	59,948	21.8	65.0	12.1	0.8	0.2	0.1	0.1	11,800
TAN North East Lincolnshire PCT	12,951	4.9	71.6	20.9	2.3	0.2	0.0	0.1	505
5EF North Lincolnshire PCT	12,781	5.0	70.9	21.8	2.0	0.1	0.1	0.1	614
5NV North Yorkshire & York PCT	48,747	65.9	27.6	6.0	0.2	0.1	0.0	0.1	2,127
5H8 Rotherham PCT	19,016	33.2	60.1	6.4	0.2	0.1	0.0	0.1	165
5N4 Sheffield PCT	34,286	69.5	29.4	0.9	0.1	0.0	0.0	0.0	501
5N3 Wakefield District PCT	22,170	36.6	56.0	6.8	0.4	0.0	0.0	0.0	317
East Midlands SHA	284,936	23.3	59.8	12.1	2.2	0.6	1.9	0.1	35,616
5ET Bassetlaw PCT	7,321	25.9	73.1	0.8	0.1	0.0	0.0	0.1	102
5N7 Derby City PCT	20,609	21.6	65.6	12.0	0.5	0.1	0.1	0.1	176
5N6 Derbyshire County PCT	48,194	28.5	59.6	9.5	1.6	0.3	0.5	0.1	534
5PC Leicester City PCT	22,746	10.3	65.2	18.8	5.3	0.2	0.1	0.1	197
5PA Leicestershire County & Rutland PCT	48,687	9.3	65.3	19.5	5.4	0.3	0.0	0.1	643
5N9 Lincolnshire PCT	22,608	14.5	56.3	26.6	2.3	0.2	0.0	0.1	32,256
5PD Northamptonshire PCT	46,974	62.6	32.7	4.2	0.3	0.2	0.0	0.0	844
5EM Nottingham City PCT	20,744	9.4	62.5	23.5	2.3	2.6	11.4	0.2	243
5N8 Nottinghamshire County PCT	47,053	10.3	74.1	7.1	1.2	1.5	5.7	0.1	621
West Midlands SHA	388,011	17.9	45.4	26.0	7.5	2.3	0.6	0.2	6,576
5PG Birmingham East & North PCT	26,995	15.3	51.8	21.5	7.1	2.9	0.9	0.5	753
5MD Coventry Teaching PCT	25,181	7.4	45.3	35.2	9.7	2.0	0.3	0.1	233
5PE Dudley PCT	21,247	18.4	60.3	19.5	1.5	0.2	0.1	0.1	246
5MK Heart of Birmingham Teaching PCT	18,291	19.7	54.2	19.6	3.4	2.2	0.6	0.2	523
5CN Herefordshire PCT	11,346	83.6	15.7	0.4	0.2	0.0	0.0	0.0	145
5PH North Staffordshire PCT	13,673	0.4	7.9	46.7	34.1	8.5	1.9	0.5	113
5PF Sandwell PCT	24,400	8.9	53.2	35.0	2.0	0.5	0.2	0.2	422
5M2 Shropshire County PCT	18,860	68.6	25.1	5.1	0.5	0.2	0.1	0.1	198
TAM Solihull Care Trust	14,618	17.8	53.2	13.1	10.0	3.8	1.1	1.0	750
5M1 South Birmingham PCT	25,747	10.1	40.4	34.6	7.0	6.0	1.8	0.2	560
5PK South Staffordshire PCT	42,245	5.6	61.5	27.4	4.3	0.7	0.3	0.2	445
5PJ Stoke-on-Trent PCT	17,991	0.1	6.6	46.1	36.3	8.9	1.6	0.5	108
5MK Telford & Wrekin PCT	11,430	67.0	27.2	5.0	0.3	0.1	0.4	0.1	83
5M3 Walsall Teaching PCT	16,779	14.6	63.5	19.4	2.1	0.3	0.2	0.1	181
5PM Warwickshire PCT	38,771	2.4	39.7	36.5	15.8	4.6	0.7	0.3	876
5MV Wolverhampton City PCT	16,128	70.2	28.3	1.0	0.2	0.1	0.1	0.1	194
5PL Worcestershire PCT	44,309	3.6	63.8	31.0	1.2	0.3	0.1	0.1	746
East of England SHA	409,842	23.2	32.2	24.7	11.7	5.0	2.2	1.0	32,050
5P2 Bedfordshire PCT	24,458	6.2	43.2	36.0	9.3	4.4	0.6	0.3	7,489
5PP Cambridgeshire PCT	45,415	74.8	23.0	1.8	0.2	0.1	0.0	0.1	1,015
5P3 East & North Hertfordshire PCT	43,281	10.0	20.1	56.1	11.2	1.9	0.4	0.3	5,075
5PR Great Yarmouth & Waveney Teaching PCT	14,084	10.6	38.2	46.0	5.1	0.0	0.0	0.1	159
5GC Luton Teaching PCT	10,582	11.5	51.5	23.5	5.2	7.5	0.6	0.3	3,455
5PX Mid Essex PCT	29,494	7.5	22.3	11.9	47.6	7.8	1.8	1.2	1,398
5PQ Norfolk PCT	47,693	13.6	45.0	38.7	2.6	0.1	0.0	0.0	1,087
5PW North East Essex PCT	22,797	0.8	13.6	14.4	22.1	29.3	13.0	6.8	1,020
5PN Peterborough PCT	13,443	85.9	13.8	0.2	0.1	0.1	0.0	0.1	183
5P1 South East Essex PCT	25,320	2.2	41.8	21.1	16.4	15.1	2.4	1.0	1,702
5PY South West Essex PCT	32,232	1.9	25.8	22.1	23.7	9.4	12.7	4.5	1,059
5PT Suffolk PCT	40,272	58.3	30.3	9.7	1.1	0.4	0.1	0.1	653
5PV West Essex PCT	21,991	6.5	38.1	44.9	8.6	1.0	0.3	0.6	1,300
5P4 West Hertfordshire PCT	38,780	15.8	49.1	17.7	12.6	3.7	0.8	0.4	6,455

Table 9a: NHS Cervical Screening Programme: Time from screening to availability of result by Primary Care Organisation, 2008-09

	Percentages & Numbers								
	Total with letter sent by Primary Care Organisation = 100% (number)	Up to 2 weeks (%)	>2 weeks up to 4 weeks	>4 weeks up to 6 weeks	>6 weeks up to 8 weeks	>8 weeks up to 10 weeks	>10 weeks up to 12 weeks	over 12 weeks	Letter not sent by Primary Care Organisation (number)
England	3,784,790	21.4	44.1	21.1	8.4	3.5	1.0	0.4	187,344
London SHA	678,748	17.5	39.8	27.7	9.7	4.1	0.6	0.5	23,976
5C2 Barking & Dagenham PCT	13,340	5.2	34.0	41.2	17.3	2.0	0.1	0.2	218
5A9 Barnet PCT	27,292	3.5	13.8	50.3	20.4	9.4	1.6	1.0	655
TAK Bexley Care Trust	17,576	22.7	42.8	29.2	3.6	1.2	0.3	0.2	315
5K5 Brent Teaching PCT	22,948	35.0	25.8	28.8	6.7	2.6	0.5	0.6	706
5A7 Bromley PCT	26,764	20.9	39.0	24.3	6.8	8.2	0.5	0.2	777
5K7 Camden PCT	18,020	3.0	64.0	26.9	3.3	1.3	0.5	0.9	1,149
5C3 City & Hackney Teaching PCT	21,393	36.2	55.8	6.0	1.1	0.4	0.2	0.2	720
5K9 Croydon PCT	31,120	1.9	17.5	64.9	14.7	0.6	0.2	0.2	839
5HX Ealing PCT	26,645	41.1	38.9	11.2	6.5	1.5	0.4	0.5	1,285
5C1 Enfield PCT	26,668	4.0	14.7	38.6	19.8	19.4	2.6	0.8	511
5A8 Greenwich Teaching PCT	20,052	2.9	22.1	36.4	25.8	11.2	1.2	0.6	569
5H1 Hammersmith & Fulham PCT	15,298	24.8	34.0	16.6	18.7	4.3	0.7	0.8	1,379
5C9 Haringey Teaching PCT	24,733	2.9	21.7	32.2	15.3	23.1	3.3	1.4	713
5K6 Harrow PCT	13,948	42.5	25.6	28.0	2.9	0.5	0.2	0.4	365
5A4 Havering PCT	19,618	5.7	33.5	42.1	16.3	2.0	0.2	0.1	457
SAT Hillingdon PCT	17,931	41.0	27.1	29.1	2.0	0.4	0.1	0.3	487
5HY Hounslow PCT	18,764	22.4	46.9	15.1	12.2	2.7	0.4	0.4	887
5K8 Islington PCT	18,981	5.3	58.8	21.3	7.7	5.9	0.7	0.3	862
5LA Kensington & Chelsea PCT	14,244	8.8	47.4	20.0	17.4	4.3	1.3	0.8	946
5A5 Kingston PCT	13,720	64.9	33.9	0.7	0.2	0.1	0.1	0.1	564
5LD Lambeth PCT	33,775	2.3	43.6	35.0	12.5	4.7	1.1	0.7	1,246
5LF Lewisham PCT	27,188	6.3	60.2	31.8	1.0	0.4	0.1	0.2	669
5C5 Newham PCT	21,667	33.2	59.2	6.4	0.5	0.2	0.1	0.2	401
SNA Redbridge PCT	20,532	4.5	35.5	42.3	15.3	1.7	0.3	0.5	496
5M6 Richmond & Twickenham PCT	15,902	59.2	34.3	2.9	2.3	0.8	0.1	0.3	875
5LE Southwark PCT	28,850	1.6	42.4	39.0	11.0	4.7	0.9	0.5	739
5M7 Sutton & Merton PCT	29,030	4.6	45.3	37.7	11.3	0.8	0.1	0.2	1,026
5C4 Tower Hamlets PCT	18,537	39.4	55.4	4.0	0.5	0.3	0.2	0.2	597
5NC Waltham Forest PCT	23,035	4.6	60.3	27.3	6.7	0.4	0.2	0.5	399
5LG Wandsworth PCT	34,500	35.2	56.2	6.4	1.3	0.4	0.1	0.4	1,707
5LC Westminster PCT	16,777	7.8	47.8	22.6	17.2	3.5	0.6	0.5	1,417
South East Coast SHA	306,746	27.8	53.0	16.7	2.1	0.2	0.1	0.1	8,086
5LQ Brighton & Hove City PCT	21,021	30.6	52.8	16.0	0.4	0.1	0.0	0.0	543
5P7 East Sussex Downs & Weald PCT	22,036	21.8	57.7	19.3	1.0	0.1	0.0	0.1	429
5QA Eastern & Coastal Kent PCT	47,619	25.7	61.7	11.7	0.8	0.1	0.0	0.1	759
5P8 Hastings & Rother PCT	11,584	29.4	58.7	10.9	0.8	0.1	0.0	0.1	165
5L3 Medway PCT	18,894	6.3	71.3	21.4	0.5	0.2	0.1	0.1	401
5P5 Surrey PCT	79,105	44.6	40.1	13.5	1.3	0.2	0.1	0.1	3,256
5P9 West Kent PCT	49,143	21.8	63.8	13.2	0.9	0.1	0.1	0.1	1,308
5P6 West Sussex PCT	57,344	19.8	45.3	27.2	7.4	0.1	0.1	0.1	1,225
South Central SHA	283,578	8.7	32.8	30.6	17.2	7.1	2.0	1.5	29,255
5QG Berkshire East PCT	31,458	12.1	44.6	12.3	9.4	10.6	9.5	1.6	1,562
5QF Berkshire West PCT	39,567	4.5	26.3	46.2	20.1	1.7	0.5	0.8	1,219
5QD Buckinghamshire PCT	28,478	7.4	44.9	25.5	10.7	6.5	2.2	2.7	7,839
5QC Hampshire PCT	87,996	8.2	33.9	30.3	20.5	5.8	0.9	0.4	10,073
5QT Isle of Wight PCT	8,108	2.3	36.6	51.9	7.7	1.2	0.2	0.1	449
5CQ Milton Keynes PCT	14,362	6.8	26.8	26.7	23.7	12.9	1.3	1.7	3,854
5QE Oxfordshire PCT	44,174	9.9	23.7	32.5	20.3	7.3	1.4	4.9	1,001
5FE Portsmouth City Teaching PCT	13,841	4.0	40.7	48.7	5.3	1.0	0.2	0.1	914
5L1 Southampton City PCT	15,594	24.2	19.5	10.4	18.6	24.5	2.3	0.5	2,344
South West SHA	375,255	30.2	40.2	12.5	9.4	6.5	1.1	0.1	18,469
5FL Bath & North East Somerset PCT	12,960	44.7	31.1	9.1	8.3	5.8	1.0	0.0	318
5QN Bournemouth & Poole PCT	19,190	39.9	50.1	9.7	0.1	0.1	0.0	0.0	6,467
5QJ Bristol PCT	33,497	4.6	3.3	8.1	46.2	32.0	5.5	0.3	735
5QP Cornwall & Isles Of Scilly PCT	39,502	40.4	53.9	5.2	0.3	0.1	0.1	0.1	535
5QQ Devon PCT	54,422	70.7	27.7	1.0	0.3	0.1	0.0	0.0	784
5QM Dorset PCT	20,747	23.3	49.6	25.1	1.3	0.4	0.1	0.1	5,103
5QH Gloucestershire PCT	47,731	4.9	67.1	25.9	1.4	0.4	0.1	0.1	749
5M8 North Somerset PCT	15,452	4.8	4.3	7.5	41.8	36.3	5.0	0.4	325
5F1 Plymouth Teaching PCT	19,968	26.7	70.2	3.0	0.1	0.0	0.0	0.1	268
5QL Somerset PCT	35,297	19.3	48.4	30.1	1.8	0.2	0.1	0.1	1,784
5A3 South Gloucestershire PCT	20,456	4.9	4.2	8.5	44.9	32.1	5.1	0.2	310
5K3 Swindon PCT	15,490	29.4	61.8	7.9	0.4	0.2	0.1	0.2	246
TAL Torbay Care Trust	9,193	88.9	10.8	0.1	0.0	0.0	0.0	0.1	104
5QK Wiltshire PCT	31,350	32.2	45.6	17.8	3.5	0.5	0.2	0.2	741

Table 10: NHS Cervical Screening Programme: Recall status by most severe screening result and Strategic Health Authority, 2008-09

England		Percentages										
Result of Test	Recall Status	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of England	London	South East Coast	South Central	South West
Inadequate (cat.1)	Total Tests (=100%)	87,920	2,147	13,446	4,346	5,861	8,017	9,803	18,710	6,075	6,266	13,249
	Suspend	3	1	5	7	1	4	2	3	2	2	1
	Repeat	97	99	95	93	99	96	98	97	98	98	99
Negative (cat.2)	Total Tests (=100%)	3,249,910	153,384	422,516	328,263	270,243	323,064	361,216	548,437	256,405	262,683	323,699
	Normal	86	82	83	88	86	85	87	86	86	87	86
	Suspend	1	0	2	1	0	0	0	1	0	0	0
	Repeat	14	18	15	11	13	14	13	13	13	13	14
Borderline changes (cat.8)	Total Tests (=100%)	127,442	8,654	16,791	11,170	9,109	14,373	14,577	21,925	10,641	8,717	11,485
	Normal	2	-	9	1	-	-	2	1	-	-	3
	Suspend	22	25	34	23	15	18	17	24	19	20	21
	Repeat	76	75	58	76	85	82	81	75	81	80	76
Mild Dyskaryosis (cat.3)	Total Tests (=100%)	72,781	3,072	11,254	4,352	4,462	7,533	7,892	17,916	5,436	4,955	5,909
	Normal	1	-	3	0	-	-	1	0	-	-	0
	Suspend	68	61	78	71	83	68	48	64	71	53	85
	Repeat	32	39	19	28	17	32	52	36	29	47	15
Moderate Dyskaryosis (cat.7)	Total Tests (=100%)	20,277	1,061	2,836	1,649	1,411	1,993	2,206	3,615	1,582	1,746	2,178
	Suspend	100	100	100	100	100	100	100	100	100	100	100
	Repeat	-	-	-	-	-	-	-	-	-	-	-
Severe Dyskaryosis (cat.4)	Total Tests (=100%)	24,039	1,415	3,400	2,688	2,031	2,685	2,671	2,921	1,985	1,997	2,246
	Suspend	100	100	100	100	100	100	100	100	100	100	100
	Repeat	-	-	-	-	-	-	-	-	-	-	-
Severe/? invasive Carcinoma (cat.5)	Total Tests (=100%)	895	103	145	93	72	91	57	120	52	71	91
	Suspend	100	100	100	100	100	100	100	100	100	100	100
	Repeat	-	-	-	-	-	-	-	-	-	-	-
?Glandular Neoplasia (cat.6)	Total Tests (=100%)	1,838	102	307	251	185	166	208	228	94	123	174
	Suspend	100	100	100	100	100	100	100	100	100	100	100
	Repeat	-	-	-	-	-	-	-	-	-	-	-

Source : KC53 Part F
 Copyright © 2009, The Information Centre. All rights reserved

Table 11: NHS Cervical Screening Programme: Summary of Strategic Health Authority data for women aged 25-64, 2008-09

	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of England	London	South East Coast	South Central	South West
Test status and coverage of target age group (25-64) (000s)											
Number of women resident	14,491.6 #	703.6	1,916.7	1,405.5	1,196.4	1,480.4	1,574.6	2,461.5	1,196.8	1,141.9	1,414.3
Number of women with recall ceased for clinical reasons	1,050.4 #	55.9	152.9	112.5	105.1	102.1	128.1	87.3	97.0	85.2	124.5
Number of women with recall ceased for age reasons	349.6 #	19.0	43.0	38.8	37.0	37.3	41.1	38.4	26.1	27.0	41.9
Number of women with recall ceased for other reasons	166.5 #	9.0	18.0	12.4	13.2	13.8	21.4	32.2	20.0	9.7	16.8
Number of eligible women	13,441.2 #	647.6	1,763.8	1,293.0	1,091.4	1,378.4	1,446.5	2,374.2	1,099.8	1,056.7	1,289.8
Number of women less than 5 years since last adequate test	10,610.2	521.5	1,384.5	1,036.5	899.7	1,084.6	1,160.4	1,753.2	888.5	838.0	1,043.4
Coverage ⁽¹⁾ (less than 5 years since last adequate test) (%)	78.9	80.5	78.5	80.2	82.4	78.7	80.2	73.8	80.8	79.3	80.9
Number of women less than 3.5 years since last adequate test	9,319.7	459.1	1,208.3	897.4	806.5	948.9	1,026.5	1,548.6	768.3	741.1	915.1
Coverage ⁽¹⁾ (less than 3.5 years since last adequate test) (%)	69.3	70.9	68.5	69.4	73.9	68.8	71.0	65.2	69.9	70.1	70.9
Number of women invited in the year by type of invitation (000s)											
Total	4,020.7	188.3	538.9	398.3	320.3	396.7	418.2	746.7	306.7	318.4	388.2
Type of Invitation											
Call	562.3	18.5	65.1	47.6	32.9	50.6	50.4	169.3	35.5	43.6	48.7
Routine Recall	2,572.2	118.5	333.7	277.8	224.1	253.8	270.6	425.9	205.0	204.9	257.8
Repeat in less than 3 years for reasons of:											
Surveillance	613.3	37.3	101.5	52.9	46.0	62.7	66.4	95.7	44.8	48.0	58.0
Abnormality	162.6	9.8	22.6	13.1	10.7	18.3	17.3	32.7	12.8	12.3	13.1
Inadequate Smear	110.3	4.2	16.0	6.9	6.6	11.2	13.5	23.1	8.7	9.6	10.6
Number of women tested in the year by type of invitation (000s)											
Total ⁽³⁾	3,607.4	170.2	472.1	354.0	294.3	359.3	401.9	621.0	285.7	288.2	360.6
Type of Invitation											
Call	164.3	4.9	18.0	13.4	9.5	14.5	14.5	48.4	11.0	13.6	16.6
Routine Recall	1,962.3	92.8	241.9	212.1	177.8	196.0	220.4	278.7	163.8	160.4	218.5
Repeat in less than 3 years for reasons of:											
Surveillance	469.6	29.4	66.1	39.9	38.3	49.2	57.0	66.4	35.9	40.0	47.5
Abnormality	74.1	4.2	8.7	5.6	5.6	8.7	8.8	14.8	6.2	5.3	6.3
Inadequate Smear	54.7	1.8	6.9	3.4	2.9	5.7	8.2	10.3	5.1	5.4	5.1
While Recall Suspended	129.7	6.2	29.5	12.3	8.5	12.6	9.4	25.5	9.2	6.9	9.7
While Recall Ceased	16.1	0.6	2.2	1.1	1.4	1.5	1.8	3.3	1.3	1.4	1.5
Outside programme	736.5	30.3	98.9	66.3	50.4	71.2	81.8	173.7	53.3	55.3	55.4
Test result of women											
Numbers (000s)											
Total	3,565.3	169.1	465.2	352.2	291.7	355.1	398.1	611.2	283.0	285.4	354.3
Result ⁽²⁾											
Negative	3,318.0	154.7	430.5	332.0	274.4	328.3	370.5	564.4	263.2	267.8	332.2
Borderline Dyskaryosis	127.4	8.7	16.8	11.2	9.1	14.4	14.6	21.9	10.6	8.7	11.5
Mild Dyskaryosis	72.8	3.1	11.3	4.4	4.5	7.5	7.9	17.9	5.4	5.0	5.9
Moderate Dyskaryosis	20.3	1.1	2.8	1.6	1.4	2.0	2.2	3.6	1.6	1.7	2.2
Severe Dyskaryosis	24.0	1.4	3.4	2.7	2.0	2.7	2.7	2.9	2.0	2.0	2.2
Severe / ?Invasive Carcinoma	0.9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
?Glandular Neoplasia	1.8	0.1	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.2
Percentages											
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Result ⁽²⁾											
Negative	93.1	91.5	92.5	94.3	94.1	92.4	93.1	92.4	93.0	93.8	93.8
Borderline Dyskaryosis	3.6	5.1	3.6	3.2	3.1	4.0	3.7	3.6	3.8	3.1	3.2
Mild Dyskaryosis	2.0	1.8	2.4	1.2	1.5	2.1	2.0	2.9	1.9	1.7	1.7
Moderate Dyskaryosis	0.6	0.6	0.6	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6
Severe Dyskaryosis	0.7	0.8	0.7	0.8	0.7	0.8	0.7	0.5	0.7	0.7	0.6
Severe / ?Invasive Carcinoma	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
?Glandular Neoplasia	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0

⁽¹⁾ The denominator used in calculating the percentage is the resident population less those women with recall ceased for clinical reasons⁽²⁾ Excluding those women all of whose tests during the year were classified as 'inadequate'⁽³⁾ The first result in the year

Table 12: NHS Cervical Screening Programme: Target Age Group (25-64), results of tests by Primary Care Organisation, 2008-09

	Eligible ⁽¹⁾ Population (000's)	Number of women ⁽²⁾ Screened (000's)	Result of test				
			Negative (%)	Borderline Dyskaryosis (%)	Mild Dyskaryosis (%)	Moderate Dyskaryosis (%)	Severe Dyskaryosis or worse (%)
England	13,441.2	3,565.3	93.1	3.6	2.0	0.6	0.8
North East SHA	647.6	169.1	91.5	5.1	1.8	0.6	1.0
5ND County Durham PCT	129.5	32.7	91.4	5.7	1.5	0.5	1.0
5J9 Darlington PCT	25.7	6.6	91.5	5.6	1.3	0.5	1.1
5KF Gateshead PCT	51.0	13.3	90.7	6.3	1.3	0.7	1.1
5D9 Hartlepool PCT	22.3	5.3	92.0	5.0	1.5	0.5	1.0
5KM Middlesbrough PCT	35.3	8.1	90.8	4.8	2.4	0.8	1.3
5D7 Newcastle PCT	65.1	17.2	90.9	4.8	2.7	0.6	1.0
5D8 North Tyneside PCT	54.3	14.7	91.3	4.7	2.4	0.7	1.0
TAC Northumberland Care Trust	78.6	21.2	92.2	4.4	2.0	0.5	0.9
5QR Redcar & Cleveland PCT	32.5	7.8	91.2	4.8	2.0	0.8	1.1
5KG South Tyneside PCT	36.9	9.2	91.1	5.9	1.5	0.6	0.9
5E1 Stockton-on-Tees Teaching PCT	46.5	11.2	92.4	4.6	1.4	0.9	0.8
5KL Sunderland Teaching PCT	69.9	21.9	91.9	4.8	1.7	0.7	0.8
North West SHA	1,763.8	465.2	92.5	3.6	2.4	0.6	0.8
5HG Ashton, Leigh & Wigan PCT	75.0	20.4	92.2	3.9	2.5	0.6	0.8
5CC Blackburn with Darwen PCT	38.6	9.0	93.0	3.6	2.3	0.8	0.4
5HP Blackpool PCT	35.6	10.4	92.6	3.2	2.3	0.9	0.9
5HQ Bolton PCT	70.3	18.2	93.4	3.7	1.6	0.7	0.7
5JX Bury PCT	47.6	12.7	93.6	3.2	2.0	0.6	0.6
5NP Central & Eastern Cheshire PCT	115.2	29.7	95.0	2.4	1.4	0.3	0.9
5NG Central Lancashire PCT	112.2	30.2	91.7	3.8	3.0	0.6	0.8
5NE Cumbria PCT	126.2	33.1	93.3	3.6	1.8	0.5	0.8
5NH East Lancashire PCT	92.9	22.8	92.6	3.7	2.4	0.7	0.6
5NM Halton & St Helens PCT	78.2	20.3	92.5	4.1	1.9	0.7	0.9
5NQ Heywood, Middleton & Rochdale PCT	52.9	13.2	93.7	3.3	1.8	0.5	0.7
5J4 Knowsley PCT	38.4	10.7	91.7	3.9	2.7	0.7	1.0
5NL Liverpool PCT	117.4	29.9	91.6	2.8	3.5	0.9	1.2
5NT Manchester PCT	125.5	33.6	91.2	4.0	3.3	0.6	0.8
5NF North Lancashire PCT	76.5	21.8	93.0	3.7	1.9	0.6	0.8
5J5 Oldham PCT	56.0	14.3	93.7	3.2	1.9	0.6	0.7
5F5 Salford PCT	56.6	15.9	91.7	3.7	2.9	0.7	1.1
5NJ Sefton PCT	67.2	16.5	90.1	4.6	3.6	0.7	1.0
5F7 Stockport PCT	73.8	19.8	92.5	2.8	3.0	0.6	1.1
5LH Tameside & Glossop PCT	58.4	16.0	92.7	4.6	1.8	0.3	0.6
5NR Trafford PCT	56.9	16.9	92.5	3.6	2.6	0.4	0.8
5J2 Warrington PCT	50.9	13.8	93.4	3.6	1.6	0.5	0.9
5NN Western Cheshire PCT	61.4	15.7	92.8	3.1	2.8	0.6	0.7
5NK Wirral PCT	79.9	20.2	91.2	4.9	2.5	0.6	0.9
Yorkshire & the Humber SHA	1,293.0	352.2	94.3	3.2	1.2	0.5	0.9
5JE Barnsley PCT	60.2	17.7	92.8	3.2	2.1	0.8	1.0
5NY Bradford & Airedale Teaching PCT	124.3	34.1	96.4	2.2	0.4	0.2	0.7
5J6 Calderdale PCT	51.5	15.7	94.6	2.6	1.1	0.6	1.1
5N5 Doncaster PCT	72.8	19.0	91.5	4.2	2.9	0.6	0.8
5NW East Riding of Yorkshire PCT	76.2	18.6	93.4	4.0	1.1	0.5	0.9
5NX Hull Teaching PCT	68.1	17.9	91.2	5.7	1.0	0.8	1.3
5N2 Kirklees PCT	100.4	29.5	94.5	2.9	1.2	0.5	0.9
5N1 Leeds PCT	192.6	56.0	95.6	2.8	0.6	0.3	0.8
TAN North East Lincolnshire PCT	39.2	12.4	94.4	3.0	1.3	0.5	0.8
5EF North Lincolnshire PCT	40.1	12.4	94.7	2.9	1.3	0.4	0.7
5NV North Yorkshire & York PCT	192.6	47.6	94.1	3.0	1.7	0.5	0.7
5H8 Rotherham PCT	61.2	17.7	94.7	2.3	1.4	0.6	1.0
5N4 Sheffield PCT	128.3	32.8	94.6	3.1	1.0	0.3	1.0
5N3 Wakefield District PCT	85.6	20.8	92.8	4.0	1.8	0.5	0.8
East Midlands SHA	1,091.4	291.7	94.1	3.1	1.5	0.5	0.8
5ET Bassetlaw PCT	26.4	6.6	92.2	3.7	2.7	0.8	0.7
5N7 Derby City PCT	71.2	19.0	93.9	4.0	1.1	0.4	0.7
5N6 Derbyshire County PCT	171.1	44.3	93.5	3.6	1.5	0.4	0.9
5PC Leicester City PCT	81.6	20.9	94.8	2.5	1.5	0.6	0.7
5PA Leicestershire County & Rutland PCT	162.6	45.2	95.3	2.1	1.3	0.6	0.6
5N9 Lincolnshire PCT	173.1	51.0	95.1	2.7	1.0	0.4	0.8
5PD Northamptonshire PCT	170.4	43.4	92.9	2.9	2.6	0.8	0.9
5EM Nottingham City PCT	71.6	18.5	92.8	4.4	1.7	0.4	0.8
5N8 Nottinghamshire County PCT	163.5	42.7	93.9	3.7	1.3	0.3	0.8
West Midlands SHA	1,378.4	355.1	92.4	4.0	2.1	0.6	0.8
5PG Birmingham East & North PCT	106.1	25.2	92.1	4.0	2.7	0.6	0.7
5MD Coventry Teaching PCT	80.8	22.5	93.4	3.7	1.6	0.2	1.2
5PE Dudley PCT	75.4	19.1	94.0	3.3	1.5	0.4	0.8
5MX Heart of Birmingham Teaching PCT	69.4	16.9	93.1	4.4	1.7	0.3	0.4
5CN Herefordshire PCT	42.3	10.5	89.8	5.0	3.3	0.9	1.0
5PH North Staffordshire PCT	50.3	12.5	90.0	4.9	2.8	0.9	1.4
5PF Sandwell PCT	80.3	22.4	93.7	3.9	1.4	0.4	0.6
5M2 Shropshire County PCT	69.2	17.3	92.4	4.0	2.7	0.4	0.5
TAM Solihull Care Trust	56.1	14.2	92.6	3.5	2.6	0.5	0.7
5M1 South Birmingham PCT	96.0	23.8	92.0	3.6	2.8	0.7	0.9
5PK South Staffordshire PCT	149.5	38.7	93.3	4.1	1.5	0.4	0.6
5PJ Stoke-on-Trent PCT	65.0	16.4	89.0	5.3	3.2	1.0	1.4
5MK Telford & Wrekin PCT	40.5	10.4	91.2	4.6	2.8	0.5	0.7
5M3 Walsall Teaching PCT	62.4	14.9	92.1	3.9	2.3	0.7	1.0
5PM Warwickshire PCT	135.9	35.2	93.1	3.7	1.8	0.4	1.0
5MV Wolverhampton City PCT	60.8	14.9	92.5	4.7	1.1	0.7	1.0
5PL Worcestershire PCT	138.2	40.1	92.5	3.9	2.2	0.7	0.7

Table 12: NHS Cervical Screening Programme: Target Age Group (25-64), results of tests by Primary Care Organisation, 2008-09

	Eligible ⁽¹⁾ Population (000's)	Number of women ⁽²⁾ Screened (000's)	Result of test				
			Negative (%)	Borderline Dyskaryosis (%)	Mild Dyskaryosis (%)	Moderate Dyskaryosis (%)	Severe Dyskaryosis or worse (%)
England	13,441.2	3,565.3	93.1	3.6	2.0	0.6	0.8
East of England SHA	1,446.5	398.1	93.1	3.7	2.0	0.6	0.7
5P2 Bedfordshire PCT	107.5	29.5	93.6	2.3	2.7	0.5	1.0
5PP Cambridgeshire PCT	151.0	42.1	93.3	3.5	1.8	0.7	0.7
5P3 East & North Hertfordshire PCT	144.9	44.2	94.7	2.5	1.5	0.5	0.8
5PR Great Yarmouth & Waveney Teaching PCT	52.1	13.1	94.8	2.4	1.6	0.3	0.8
5GC Luton Teaching PCT	48.9	12.8	92.0	4.4	2.4	0.7	0.4
5PX Mid Essex PCT	91.5	26.2	89.7	5.4	3.3	0.8	0.9
5PQ Norfolk PCT	176.0	44.6	94.2	3.0	1.6	0.4	0.9
5PW North East Essex PCT	74.8	21.1	89.7	5.7	3.1	0.7	0.8
5PN Peterborough PCT	41.9	12.0	94.3	3.7	0.9	0.5	0.6
5P1 South East Essex PCT	84.8	24.0	91.7	5.4	1.7	0.7	0.4
5PY South West Essex PCT	104.3	29.0	93.2	3.7	2.0	0.5	0.6
5PT Suffolk PCT	148.8	37.0	93.1	4.1	1.5	0.5	0.8
5PV West Essex PCT	71.3	20.9	93.7	2.9	2.0	0.6	0.8
5P4 West Hertfordshire PCT	148.6	41.6	93.1	3.9	2.0	0.5	0.5
London SHA	2,374.2	611.2	92.4	3.6	2.9	0.6	0.5
5C2 Barking & Dagenham PCT	44.0	12.2	95.8	1.7	1.4	0.5	0.5
5A9 Barnet PCT	100.8	24.3	92.5	4.1	2.4	0.6	0.5
TAK Bexley Care Trust	56.7	15.5	91.7	4.0	3.2	0.5	0.6
5K5 Brent Teaching PCT	94.8	21.2	93.9	2.7	2.6	0.4	0.4
5A7 Bromley PCT	84.1	23.4	90.3	4.6	4.1	0.5	0.5
5K7 Camden PCT	71.1	16.9	89.5	2.8	5.9	0.9	0.9
5C3 City & Hackney Teaching PCT	76.2	18.7	92.6	3.8	2.2	0.7	0.7
5K9 Croydon PCT	99.0	28.5	92.7	2.8	3.2	0.7	0.6
5HX Ealing PCT	101.1	24.2	93.3	3.7	2.0	0.4	0.5
5C1 Enfield PCT	78.7	23.7	91.8	4.7	2.3	0.6	0.5
5A8 Greenwich Teaching PCT	71.0	18.1	92.9	4.1	1.9	0.7	0.5
5H1 Hammersmith & Fulham PCT	64.9	14.2	90.8	5.3	2.8	0.7	0.4
5C9 Haringey Teaching PCT	81.6	22.3	89.0	5.9	3.7	0.8	0.6
5K6 Harrow PCT	60.9	13.0	94.9	2.1	2.2	0.3	0.4
5A4 Havering PCT	62.0	18.2	96.1	1.6	1.3	0.5	0.5
5AT Hillingdon PCT	67.9	16.4	94.0	2.5	2.5	0.3	0.6
5HY Hounslow PCT	70.8	17.3	93.0	4.2	1.9	0.5	0.4
5K8 Islington PCT	67.2	17.7	87.9	6.0	4.5	1.0	0.6
5LA Kensington & Chelsea PCT	57.0	13.0	91.9	4.6	2.7	0.6	0.3
5A5 Kingstons PCT	49.8	12.6	93.2	3.3	2.3	0.7	0.5
5LD Lambeth PCT	112.1	29.1	90.9	3.4	4.3	0.8	0.5
5LF Lewisham PCT	85.0	22.2	92.1	4.0	3.1	0.4	0.4
5C5 Newham PCT	80.7	19.4	94.5	3.0	1.6	0.5	0.6
5NA Redbridge PCT	67.4	19.1	96.2	1.7	1.2	0.5	0.4
5M6 Richmond & Twickenham PCT	56.5	14.8	93.2	3.5	2.3	0.5	0.5
5LE Southwark PCT	90.9	24.5	91.4	3.3	3.9	0.9	0.5
5M7 Sutton & Merton PCT	105.7	26.4	93.1	3.2	2.5	0.5	0.7
5C4 Tower Hamlets PCT	64.2	16.4	92.9	3.7	2.0	0.7	0.7
5NC Waltham Forest PCT	71.4	21.2	94.7	2.4	1.8	0.4	0.6
5LG Wandsworth PCT	113.1	31.1	89.0	3.7	6.2	0.5	0.6
5LC Westminster PCT	67.7	15.6	92.1	4.0	2.9	0.6	0.4
South East Coast SHA	1,099.8	283.0	93.0	3.8	1.9	0.6	0.8
5LQ Brighton & Hove City PCT	77.4	20.0	93.1	2.4	2.4	0.7	1.4
5P7 East Sussex Downs & Weald PCT	81.2	20.3	93.7	2.8	2.1	0.5	0.9
5QA Eastern & Coastal Kent PCT	172.5	43.4	92.0	4.9	2.1	0.5	0.5
5P8 Hastings & Rother PCT	42.0	10.3	93.7	2.5	2.4	0.6	0.8
5L3 Medway PCT	69.4	17.6	93.8	2.3	2.5	0.7	0.6
5P5 Surrey PCT	288.8	73.8	93.6	3.4	1.8	0.5	0.8
5P9 West Kent PCT	172.5	45.4	91.9	5.0	1.9	0.6	0.6
5P6 West Sussex PCT	196.1	52.3	93.3	3.8	1.5	0.5	0.9
South Central SHA	1,056.7	285.4	93.8	3.1	1.7	0.6	0.8
5QG Berkshire East PCT	105.4	30.1	95.0	1.7	2.0	0.4	0.9
5QF Berkshire West PCT	125.6	37.2	95.1	2.5	1.3	0.4	0.6
5QD Buckinghamshire PCT	132.9	33.4	94.5	2.4	1.9	0.5	0.7
5QC Hampshire PCT	319.9	89.7	93.4	3.5	1.7	0.7	0.7
5QT Isle of Wight PCT	32.7	7.8	93.4	3.6	1.8	0.8	0.5
5CQ Milton Keynes PCT	65.4	16.5	92.6	3.6	1.9	0.8	1.1
5QE Oxfordshire PCT	166.5	41.3	93.9	2.9	1.6	0.6	0.9
5FE Portsmouth City Teaching PCT	49.8	13.4	92.6	3.5	2.1	1.0	0.8
5L1 Southampton City PCT	58.5	16.1	91.8	4.7	2.0	0.7	0.8
South West SHA	1,289.8	354.3	93.8	3.2	1.7	0.6	0.7
5FL Bath & North East Somerset PCT	44.6	12.3	94.5	3.0	1.1	0.5	0.8
5QN Bournemouth & Poole PCT	84.1	22.8	93.6	3.2	1.9	0.7	0.6
5QJ Bristol PCT	112.4	31.7	94.2	3.2	1.4	0.6	0.6
5QP Cornwall & Isles Of Scilly PCT	130.7	35.0	92.9	3.7	1.9	0.8	0.7
5QQ Devon PCT	177.7	49.6	93.0	2.8	2.5	0.7	0.9
5QM Dorset PCT	90.6	23.1	94.4	3.4	1.3	0.4	0.5
5QH Gloucestershire PCT	146.4	43.2	93.8	3.3	1.7	0.5	0.7
5M8 North Somerset PCT	51.0	14.7	95.5	2.4	1.0	0.5	0.6
5F1 Plymouth Teaching PCT	63.7	17.5	93.6	3.6	1.4	0.7	0.8
5QL Somerset PCT	125.8	33.3	93.8	3.8	1.3	0.5	0.6
5A3 South Gloucestershire PCT	62.9	19.3	95.7	2.4	0.9	0.5	0.6
5K3 Swindon PCT	53.5	14.0	92.8	4.1	1.7	0.7	0.7
TAL Torbay Care Trust	33.2	8.3	91.5	3.7	3.0	0.9	0.9
5QK Wiltshire PCT	113.2	29.3	94.0	3.0	1.5	0.7	0.8

⁽¹⁾ This excludes women in the resident population whose recall was ceased for clinical reasons⁽²⁾ Excluding those women all of whose tests during the year were classified as 'inadequate'

Table 13: NHS Cervical Screening Programme: Coverage by ageband and Primary Care Organisation, 2007-08 to 2008-09

	2007-08						2008-09					
	Eligible Population			Coverage			Eligible Population			Coverage		
	25-49 (000's)	50-64 (000's)	25-64 (000's)	25-49 (less than 3.5 yrs since last adequate test) (%)	50-64 (less than 5 yrs since last adequate test) (%)	25-64 (less than 5 yrs since last adequate test) (%)	25-49 (000's)	50-64 (000's)	25-64 (000's)	25-49 (less than 3.5 yrs since last adequate test) (%)	50-64 (less than 5 yrs since last adequate test) (%)	25-64 (less than 5 yrs since last adequate test) (%)
England	9,410.2	3,895.0	13,305.2	69.3	80.3	78.6	9,468.0	3,973.2	13,441.2	72.5	80.0	78.9
North East	438.1	207.9	646.1	72.3	79.9	80.0	436.1	211.5	647.6	74.9	79.8	80.5
5ND County Durham PCT	85.9	43.6	129.5	74.9	80.1	80.8	85.3	44.2	129.5	77.5	80.6	81.9
5J9 Darlington PCT	17.5	8.0	25.5	74.3	80.3	80.2	17.6	8.2	25.7	76.7	80.3	81.3
5KF Gateshead PCT	34.9	16.0	50.9	72.9	79.0	79.6	34.9	16.2	51.0	74.7	79.2	80.2
5D9 Hartlepool PCT	15.5	6.8	22.2	69.1	74.4	75.9	15.4	6.9	22.3	71.3	74.3	76.8
5KM Middleborough PCT	24.5	10.6	35.1	66.0	75.8	74.6	24.5	10.9	35.3	68.2	75.3	75.0
5D7 Newcastle PCT	46.8	17.7	64.5	70.3	80.0	77.7	47.0	18.1	65.1	71.2	80.0	77.8
5DB North Tyneside PCT	36.9	17.0	54.0	75.6	80.6	81.4	36.9	17.4	54.3	77.2	80.3	81.8
TAC Northumberland Care Trust	50.5	28.2	78.7	78.4	83.7	84.3	49.8	28.8	78.6	79.8	83.5	84.4
5QR Redcar & Cleveland PCT	21.5	11.1	32.5	72.5	79.5	80.0	21.3	11.1	32.5	74.7	78.7	80.1
5KG South Tyneside PCT	25.1	11.9	37.0	71.4	77.8	78.2	24.8	12.1	36.9	73.4	78.0	79.1
5E1 Stockton-on-Tees Teaching PCT	32.0	14.2	46.2	71.6	78.8	79.4	32.0	14.5	46.5	74.0	77.8	79.5
5KL Sunderland Teaching PCT	47.2	22.8	70.1	63.9	80.3	79.9	46.7	23.2	69.9	72.6	79.9	80.7
North West	1,217.9	533.3	1,751.2	70.0	78.6	78.2	1,221.8	541.9	1,763.8	72.4	78.4	78.5
5HG Ashton, Leigh & Wigan PCT	52.2	22.4	74.5	73.8	78.1	80.0	52.4	22.6	75.0	75.1	78.3	80.3
5CC Blackburn with Darwen PCT	27.3	10.8	38.1	66.9	77.5	76.0	27.7	10.9	38.6	67.6	77.0	75.3
5HP Blackpool PCT	24.2	11.5	35.6	63.6	73.4	74.1	24.1	11.6	35.6	69.2	74.3	75.2
5HO Bolton PCT	48.3	21.3	69.6	71.5	81.0	79.4	48.7	21.6	70.3	72.6	81.0	79.6
5JX Bury PCT	33.1	14.0	47.2	74.0	81.5	81.3	33.3	14.3	47.6	75.8	80.3	81.0
5NP Central & Eastern Cheshire PCT	77.8	37.0	114.8	76.7	81.9	82.3	77.6	37.6	115.2	77.3	81.2	82.2
5NG Central Lancashire PCT	77.2	34.5	111.6	70.7	78.1	78.6	77.4	34.8	112.2	73.1	78.3	78.8
5NE Cumbria PCT	81.5	44.6	126.1	74.1	81.7	81.7	80.9	45.3	126.2	76.5	81.5	81.9
5NH East Lancashire PCT	62.8	29.7	92.5	71.3	79.6	79.0	62.9	30.0	92.9	72.6	79.0	78.8
5NM Halton & St Helens PCT	52.9	24.9	77.8	71.8	78.5	78.8	53.0	25.2	78.2	73.0	77.9	78.9
5NQ Heywood, Middleton & Rochdale PCT	36.6	15.7	52.3	69.8	79.7	77.9	36.9	16.0	52.9	70.9	78.6	77.8
5J4 Knowsley PCT	27.1	11.2	38.4	66.0	73.9	74.0	26.9	11.5	38.4	70.1	74.4	75.7
5NL Liverpool PCT	82.9	33.3	116.3	80.6	79.4	71.6	83.1	34.3	117.4	64.9	72.9	71.9
5NT Manchester PCT	95.9	26.2	122.2	63.5	75.1	73.3	98.5	27.0	125.5	67.2	74.8	73.5
5NF North Lancashire PCT	50.0	26.3	76.4	68.7	78.9	78.5	49.9	26.6	76.5	73.2	79.4	79.1
5J5 Oldham PCT	39.3	16.5	55.7	71.7	78.8	79.1	39.5	16.6	56.0	72.6	78.5	79.0
5F5 Salford PCT	40.2	15.1	55.3	65.1	78.1	77.2	41.2	15.4	56.6	70.3	77.7	77.2
5NJ Salford PCT	44.7	22.4	67.0	66.1	74.1	73.9	44.4	22.8	67.2	68.8	73.9	74.6
5F7 Stockport PCT	51.0	22.5	73.5	74.9	80.6	81.0	51.0	22.8	73.8	76.6	80.9	81.8
5LH Tameside & Glossop PCT	40.8	17.3	58.1	72.0	78.8	79.3	40.8	17.6	58.4	73.2	78.7	79.6
5NR Trafford PCT	41.1	15.5	56.5	68.9	80.1	80.4	41.1	15.8	56.9	75.0	79.8	80.7
5J2 Warrington PCT	35.6	14.8	50.4	76.0	81.3	82.0	35.7	15.2	50.9	76.6	81.2	82.2
5NN Western Cheshire PCT	41.6	19.8	61.3	74.8	81.5	80.9	41.3	20.1	61.4	76.1	81.3	81.4
5NK Wirral PCT	53.8	25.9	79.8	69.5	77.3	77.2	53.6	26.4	79.9	71.8	77.1	77.8
Yorkshire & the Humber	894.2	392.4	1,286.5	68.6	80.7	79.8	895.6	397.4	1,293.0	72.7	80.7	80.2
5JE Barnsley PCT	40.8	19.3	60.1	64.5	80.4	80.4	40.7	19.4	60.2	70.4	80.8	81.5
5NY Bradford & Airedale Teaching PCT	89.4	33.1	122.5	61.0	78.7	75.9	90.5	33.7	124.3	68.8	79.2	76.6
5J6 Calderdale PCT	35.6	15.3	51.5	66.5	79.2	80.5	35.5	16.0	51.5	75.0	80.3	81.8
5NS Doncaster PCT	50.0	22.5	72.5	74.1	82.2	81.3	49.9	22.9	72.8	75.6	81.9	81.6
5NW East Riding of Yorkshire PCT	48.3	28.0	76.3	77.5	82.5	83.6	48.0	28.2	76.2	78.6	82.0	83.3
5NX Hull Teaching PCT	47.5	20.1	67.7	71.5	79.5	78.6	47.5	20.6	68.1	73.5	79.2	79.3
5N2 Kirkcaldy PCT	70.2	29.6	99.8	65.7	81.3	80.5	70.4	30.0	100.4	72.5	81.6	80.9
5N1 Leeds PCT	140.3	50.2	190.5	61.0	78.6	76.4	141.7	50.9	192.6	68.3	78.8	77.2
TAN North East Lincolnshire PCT	26.9	12.4	39.3	66.0	80.2	80.2	26.7	12.5	39.2	74.0	80.5	80.9
5EF North Lincolnshire PCT	26.5	13.5	40.1	65.1	80.3	80.6	26.5	13.6	40.1	73.7	80.6	81.1
5NV North Yorkshire & York PCT	126.9	65.3	192.1	76.3	83.5	83.0	126.2	66.4	192.6	77.4	82.5	82.7
5H8 Rotherham PCT	42.2	19.3	61.5	63.0	79.7	78.5	41.7	19.5	61.2	69.4	80.5	79.8
5N4 Sheffield PCT	90.9	36.2	127.1	73.4	81.6	80.2	91.5	36.7	128.3	73.8	80.7	79.8
5N3 Wakefield District PCT	58.6	26.9	85.5	73.4	79.0	80.1	58.6	27.0	85.6	74.6	79.5	80.2
East Midlands	748.8	334.0	1,082.8	75.1	83.1	82.4	752.0	339.4	1,091.4	76.7	82.7	82.4
5ET Bassetlaw PCT	17.6	8.7	26.3	78.3	83.8	84.1	17.6	8.8	26.4	79.0	83.8	84.5
5N7 Derby City PCT	50.9	19.5	70.4	73.7	82.5	80.7	51.2	19.9	71.2	75.9	82.1	81.0
5N6 Derbyshire County PCT	114.1	56.8	171.0	79.5	83.9	84.7	113.6	57.4	171.1	80.8	83.4	84.9
5PC Leicestershire City PCT	59.9	20.3	80.1	68.8	79.4	78.4	60.8	20.9	81.6	69.7	80.1	76.9
5PA Leicestershire County & Rutland PCT	109.4	52.7	162.1	77.6	83.3	83.9	109.3	53.3	162.6	78.9	83.2	83.9
5N9 Lincolnshire PCT	113.3	58.9	172.2	69.6	82.5	81.5	113.6	59.5	173.1	74.0	82.1	81.6
5PD Northamptonshire PCT	119.5	48.7	168.2	73.5	81.8	80.5	120.5	49.9	170.4	74.3	81.1	80.4
5EM Nottingham City PCT	53.8	16.9	70.8	73.3	82.7	80.5	54.4	17.1	71.6	73.8	81.7	79.6
5N8 Nottinghamshire County PCT	110.2	51.5	161.7	80.1	85.6	85.7	111.0	52.5	163.5	81.2	85.2	85.8
West Midlands	946.9	415.1	1,362.0	70.4	80.0	78.7	949.8	428.5	1,378.4	73.0	78.1	78.7
5PG Birmingham East & North PCT	73.9	27.8	101.7	67.7	77.7	76.3	74.9	31.2	106.1	69.0	70.6	74.4
5MD Coventry Teaching PCT	57.9	22.2	80.1	65.7	79.2	76.3	58.5	22.3	80.8	70.3	79.0	77.1
5PE Dudley PCT	51.1	24.4	75.5	72.6	79.3	79.3	51.0	24.5	75.4	74.7	78.8	79.8
5MX Heart of Birmingham Teaching PCT	52.8	13.8	66.6	68.6	84.3	78.2	54.3	15.2	69.4	67.3	78.5	76.3
5CN Herefordshire PCT	26.9	15.3	42.1	74.1	80.3	80.2	26.9	15.4	42.3	75.7	80.3	80.7
5PH North Staffordshire PCT	32.7	17.6	50.3	75.8	81.5	81.9	32.6	17.7	50.3	77.5	81.3	82.3
5PF Sandwell PCT	56.8	22.2	79.0	66.1	77.8	77.0	57.8	22.4	80.3	71.9	77.8	77.5
5M2 Shropshire County PCT	44.7	24.4	69.1	75.8	81.7	81.8	44.4	24.7	69.2	77.6	81.6	82.4
TAM Solihull Care Trust	36.4	17.1	53.5	73.6	81.2	81.0	36.7	19.4	56.1	74.8	71.6	77.7
5M1 South Birmingham PCT	67.4	24.4	91.8	65.7	77.6	74.5	68.5	27.6	96.0	67.2	69.7	72.9
5PK South Staffordshire PCT	100.2	48.8	149.0	75.7	81.9	81.8	100.0	49.5	149.5	78.0	81.8	82.5
5PJ Stoke-on-Trent PCT	45.0	19.7	64.7	71.6	80.3	79.1	45.1	19.9	65.0	74.1	80.0	79.9
5MK Telford & Wrekin PCT	28.5	11.8	40.3	71.6	80.2	79.0	28.5	12.0	40.5	72.7	80.1	79.6
5M3 Walsall Teaching PCT	43.4	18.8	62.2	69.9	79.0	77.5	43.4	19.0	62.4	71.7	78.5	77.8
5PM Warwickshire PCT	94.1	43.5	137.6	72.3	80.6	79.4	92.2	43.7	135.9	75.4	80.1	80.4
5MV Wolverhampton City PCT	43.3	17.3	60.6	68.8	78.6	76.8	43.4	17.5	60.8	70.8	78.7	77.5
5PL Worcestershire PCT												

Table 13: NHS Cervical Screening Programme: Coverage by ageband and Primary Care Organisation, 2007-08 to 2008-09

	2007-08						2008-09					
	Eligible Population			Coverage			Eligible Population			Coverage		
	25-49 (000's)	50-64 (000's)	25-64 (000's)	25-49 (less than 3.5 yrs since last adequate test) (%)	50-64 (less than 5 yrs since last adequate test) (%)	25-64 (less than 5 yrs since last adequate test) (%)	25-49 (000's)	50-64 (000's)	25-64 (000's)	25-49 (less than 3.5 yrs since last adequate test) (%)	50-64 (less than 5 yrs since last adequate test) (%)	25-64 (less than 5 yrs since last adequate test) (%)
England	9,410.2	3,895.0	13,305.2	69.3	80.3	78.6	9,468.0	3,973.2	13,441.2	72.5	80.0	78.9
London	1,812.4	511.0	2,323.5	63.9	77.5	73.4	1,848.6	525.6	2,374.2	66.0	77.6	73.8
5C2 Barking & Dagenham PCT	34.4	9.3	43.7	61.8	75.1	73.8	34.5	9.5	44.0	67.2	76.4	75.7
5A9 Barnet PCT	74.5	25.3	99.8	60.8	76.6	70.9	74.8	26.0	100.8	63.8	77.1	72.3
TAK Bexley Care Trust	40.0	16.3	56.3	75.4	80.7	81.6	40.1	16.6	56.7	76.7	81.1	82.1
5K5 Brent Teaching PCT	72.4	19.9	92.3	62.0	78.4	71.4	74.0	20.8	94.8	61.4	77.8	70.3
5A7 Bromley PCT	59.3	24.2	83.4	74.5	82.0	81.3	59.4	24.6	84.1	76.2	82.1	81.9
5K7 Camden PCT	54.6	12.9	67.5	59.9	76.3	70.4	57.8	13.3	71.1	60.8	74.7	69.3
5C3 City & Hackney Teaching PCT	61.0	13.7	74.6	63.5	73.3	71.5	62.1	14.0	76.2	65.6	74.1	72.7
5K9 Croydon PCT	72.8	24.6	97.4	61.6	78.5	75.5	73.6	25.4	99.0	68.5	78.4	75.9
5HX Ealing PCT	75.3	22.7	98.0	64.2	79.1	72.8	77.7	23.4	101.1	65.1	79.3	73.1
5C1 Enfield PCT	57.2	19.8	77.0	62.8	78.8	75.1	58.4	20.3	78.7	69.4	80.5	76.9
5A8 Greenwich Teaching PCT	55.8	15.0	70.8	64.9	74.6	72.8	55.6	15.3	71.0	67.7	75.3	74.4
5H1 Hammersmith & Fulham PCT	50.7	10.7	61.5	57.7	68.6	66.7	53.8	11.0	64.9	57.9	67.8	65.9
5C9 Haringey Teaching PCT	62.2	16.7	78.9	60.1	78.1	72.5	64.1	17.4	81.6	64.2	78.0	72.5
5K6 Harrow PCT	43.1	16.8	60.0	63.9	81.2	74.4	43.7	17.2	60.9	63.1	79.9	73.1
5A4 Havering PCT	42.7	18.9	61.6	66.2	80.0	79.3	42.8	19.2	62.0	72.7	81.3	81.1
5AT Hillingdon PCT	48.3	17.8	66.1	66.6	77.4	74.8	49.7	18.2	67.9	67.7	77.8	75.3
5HY Hounslow PCT	54.1	16.8	70.9	63.4	77.6	72.1	53.8	17.1	70.8	65.4	78.0	73.1
5K8 Islington PCT	53.8	11.5	65.3	63.5	75.6	73.0	55.5	11.8	67.2	65.6	75.0	72.7
5LA Kensington & Chelsea PCT	43.9	11.8	55.7	57.7	72.0	68.7	44.9	12.1	57.0	57.9	70.3	67.2
5A5 Kingston PCT	36.9	12.0	48.9	68.0	79.7	76.0	37.5	12.3	49.8	69.2	79.2	76.1
5LD Lambeth PCT	91.4	17.3	108.7	62.3	75.0	70.8	93.9	18.1	112.1	63.8	74.8	71.2
5LF Lewisham PCT	67.1	15.7	82.8	66.0	76.7	74.3	68.8	16.3	85.0	66.7	76.7	74.2
5C5 Newham PCT	64.2	15.3	79.5	66.5	78.9	74.5	65.1	15.7	80.7	67.3	79.2	74.8
5NA Redbridge PCT	50.1	16.8	66.9	63.0	81.3	75.5	50.2	17.2	67.4	67.8	83.1	77.6
5M6 Richmond & Twickenham PCT	41.7	14.5	56.2	61.6	79.4	77.2	41.7	14.8	56.5	71.5	79.1	77.6
5LE Southwark PCT	73.6	14.7	88.3	62.6	74.0	70.5	75.5	15.4	90.9	64.8	74.7	71.9
5M7 Sutton & Merton PCT	85.0	25.8	110.7	67.4	77.9	75.4	80.0	25.6	105.7	69.2	77.9	76.0
5C4 Tower Hamlets PCT	52.1	9.8	61.9	60.2	75.1	69.3	54.4	9.8	64.2	63.0	77.2	70.8
5NC Waltham Forest PCT	54.9	14.9	69.8	65.5	82.0	77.8	55.8	15.6	71.4	69.9	81.9	78.4
5LG Wandsworth PCT	85.9	16.5	102.5	63.5	74.8	71.2	95.1	18.0	113.1	64.9	73.8	71.5
5LC Westminster PCT	53.5	13.1	66.6	59.5	71.9	68.8	54.2	13.5	67.7	59.7	70.4	68.1
South East Coast	752.7	337.3	1,090.0	73.2	81.5	80.6	755.8	344.1	1,099.8	75.1	81.3	80.8
5LQ Brighton & Hove City PCT	58.2	17.5	75.8	67.5	76.7	75.1	59.4	17.9	77.4	69.5	76.7	75.4
5P7 East Sussex Downs & Weald PCT	52.2	28.7	80.9	72.5	80.4	79.9	52.1	29.1	81.2	74.4	79.9	79.9
5QA Eastern & Coastal Kent PCT	116.9	54.5	171.4	74.1	80.8	80.7	117.1	55.4	172.5	75.6	80.5	80.8
5P8 Hastings & Rother PCT	26.6	15.1	41.7	80.1	80.5	80.5	26.5	15.5	42.0	75.7	79.7	80.6
5L3 Medway PCT	48.5	20.3	68.8	75.0	82.8	81.8	48.6	20.8	69.4	76.0	82.7	82.0
5P5 Surrey PCT	200.7	85.4	286.1	73.4	82.0	80.5	201.5	87.3	288.8	74.6	81.6	80.6
5P9 West Kent PCT	118.9	52.2	171.1	76.0	83.9	82.8	119.3	53.2	172.5	77.7	83.8	83.2
5P6 West Sussex PCT	130.8	63.5	194.4	71.4	81.4	80.6	131.2	64.9	196.1	75.5	81.3	81.0
South Central	742.6	303.7	1,046.2	68.7	80.7	78.7	745.9	310.8	1,056.7	73.0	80.6	79.3
5QG Berkshire East PCT	78.5	26.6	105.1	62.8	78.8	75.5	78.0	27.4	105.4	69.6	79.7	77.6
5QF Berkshire West PCT	90.1	33.4	123.6	67.4	81.5	79.1	91.2	34.3	125.6	73.8	81.5	80.2
5QD Buckinghamshire PCT	91.2	40.5	131.7	73.7	83.0	81.6	91.5	41.5	132.9	75.3	82.5	81.5
5QC Hampshire PCT	218.2	100.3	318.5	70.4	80.9	80.5	217.7	102.3	319.9	76.1	81.2	81.2
5QT Isle of Wight PCT	20.4	12.3	32.7	73.0	80.1	80.4	20.3	12.4	32.7	74.5	79.0	80.2
5CQ Milton Keynes PCT	47.0	16.8	63.7	70.9	80.8	79.0	47.9	17.5	65.4	72.2	79.1	79.1
5QE Oxfordshire PCT	118.2	46.6	164.7	68.9	80.2	77.0	119.0	47.5	166.5	70.5	80.0	77.1
5FE Portsmouth City Teaching PCT	36.0	12.6	48.7	62.0	78.2	74.5	36.8	13.0	49.8	68.0	78.0	74.6
5L1 Southampton City PCT	43.0	14.5	57.5	64.0	77.9	74.4	43.6	14.9	58.5	68.7	77.6	74.8
South West	860.8	422.2	1,283.0	69.9	81.7	80.4	862.0	427.8	1,289.8	75.4	81.7	80.9
5FL Bath & North East Somerset PCT	30.3	14.4	44.7	65.0	81.4	78.5	30.2	14.5	44.6	73.8	81.6	79.5
5QN Bournemouth & Poole PCT	57.9	24.6	82.5	75.7	84.6	82.7	59.0	25.1	84.1	77.0	84.8	82.8
5QJ Bristol PCT	84.0	27.4	111.4	80.6	77.3	73.6	84.7	27.7	112.4	68.6	77.6	74.7
5QP Cornwall & Isles of Scilly PCT	82.1	48.6	130.7	71.0	79.6	80.4	81.9	48.8	130.7	75.1	79.6	80.5
5QQ Devon PCT	112.7	64.1	176.9	72.5	82.3	81.8	112.8	64.9	177.7	77.7	82.4	82.3
5QM Dorset PCT	56.2	34.6	90.9	75.6	84.1	83.3	55.7	34.9	90.6	78.6	84.5	84.1
5QH Gloucestershire PCT	99.2	46.7	145.8	70.7	81.7	81.6	98.9	47.4	146.4	77.3	81.8	82.1
5M8 North Somerset PCT	33.4	17.3	50.7	66.2	81.5	80.0	33.4	17.6	51.0	75.8	81.8	81.2
5F1 Plymouth Teaching PCT	44.4	18.6	63.0	70.9	81.2	80.3	44.8	19.0	63.7	73.6	80.7	79.8
5QL Somerset PCT	81.0	44.3	125.3	71.5	82.7	81.8	80.8	44.9	125.8	76.7	82.5	82.0
5A3 South Gloucestershire PCT	44.2	18.4	62.5	67.8	83.7	81.9	44.3	18.6	62.9	77.3	83.9	82.7
5K3 Swindon PCT	38.7	13.7	52.4	66.3	79.7	76.4	39.3	14.2	53.5	71.0	78.8	76.8
TAL Torbay Care Trust	21.4	11.9	33.3	73.3	81.6	80.6	21.3	12.0	33.2	73.9	81.3	80.4
5QK Wiltshire PCT	75.2	37.6	112.9	69.1	81.6	80.2	74.9	38.3	113.2	75.5	81.5	80.7

⁽¹⁾ This is the number of women in the resident population less those with recall ceased for clinical reasons

Table 14: Samples examined by pathology laboratories, by source of sample and result of test, 2008-09

England

	Total all ages	Source					
		GP	NHSCC	GUM	NHS Hospital	Private	Other
Numbers							
Total	3,972,998	3,587,897	133,812	20,527	208,453	11,155	11,154
Inadequate	104,202	89,667	4,528	757	8,584	380	286
Negative	3,560,677	3,258,866	117,893	15,973	148,869	9,342	9,734
Borderline changes	162,150	131,404	5,789	1,767	21,932	749	509
Mild Dyskaryosis	92,430	66,991	3,631	1,449	19,524	479	356
Moderate Dyskaryosis	23,703	17,562	902	283	4,752	88	116
Severe Dyskaryosis	26,680	21,150	993	274	4,029	92	142
?Invasive Carcinoma	1,061	743	33	16	259	6	4
?Glandular Neoplasia	2,095	1,514	43	8	504	19	7
Percentages by result ⁽¹⁾							
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Inadequate	2.6	2.5	3.4	3.7	4.1	3.4	2.6
Negative	89.6	90.8	88.1	77.8	71.4	83.7	87.3
Borderline changes	4.1	3.7	4.3	8.6	10.5	6.7	4.6
Mild Dyskaryosis	2.3	1.9	2.7	7.1	9.4	4.3	3.2
Moderate Dyskaryosis	0.6	0.5	0.7	1.4	2.3	0.8	1.0
Severe Dyskaryosis	0.7	0.6	0.7	1.3	1.9	0.8	1.3
?Invasive Carcinoma	0.0	0.0	0.0	0.1	0.1	0.1	0.0
?Glandular Neoplasia	0.1	0.0	0.0	0.0	0.2	0.2	0.1
Percentages by source ⁽¹⁾							
Total	100.0	90.3	3.4	0.5	5.2	0.3	0.3
Inadequate	100.0	86.1	4.3	0.7	8.2	0.4	0.3
Negative	100.0	91.5	3.3	0.4	4.2	0.3	0.3
Borderline changes	100.0	81.0	3.6	1.1	13.5	0.5	0.3
Mild Dyskaryosis	100.0	72.5	3.9	1.6	21.1	0.5	0.4
Moderate Dyskaryosis	100.0	74.1	3.8	1.2	20.0	0.4	0.5
Severe Dyskaryosis	100.0	79.3	3.7	1.0	15.1	0.3	0.5
?Invasive Carcinoma	100.0	70.0	3.1	1.5	24.4	0.6	0.4
?Glandular Neoplasia	100.0	72.3	2.1	0.4	24.1	0.9	0.3

Source: KC61 Part A1

Copyright © 2009, The Information Centre. All rights reserved

Table 15: GP & NHS Community Clinic samples examined by pathology laboratories, by result and age of women, 2008-09

England									
Age Groups	Total	Result of Test							
		Inadequate	Negative	Borderline changes	Mild Dyskaryosis	Moderate Dyskaryosis	Severe Dyskaryosis	?Invasive Carcinoma	?Glandular Neoplasia
Numbers									
All ages	3,721,685	94,195	3,376,744	137,193	70,620	18,459	22,142	775	1,557
25-64	3,584,346	90,401	3,263,458	127,543	63,488	16,651	20,589	731	1,485
Under 20	5,087	151	3,795	558	483	70	30	-	-
20-24	104,412	2,571	83,884	8,362	6,379	1,686	1,477	23	30
25-29	607,690	13,853	522,229	33,459	23,290	6,528	7,909	136	286
30-34	560,408	13,631	502,375	22,585	12,452	3,864	5,063	150	288
35-39	629,957	15,431	576,532	21,754	9,696	2,558	3,539	152	295
40-44	631,117	15,198	583,780	20,213	7,876	1,740	2,036	100	174
45-49	541,387	12,961	504,582	16,068	5,376	1,060	1,115	73	152
50-54	336,261	9,024	314,913	8,329	2,791	508	531	53	112
55-59	154,021	5,770	143,230	3,192	1,210	250	248	34	87
60-64	123,505	4,533	115,817	1,943	797	143	148	33	91
65-69	22,483	851	20,757	567	203	38	30	9	28
70-74	4,073	161	3,727	109	43	9	8	5	11
75 and over	1,284	60	1,123	54	24	5	8	7	3
Percentages ⁽¹⁾									
All ages	100.0	2.5	90.7	3.7	1.9	0.5	0.6	0.0	0.0
25-64	100.0	2.5	91.0	3.6	1.8	0.5	0.6	0.0	0.0
Under 20	100.0	3.0	74.6	11.0	9.5	1.4	0.6	-	-
20-24	100.0	2.5	80.3	8.0	6.1	1.6	1.4	0.0	0.0
25-29	100.0	2.3	85.9	5.5	3.8	1.1	1.3	0.0	0.0
30-34	100.0	2.4	89.6	4.0	2.2	0.7	0.9	0.0	0.1
35-39	100.0	2.4	91.5	3.5	1.5	0.4	0.6	0.0	0.0
40-44	100.0	2.4	92.5	3.2	1.2	0.3	0.3	0.0	0.0
45-49	100.0	2.4	93.2	3.0	1.0	0.2	0.2	0.0	0.0
50-54	100.0	2.7	93.7	2.5	0.8	0.2	0.2	0.0	0.0
55-59	100.0	3.7	93.0	2.1	0.8	0.2	0.2	0.0	0.1
60-64	100.0	3.7	93.8	1.6	0.6	0.1	0.1	0.0	0.1
65-69	100.0	3.8	92.3	2.5	0.9	0.2	0.1	0.0	0.1
70-74	100.0	4.0	91.5	2.7	1.1	0.2	0.2	0.1	0.3
75 and over	100.0	4.7	87.5	4.2	1.9	0.4	0.6	0.5	0.2

Source: KC61 Part B

Copyright © 2009, The Information Centre. All rights reserved

Table 16: Samples examined by pathology laboratories: Time from receipt of sample to authorisation of report by Strategic Health Authority, 2008-09

	<i>Percentages</i>										
	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of England	London	South East Coast	South Central	South West
0-2 weeks (0-14 days)	54.0	71.3	40.9	79.4	60.0	50.5	46.2	53.9	62.2	28.7	55.8
3-4 weeks (15-28 days)	29.5	25.8	32.3	18.4	32.9	32.5	26.8	33.3	31.4	35.9	25.0
5-6 weeks (29-42 days)	10.6	2.8	17.1	2.0	4.5	12.9	17.6	9.3	5.8	22.4	7.2
7-8 weeks (43-56 days)	4.3	0.1	6.6	0.1	0.9	3.1	5.9	3.0	0.6	9.8	10.0
9-10 weeks (57-70 days)	1.4	0.0	2.9	0.1	1.7	0.9	3.2	0.6	0.0	2.8	1.5
Over 10 weeks (over 70 days)	0.2	0.0	0.2	0.0	0.0	0.2	0.2	0.0	0.0	0.5	0.4

Source: KC61 Part A2

Copyright © 2009, The Information Centre. All rights reserved

Table 16a: Samples examined by pathology laboratories: Time from receipt of sample to authorisation of report by laboratory, 2008-09

	Total Samples = 100%	0-2 weeks (0-14 days)	3-4 weeks (15-28 days)	5-6 weeks (29-42 days)	7-8 weeks (43-56 days)	9-10 weeks (57-70 days)	Over 10 weeks (over 70 days)
England - 119 laboratories	3,974,614	54.0	29.5	10.6	4.3	1.4	0.2
North East	184,769	71.3	25.8	2.8	0.1	0.0	0.0
James Cook University Hospital	18,253	79.3	17.8	2.9	0.0	0.0	0.0
North Tees General Hospital	21,607	63.4	36.2	0.4	0.0	0.0	0.0
Queen Elizabeth Hospital	24,705	74.0	24.2	1.8	0.1	-	-
Royal Victoria Infirmary	57,183	84.4	13.7	1.6	0.2	0.0	0.0
Sunderland Royal Hospital	23,819	24.9	62.5	12.4	0.1	0.0	0.0
University Hospital of North Durham	39,202	79.3	20.2	0.5	-	-	-
North West	531,442	40.9	32.3	17.1	6.6	2.9	0.2
Arrowe Park Hospital	23,657	87.7	11.0	1.1	0.2	0.0	0.1
Chorley & District Hospital	26,267	99.7	0.3	-	-	-	-
Countess of Chester Hospital	20,881	71.3	28.0	0.7	0.1	-	-
Cumberland Infirmary (Carlisle)	23,693	84.3	14.0	1.3	0.3	0.1	0.0
East Lancashire Hospital	32,425	64.2	35.6	0.1	0.0	0.0	0.0
Manchester Cytology Centre	102,966	10.7	16.9	44.6	20.1	7.6	0.1
Mid Cheshire Hospital Foundation Trust	32,846	58.3	34.2	7.4	0.1	-	-
Royal Bolton Hospital	20,652	36.2	24.9	13.1	12.3	12.4	1.1
Royal Lancaster Infirmary	23,422	59.5	21.2	3.2	2.5	13.5	0.0
Royal Liverpool Hospital	30,194	3.6	23.3	40.6	25.0	5.6	1.9
Royal Oldham Hospital	43,857	32.5	65.9	1.5	0.1	0.0	0.0
Southport General Infirmary	15,750	9.8	67.1	12.5	10.4	0.0	0.2
Stepping Hill Hospital (Stockport)	25,668	21.4	46.3	29.9	2.3	0.1	-
Tameside General Hospital	16,915	11.2	32.7	50.1	5.9	0.0	0.0
University Hospital Aintree	20,441	29.3	59.7	10.7	0.3	0.0	0.0
Victoria Hospital (Blackpool)	26,633	44.1	55.5	0.4	0.0	-	0.0
Warrington Hospital	25,510	29.2	58.6	12.1	0.1	0.0	-
Whiston Hospital	19,665	70.5	19.6	9.6	0.3	-	-
Yorkshire & the Humber	430,395	79.4	18.4	2.0	0.1	0.1	0.0
Barnsley District General Hospital	18,938	96.8	3.1	0.1	-	-	-
Calderdale Royal	35,651	77.4	22.6	0.1	0.0	-	-
Dewsbury District Hospital	36,539	79.4	19.2	1.2	0.1	0.1	-
Doncaster Royal Infirmary	29,238	97.7	2.3	-	-	-	-
Hull Royal Infirmary	32,605	82.9	15.0	1.1	0.3	0.5	0.2
Leeds Teaching Hospitals	93,921	90.2	9.3	0.3	0.1	0.0	0.0
Pathlinks Network ⁽¹⁾	78,131	39.6	50.6	9.3	0.5	0.0	0.0
Rotherham District General Hospital	19,367	90.6	9.3	0.1	-	-	-
Royal Hallamshire Hospital	35,394	94.7	5.0	0.3	0.0	0.0	0.0
York District Hospital	50,611	87.8	11.9	0.3	-	-	-
East Midlands	267,128	60.0	32.9	4.5	0.9	1.7	0.0
Chesterfield Royal Hospital NHS Foundation Trust	20,849	88.4	11.4	0.2	0.0	0.0	-
Derby Hospitals NHS Foundation Trust (Derby City General Hospital)	59,292	55.9	35.7	8.3	0.1	0.0	0.0
Kettering General Hospital NHS Trust	21,754	98.2	1.8	0.0	0.0	0.0	-
Northampton General Hospital NHS Trust	25,048	86.2	12.9	0.9	-	-	-
Nottingham University Hospitals NHS Trust (Nottingham City Hospital)	48,012	61.2	25.4	2.5	1.2	9.5	0.2
Sherwood Forest Hospitals NHS Foundation Trust (Kings Mill Hospital)	22,313	98.9	1.1	-	-	-	-
University Hospitals of Leicester NHS Trust (Leicester Royal Infirmary)	69,860	20.6	69.0	7.9	2.5	0.0	-
West Midlands	346,326	50.5	32.5	12.9	3.1	0.9	0.2
Birmingham Women's Foundation Hospital	30,454	27.9	38.4	23.7	4.4	5.6	0.1
Dudley Group of Hospitals NHS Foundation Trust	22,524	59.2	38.7	1.9	0.1	0.0	0.0
George Eliot Hospital (Nuneaton)	22,496	59.0	25.5	11.1	3.8	0.4	0.2
Heart of England NHS Foundation Trust (Birmingham Heartlands Hospital)	30,421	70.6	16.9	7.4	3.6	0.9	0.6
Heart of England NHS Foundation Trust (Good Hope Hospital)	17,260	21.0	60.0	16.5	2.2	0.3	0.0
Hereford Hospitals	14,270	98.8	1.1	0.0	0.0	0.0	-
Mid Staffordshire NHS Foundation Trust	18,724	56.2	42.1	1.7	-	0.0	-
Royal Wolverhampton Hospitals	20,047	99.4	0.6	0.0	0.0	-	-
Sandwell & West Birmingham Hospitals (City Hospital)	36,079	46.0	48.6	5.1	0.2	0.1	0.1
Shrewsbury & Telford Hospitals	34,562	85.5	13.3	1.1	0.1	-	-
South Warwickshire General Hospitals	19,265	16.1	70.6	10.0	3.3	0.1	0.1
University Hospital of North Staffordshire	31,392	0.1	18.6	60.9	17.4	2.3	0.8
University Hospitals Coventry & Warwickshire (Walsgrave Hospital)	32,322	37.5	44.7	14.9	2.4	0.3	0.1
Walsall Hospitals	16,510	52.2	41.7	5.9	0.1	-	0.0
East of England	432,252	46.2	26.8	17.6	5.9	3.2	0.2
Basildon Hospital	27,342	24.6	19.4	24.7	10.9	18.2	2.2
Bedford Hospital	21,189	21.5	69.8	4.5	4.2	-	-
Broomfield Hospital	27,607	27.5	12.8	58.0	1.7	-	-
Colchester Hospital (Severalls)	27,578	5.6	17.5	12.4	39.9	24.6	-
Luton and Dunstable Hospital	21,399	46.3	41.5	4.3	6.0	1.3	0.5
Norfolk & Norwich University Hospital	64,822	25.2	42.6	31.6	0.7	0.0	0.0
Peterborough District Hospital	33,292	98.7	0.7	0.6	-	-	-
Princess Alexandra Hospital	21,688	22.4	73.7	3.7	0.1	0.0	0.1
Queen Elizabeth II Hospital (Welwyn Garden City)	37,980	19.2	34.4	45.8	0.6	0.0	-
Southend University Hospital	26,836	15.1	42.7	16.4	18.8	5.8	1.1
The Ipswich Hospital	23,841	67.7	21.9	9.1	1.1	0.2	-
Watford General Hospital	37,088	75.6	9.4	7.2	7.8	0.0	0.0
West Anglia Pathology Services	61,590	97.4	2.6	0.0	0.0	-	0.0

Table 16a: Samples examined by pathology laboratories: Time from receipt of sample to authorisation of report by laboratory, 2008-09

	Total Samples = 100%	0-2 weeks (0-14 days)	3-4 weeks (15-28 days)	5-6 weeks (29-42 days)	7-8 weeks (43-56 days)	9-10 weeks (57-70 days)	Over 10 weeks (over 70 days)
London	723,266	53.9	33.3	9.3	3.0	0.6	0.0
Chase Farm Hospital	44,361	27.9	61.1	10.9	0.1	0.0	-
Hammersmith Hospitals	28,345	99.4	0.4	0.1	0.1	0.0	0.0
Kings College Hospital	25,885	19.0	80.3	0.7	0.0	0.0	-
Kingston Hospital	38,225	94.9	5.0	0.0	-	-	-
Mayday University Hospital	31,410	8.3	64.7	26.5	0.5	0.0	-
North Middlesex University Hospital	23,834	10.4	37.3	14.0	28.8	9.5	-
Northwick Park Hospital	59,789	61.7	30.7	7.4	0.2	0.0	0.0
Princess Royal University Hospital (Orpington)	26,037	47.3	25.6	16.1	6.1	4.9	-
Queen Elizabeth (Greenwich)	21,373	25.7	45.3	24.5	4.1	0.2	0.2
Queen Mary's Hospital (Sidcup)	19,107	56.1	38.5	4.1	0.9	0.3	0.1
Queens Hospital	59,727	25.6	46.8	21.5	5.9	0.2	0.0
Royal Free Hospital and University College London Hospitals	30,680	85.9	13.5	0.5	0.0	0.0	-
St George's Hospital	29,043	84.4	15.0	0.6	0.0	-	-
St Helier Hospital	35,939	46.2	43.3	10.4	0.1	0.0	-
St Mary's Hospital	47,864	42.0	26.3	24.6	6.6	0.3	0.1
St Thomas's Hospital	38,443	53.9	28.7	12.0	4.9	0.4	0.1
The Doctors Laboratory	18,388	95.3	4.0	0.2	0.1	0.1	0.3
The Royal London Hospital	65,121	88.7	11.2	0.1	0.0	0.0	0.0
University Hospital Lewisham	27,724	44.1	55.7	0.2	-	-	-
Whipps Cross University Hospital	24,660	60.5	36.0	3.3	0.1	0.0	0.1
Whittington Hospital	27,311	41.7	41.3	6.1	10.4	0.5	-
South East Coast	325,642	62.2	31.4	5.8	0.6	0.0	0.0
Ashford & St Peter's Hospital	35,971	98.3	1.7	0.0	-	-	-
Conquest Hospital	26,181	57.8	34.1	7.9	0.2	0.0	0.0
Darent Valley Hospital	17,706	83.5	15.7	0.8	-	-	-
East Surrey Hospital	31,323	73.9	18.2	7.9	0.1	0.0	-
Epsom General Hospital	3,969	89.3	10.5	0.2	-	0.0	-
Medway Maritime	25,486	45.8	51.1	2.9	0.1	0.1	-
Partnership Pathology Services-Guildford	40,454	61.8	37.1	1.1	0.0	0.0	0.0
Preston Hall (Maidstone)	35,244	59.3	40.3	0.5	0.0	-	-
Royal Sussex County Hospital (Brighton)	33,741	53.5	42.1	4.2	0.1	0.0	-
St Richard's Hospital	15,285	27.9	59.6	12.0	0.4	0.0	0.0
William Harvey Hospital	41,681	62.2	34.9	2.7	0.1	0.0	0.0
Worthing Hospital	18,601	26.3	19.8	45.6	8.2	0.1	0.0
South Central	298,875	28.7	35.9	22.4	9.8	2.8	0.5
John Radcliffe Hospital	44,039	32.8	24.6	23.9	17.0	1.6	0.0
Queen Alexandra Hospital	51,213	23.1	49.7	24.6	2.1	0.5	-
Royal Berkshire Hospital	40,681	14.7	61.2	21.8	2.2	0.0	-
Royal Hampshire County Hospital	38,648	15.6	16.9	53.2	11.2	2.8	0.3
Southampton General Hospital	34,688	32.3	13.0	13.3	26.3	13.1	2.0
Stoke Mandeville Hospital	37,448	35.5	31.0	19.6	13.6	0.3	0.0
Wexham Park Hospital	32,701	34.6	48.5	7.0	3.5	4.8	1.6
Wycombe General Hospital	19,457	59.8	39.1	1.1	0.0	0.0	-
South West	434,519	55.8	25.0	7.2	10.0	1.5	0.4
Derriford Hospital	34,889	75.0	24.9	0.1	0.0	0.0	-
Gloucestershire Royal Hospital	93,517	42.1	51.5	6.3	0.0	0.0	0.1
Great Western Hospital (Swindon)	21,634	79.8	18.4	1.8	-	-	-
Musgrove Park Hospital	48,454	37.7	43.2	19.0	0.1	0.0	-
Poole Hospital	42,450	63.8	30.7	5.4	0.1	0.0	0.0
Royal Cornwall Hospital (Treliske)	31,477	82.8	16.5	0.7	0.0	-	-
Royal Devon & Exeter Hospital	39,064	99.8	0.2	-	-	-	-
Royal United Hospital	33,404	78.6	21.2	0.2	0.0	0.0	0.0
Southmead Hospital	71,391	7.1	2.0	18.8	60.4	9.3	2.3
Torbay Hospital	18,239	98.9	1.1	0.0	0.0	0.0	-

(1) The Pathlinks network consists of Diana, Princess of Wales Hospital, Scunthorpe General Hospital, Lincoln County Hospital and Pilgrim Hospital

Source: KC61 Part A2

Copyright © 2009, The Information Centre. All rights reserved

Table 17: Samples examined by pathology laboratories, by source of sample, result of test and Strategic Health Authority, 2008-09

	Total Samples	Result of test:					Number	Result of test					Percentages
		Inadequate	Negative	Borderline/ Mild	Moderate Dyskaryosis	Severe or worse		Inadequate	Negative	Borderline/ Mild	Moderate Dyskaryosis	Severe or worse	
England	3,972,998	104,202	3,560,677	254,580	23,703	29,836	2.6	89.6	6.4	0.6	0.8		
North East SHA													
All Sources	184,769	2,483	165,245	14,228	1,140	1,673	1.3	89.4	7.7	0.6	0.9		
GP	167,043	2,142	150,992	11,570	931	1,408	1.3	90.4	6.9	0.6	0.8		
NHS Community Clinic	6,824	110	6,001	584	49	80	1.6	87.9	8.6	0.7	1.2		
GUM	401	9	306	69	10	7	2.2	76.3	17.2	2.5	1.7		
NHS Hospital	9,945	183	7,500	1,943	146	173	1.8	75.4	19.5	1.5	1.7		
Private	79	-	66	11	-	2	-	83.5	13.9	-	3		
Other	477	39	380	51	4	3	8.2	79.7	10.7	0.8	0.6		
North West SHA													
All Sources	531,110	15,969	470,671	36,563	3,429	4,478	3.0	88.6	6.9	0.6	0.8		
GP	457,059	13,354	412,592	25,657	2,270	3,186	2.9	90.3	5.6	0.5	0.7		
NHS Community Clinic	29,318	1,039	25,964	1,848	201	266	3.5	88.6	6.3	0.7	0.9		
GUM	3,639	128	2,849	525	66	71	3.5	78.3	14.4	1.8	2.0		
NHS Hospital	39,087	1,390	27,666	8,246	868	917	3.6	70.8	21.1	2.2	2.3		
Private	1,354	47	1,094	194	10	9	3.5	80.8	14.3	0.7	0.7		
Other	653	11	506	93	14	29	1.7	77.5	14.2	2.1	4.4		
Yorkshire & the Humber SHA													
All Sources	430,401	5,475	397,532	21,669	2,061	3,664	1.3	92.4	5.0	0.5	0.9		
GP	396,657	4,766	369,247	17,921	1,678	3,045	1.2	93.1	4.5	0.4	0.8		
NHS Community Clinic	12,834	180	11,747	710	75	122	1.4	91.5	5.5	0.6	1.0		
GUM	2,220	38	1,778	343	27	34	1.7	80.1	15.5	1.2	1.5		
NHS Hospital	17,255	466	13,466	2,610	270	443	2.7	78.0	21.1	1.6	2.6		
Private	557	10	514	27	-	6	1.8	92.3	4.8	-	1.1		
Other	878	15	780	58	11	14	1.7	88.8	6.6	1.3	1.6		
East Midlands SHA													
All Sources	267,068	5,941	243,373	14,392	1,319	2,043	2.2	91.1	5.4	0.5	0.8		
GP	248,493	5,371	228,555	11,799	1,044	1,724	2.2	92.0	4.7	0.4	0.7		
NHS Community Clinic	5,552	161	4,927	368	41	55	2.9	88.7	6.6	0.7	1.0		
GUM	733	17	577	124	3	12	2.3	78.7	16.9	0.4	1.6		
NHS Hospital	11,776	377	8,873	2,049	230	247	3.2	75.3	17.4	2.0	2.1		
Private	466	14	400	48	1	3	3.0	85.8	10.3	0.2	0.6		
Other	48	1	41	4	-	2	2.1	85.4	8.3	-	4.2		
West Midlands SHA													
All Sources	346,326	8,208	309,518	23,792	1,921	2,887	2.4	89.4	6.9	0.6	0.8		
GP	312,456	6,998	282,623	18,983	1,490	2,362	2.2	90.5	6.1	0.5	0.8		
NHS Community Clinic	8,242	270	7,297	541	52	82	3.3	88.5	6.6	0.6	1.0		
GUM	2,144	92	1,598	387	30	37	4.3	74.5	18.1	1.4	1.7		
NHS Hospital	15,752	680	11,155	3,326	273	318	4.3	70.8	21.1	1.7	2.0		
Private	394	19	332	32	3	8	4.8	84.3	8.1	0.8	2.0		
Other	7,338	149	6,513	523	73	80	2.0	88.8	7.1	1.0	1.1		
East of England SHA													
All Sources	431,022	11,974	385,759	27,668	2,458	3,163	2.8	89.5	6.4	0.6	0.7		
GP	397,257	10,436	359,263	22,979	1,929	2,650	2.6	90.4	5.8	0.5	0.7		
NHS Community Clinic	8,601	276	7,546	656	59	64	3.2	87.7	7.6	0.7	0.7		
GUM	2,655	105	2,024	444	44	38	4.0	76.2	16.7	1.7	1.4		
NHS Hospital	21,124	1,110	15,739	3,459	416	400	5.3	74.5	16.4	2.0	1.9		
Private	988	37	855	80	7	9	3.7	86.5	8.1	0.7	0.9		
Other	397	10	332	50	3	2	2.5	83.6	12.6	0.8	0.5		
London SHA													
All Sources	723,264	23,104	636,223	54,939	4,851	4,147	3.2	88.0	7.6	0.7	0.6		
GP	615,548	18,419	554,020	37,729	2,923	2,457	3.0	90.0	6.1	0.5	0.4		
NHS Community Clinic	44,608	1,885	38,859	3,379	255	230	4.2	87.1	7.6	0.6	0.5		
GUM	5,297	233	4,205	779	50	30	4.4	79.4	14.7	0.9	0.6		
NHS Hospital	53,067	2,431	35,196	12,494	1,572	1,374	4.6	66.3	23.5	3.0	2.6		
Private	4,445	126	3,689	532	49	49	2.8	83.0	12.0	1.1	1.1		
Other	299	10	254	26	2	7	3.3	84.9	8.7	0.7	2.3		
South East Coast SHA													
All Sources	325,642	7,485	292,283	21,307	1,983	2,584	2.3	89.8	6.5	0.6	0.8		
GP	298,921	6,407	271,838	17,170	1,483	2,023	2.1	90.9	5.7	0.5	0.7		
NHS Community Clinic	8,431	242	7,425	618	65	81	2.9	88.1	7.3	0.8	1.0		
GUM	1,121	44	863	174	15	25	3.9	77.0	15.5	1.3	2.2		
NHS Hospital	15,475	716	10,734	3,187	410	428	4.6	69.4	20.6	2.6	2.8		
Private	1,555	65	1,313	145	9	23	4.2	84.4	9.3	0.6	1.5		
Other	139	11	110	13	1	4	7.9	79.1	9.4	0.7	2.9		
South Central SHA													
All Sources	298,875	6,874	271,523	16,357	1,854	2,267	2.3	90.8	5.5	0.6	0.8		
GP	284,424	6,302	260,154	14,377	1,577	2,014	2.2	91.5	5.1	0.6	0.7		
NHS Community Clinic	3,573	121	3,106	263	41	42	3.4	86.9	7.4	1.1	1.2		
GUM	1,458	46	1,088	265	30	29	3.2	74.6	18.2	2.1	2.0		
NHS Hospital	8,474	374	6,389	1,335	200	176	4.4	75.4	20.0	2.4	2.1		
Private	921	31	762	116	6	6	3.4	82.7	12.6	0.7	0.7		
Other	25	-	24	1	-	-	-	96.0	4.0	-	-		
South West SHA													
All Sources	434,521	16,689	388,550	23,665	2,687	2,930	3.8	89.4	5.4	0.6	0.7		
GP	410,039	15,472	369,582	20,210	2,237	2,538	3.8	90.1	4.9	0.5	0.6		
NHS Community Clinic	5,829	244	5,021	453	64	47	4.2	86.1	7.8	1.1	0.8		
GUM	859	45	685	106	8	15	5.2	79.7	12.3	0.9	1.7		
NHS Hospital	16,498	857	12,151	2,807	367	316	5.2	73.7	17.0	2.2	1.9		
Private	396	31	317	43	3	2	7.8	80.1	10.9	0.8	0.5		
Other	900	40	794	46	8	12	4.4	88.2	5.1	0.9	1.3		

Source: KC61 Part A1

Copyright © 2009, The Information Centre. All rights reserved

Table 18: Outcome of referrals for samples registered at the laboratory between April 2007 - March 2008, by Strategic Health Authority

Cervical Cytology KC61

Women referred after persistent non-negative sample (i.e. category 1/8/3 result)

	Total	Total with known result	Cervical Cancer	CIN3 & Adenocarcinoma in situ	CIN2	CIN1	HPV only	No CIN/ No HPV	Non-Cervical Cancer	Seen in Colposcopy result n/k	Inadequate biopsy	Colposcopy NAD
Numbers												
England	62,165	57,726	73	4,154	6,260	14,665	6,953	7,770	40	212	1,104	16,495
North East	3,418	3,306	8	274	408	973	390	720	6	1	70	456
North West	10,935	10,151	8	664	1,058	2,427	1,292	1,515	5	24	183	2,975
Yorkshire & Humber	5,443	5,172	6	593	711	1,151	725	929	2	5	64	986
East Midlands	4,117	3,928	15	393	611	1,049	387	336	4	4	42	1,087
West Midlands	6,203	5,812	7	400	441	1,102	492	530	3	0	91	2,746
East of England	4,814	4,581	5	303	451	1,329	596	695	5	16	117	1,064
London	12,415	10,711	5	552	960	3,205	1,467	1,120	8	139	227	3,028
South East Coast	5,280	5,032	6	324	512	1,038	694	807	0	17	117	1,517
South Central	3,585	3,388	4	236	429	943	315	451	2	1	62	945
South West	5,955	5,645	9	415	679	1,448	595	667	5	5	131	1,691
Percentage of cases with known result												
England		100.0	0.1	7.2	10.8	25.4	12.0	13.5	0.1	0.4	1.9	28.6
North East		100.0	0.2	8.3	12.3	29.4	11.8	21.8	0.2	0.0	2.1	13.8
North West		100.0	0.1	6.5	10.4	23.9	12.7	14.9	0.0	0.2	1.8	29.3
Yorkshire & Humber		100.0	0.1	11.5	13.7	22.3	14.0	18.0	0.0	0.1	1.2	19.1
East Midlands		100.0	0.4	10.0	15.6	26.7	9.9	8.6	0.1	0.1	1.1	27.7
West Midlands		100.0	0.1	6.9	7.6	19.0	8.5	9.1	0.1	0.0	1.6	47.2
East of England		100.0	0.1	6.6	9.8	29.0	13.0	15.2	0.1	0.3	2.6	23.2
London		100.0	0.0	5.2	9.0	29.9	13.7	10.5	0.1	1.3	2.1	28.3
South East Coast		100.0	0.1	6.4	10.2	20.6	13.8	16.0	0.0	0.3	2.3	30.1
South Central		100.0	0.1	7.0	12.7	27.8	9.3	13.3	0.1	0.0	1.8	27.9
South West		100.0	0.2	7.4	12.0	25.7	10.5	11.8	0.1	0.1	2.3	30.0

Women referred after single occurrence of potentially significant abnormality (i.e. category 7/4/5/6 result)

	Total	Total with known result	Cervical Cancer	CIN3 & Adenocarcinoma in situ	CIN2	CIN1	HPV only	No CIN/ No HPV	Non-Cervical Cancer	Seen in Colposcopy result n/k	Inadequate biopsy	Colposcopy NAD
Numbers												
England	37,083	35,770	921	19,974	8,078	3,185	828	1,472	198	86	196	832
North East	2,027	1,996	53	1,144	481	187	26	69	12	0	9	15
North West	4,823	4,652	148	2,512	1,145	395	136	183	23	14	9	87
Yorkshire & Humber	4,074	3,941	127	2,275	784	265	115	261	50	0	20	44
East Midlands	2,628	2,538	77	1,557	533	164	33	69	21	5	13	66
West Midlands	3,709	3,599	75	2,121	706	261	77	132	9	9	35	174
East of England	3,853	3,743	91	2,234	714	368	79	146	19	8	17	67
London	5,491	5,131	104	2,566	1,183	646	151	217	25	37	32	170
South East Coast	3,375	3,272	87	1,802	790	318	67	123	8	8	17	52
South Central	2,813	2,734	61	1,502	699	244	46	95	13	3	17	54
South West	4,290	4,164	98	2,261	1,043	337	98	177	18	2	27	103
Percentage of cases with known result												
England		100.0	2.6	55.8	22.6	8.9	2.3	4.1	0.6	0.2	0.5	2.3
North East		100.0	2.7	57.3	24.1	9.4	1.3	3.5	0.6	0.0	0.5	0.8
North West		100.0	3.2	54.0	24.6	8.5	2.9	3.9	0.5	0.3	0.2	1.9
Yorkshire & Humber		100.0	3.2	57.7	19.9	6.7	2.9	6.6	1.3	0.0	0.5	1.1
East Midlands		100.0	3.0	61.3	21.0	6.5	1.3	2.7	0.8	0.2	0.5	2.6
West Midlands		100.0	2.1	58.9	19.6	7.3	2.1	3.7	0.3	0.3	1.0	4.8
East of England		100.0	2.4	59.7	19.1	9.8	2.1	3.9	0.5	0.2	0.5	1.8
London		100.0	2.0	50.0	23.1	12.6	2.9	4.2	0.5	0.7	0.6	3.3
South East Coast		100.0	2.7	55.1	24.1	9.7	2.0	3.8	0.2	0.2	0.5	1.6
South Central		100.0	2.2	54.9	25.6	8.9	1.7	3.5	0.5	0.1	0.6	2.0
South West		100.0	2.4	54.3	25.0	8.1	2.4	4.3	0.4	0.0	0.6	2.5

Source: KC61 Part C2

Copyright © 2009, The Information Centre. All rights reserved

Table 18a: Outcome of referrals for samples registered at the laboratory between April - June 2008, by Strategic Health Authority

Women referred after persistent non-negative sample (i.e. category 1/8/3 result)

	Total	Total with known result	Cervical Cancer	CIN3 & Adenocarcinoma in situ	CIN2	CIN1	HPV only	No CIN/ No HPV	Non-Cervical Cancer	Seen in Colposcopy result n/k	Inadequate biopsy	Colposcopy NAD
Numbers												
England	17,744	16,184	18	1,164	1,728	4,034	2,109	2,055	16	92	328	4,640
North East	775	740	5	74	95	208	97	163	3	4	5	86
North West	2,966	2,780	0	161	250	625	398	369	0	1	71	905
Yorkshire & Humber	1,469	1,386	0	181	189	300	216	248	1	1	13	237
East Midlands	1,107	977	4	90	145	230	79	77	0	7	15	330
West Midlands	1,724	1,488	5	109	134	283	91	143	2	0	29	692
East of England	1,361	1,270	1	104	138	383	220	167	1	5	29	222
London	3,956	3,423	1	159	300	954	505	377	5	65	81	976
South East Coast	1,430	1,351	1	87	133	334	179	202	1	5	19	390
South Central	1,071	999	0	77	136	277	96	148	0	1	19	245
South West	1,885	1,770	1	122	208	440	228	161	3	3	47	557
Percentage of cases with known result												
England		100	0.1	7.2	10.7	24.9	13.0	12.7	0.1	0.6	2.0	28.7
North East		100	0.7	10.0	12.8	28.1	13.1	22.0	0.4	0.5	0.7	11.6
North West		100	0.0	5.8	9.0	22.5	14.3	13.3	0.0	0.0	2.6	32.6
Yorkshire & Humber		100	0.0	13.1	13.6	21.6	15.6	17.9	0.1	0.1	0.9	17.1
East Midlands		100	0.4	9.2	14.8	23.5	8.1	7.9	0.0	0.7	1.5	33.8
West Midlands		100	0.3	7.3	9.0	19.0	6.1	9.6	0.1	0.0	1.9	46.5
East of England		100	0.1	8.2	10.9	30.2	17.3	13.1	0.1	0.4	2.3	17.5
London		100	0.0	4.6	8.8	27.9	14.8	11.0	0.1	1.9	2.4	28.5
South East Coast		100	0.1	6.4	9.8	24.7	13.2	15.0	0.1	0.4	1.4	28.9
South Central		100	0.0	7.7	13.6	27.7	9.6	14.8	0.0	0.1	1.9	24.5
South West		100	0.1	6.9	11.8	24.9	12.9	9.1	0.2	0.2	2.7	31.5

Women referred after single occurrence of potentially significant abnormality (i.e. category 7/4/5/6 result)

	Total	Total with known result	Cervical Cancer	CIN3 & Adenocarcinoma in situ	CIN2	CIN1	HPV only	No CIN/ No HPV	Non-Cervical Cancer	Seen in Colposcopy result n/k	Inadequate biopsy	Colposcopy NAD
Numbers												
England	10,089	9,688	230	5,393	2,197	858	253	395	48	26	58	230
North East	488	479	16	299	100	35	9	14	3	1	1	1
North West	1,423	1,367	37	703	360	114	52	58	11	3	9	20
Yorkshire & Humber	1,097	1,061	35	661	201	56	27	59	13	1	4	4
East Midlands	654	631	21	380	132	40	13	14	2	1	3	25
West Midlands	966	935	16	555	180	75	27	31	2	0	2	47
East of England	1,113	1,068	19	619	206	102	31	58	4	3	6	20
London	1,496	1,391	25	657	318	198	52	57	9	12	17	46
South East Coast	926	892	16	514	209	65	17	41	1	2	5	22
South Central	783	749	17	389	214	82	6	21	0	1	2	17
South West	1,143	1,115	28	616	277	91	19	42	3	2	9	28
Percentage of cases with known result												
England		100	2.4	55.7	22.7	8.9	2.6	4.1	0.5	0.3	0.6	2.4
North East		100	3.3	62.4	20.9	7.3	1.9	2.9	0.6	0.2	0.2	0.2
North West		100	2.7	51.4	26.3	8.3	3.8	4.2	0.8	0.2	0.7	1.5
Yorkshire & Humber		100	3.3	62.3	18.9	5.3	2.5	5.6	1.2	0.1	0.4	0.4
East Midlands		100	3.3	60.2	20.9	6.3	2.1	2.2	0.3	0.2	0.5	4.0
West Midlands		100	1.7	59.4	19.3	8.0	2.9	3.3	0.2	0.0	0.2	5.0
East of England		100	1.8	58.0	19.3	9.6	2.9	5.4	0.4	0.3	0.6	1.9
London		100	1.8	47.2	22.9	14.2	3.7	4.1	0.6	0.9	1.2	3.3
South East Coast		100	1.8	57.6	23.4	7.3	1.9	4.6	0.1	0.2	0.6	2.5
South Central		100	2.3	51.9	28.6	10.9	0.8	2.8	0.0	0.1	0.3	2.3
South West		100	2.5	55.2	24.8	8.2	1.7	3.8	0.3	0.2	0.8	2.5

Source: KC61 Part C1

Table 19: GP and NHS Community Clinic samples from women aged 25-64 examined by pathology laboratories, by laboratory and result, 2008-09

	Samples from GP and NHS Community Clinics - women aged 25 - 64										
	Total samples examined		Result (as a percentage ⁽¹⁾ of total adequate)							PPV %	
	All sources all ages	GP & NHS CC (25 - 64)	Inadequate % (cat.1)	Total adequate samples	Negative % (cat.2)	Borderline % (cat.8)	Mild % (cat.3)	Moderate % (cat.7)	Severe % (cat.4,5 & 6)	Apr-08 to Jun-08	Apr-07 to Mar-08
England - 119 laboratories	3,972,998	3,584,346	2.5	3,493,945	93.4	3.7	1.8	0.5	0.7
North East	184,769	168,679	1.3	166,495	91.7	5.2	1.6	0.5	0.9
James Cook University Hospital	18,253	17,072	0.8	16,937	91.1	5.0	2.0	0.7	1.1	93.4	87.4
North Tees General Hospital	21,607	19,957	0.8	19,788	92.2	4.9	1.5	0.6	0.7	83.6	84.9
Queen Elizabeth Hospital	24,705	22,766	3.9	21,884	90.6	6.6	1.2	0.6	1.0	83.8	81.6
Royal Victoria Infirmary	57,183	50,705	0.8	50,295	92.5	4.3	2.0	0.5	0.8	84.4	82.1
Sunderland Royal Hospital	23,819	22,247	1.2	21,981	92.1	5.0	1.6	0.7	0.7	88.2	87.8
University Hospital of North Durham	39,202	35,932	0.9	35,610	91.3	6.2	1.2	0.4	0.9	92.4	89.4
North West	531,110	466,126	3.0	452,357	93.3	3.5	2.0	0.5	0.7
Arrove Park Hospital	23,657	20,727	2.3	20,252	92.4	4.7	1.8	0.4	0.7	95.1	87.6
Chorley & District Hospital	26,267	23,274	2.3	22,744	92.3	3.6	2.8	0.6	0.7	85.4	84.9
Countess of Chester Hospital	20,881	18,402	3.6	17,737	93.2	3.0	2.7	0.5	0.5	81.8	93.1
Cumberland Infirmary (Carlisle)	23,693	21,331	1.0	21,116	93.4	3.8	1.6	0.4	0.8	83.0	86.7
East Lancashire Hospital	32,427	28,631	1.7	28,135	93.4	3.8	1.8	0.6	0.4	64.0	70.4
Manchester Cytology Centre	102,966	91,545	3.7	88,129	93.0	3.6	2.3	0.4	0.6	76.8	80.2
Mid Cheshire Hospital Foundation Trust	32,846	29,312	3.0	28,440	95.5	2.3	1.1	0.3	0.8	79.1	85.0
Royal Bolton Hospital	20,652	18,013	3.3	17,419	93.7	3.7	1.5	0.6	0.6	86.1	84.9
Royal Lancaster Infirmary	23,089	20,908	0.9	20,722	93.6	3.9	1.5	0.4	0.6	73.6	77.6
Royal Liverpool Hospital	30,194	24,850	5.9	23,389	93.2	2.3	2.8	0.7	1.1	89.9	86.9
Royal Oldham Hospital	43,857	37,269	4.3	35,684	94.4	3.0	1.6	0.5	0.5	91.2	84.8
Southport General Infirmary	15,750	13,822	1.4	13,635	91.5	4.4	3.1	0.3	0.6	78.3	75.3
Stepping Hill Hospital (Stockport)	25,668	22,298	3.2	21,591	93.5	2.5	2.7	0.5	0.9	60.6	74.2
Tameside General Hospital	16,915	14,948	1.9	14,657	93.4	4.4	1.4	0.3	0.5	79.4	88.6
University Hospital Aintree	20,440	17,944	2.8	17,448	90.6	4.5	3.0	0.8	1.1	82.8	83.8
Victoria Hospital (Blackpool)	26,633	23,658	0.9	23,456	93.9	3.1	1.7	0.6	0.7	95.9	85.2
Warrington Hospital	25,510	22,390	4.8	21,308	94.4	3.2	1.2	0.4	0.8	87.5	83.7
Whiston Hospital	19,665	16,804	1.8	16,495	93.2	4.1	1.6	0.4	0.6	90.6	85.6
Yorkshire & the Humber	430,401	397,383	1.2	392,598	94.4	3.3	1.1	0.4	0.8
Barnsley District General Hospital	18,938	16,955	0.6	16,855	93.4	3.3	1.8	0.7	0.8	80.6	80.2
Calderdale Royal	35,651	33,171	0.9	32,870	95.0	2.6	1.0	0.5	0.9	88.4	78.9
Dewsbury District Hospital	36,539	34,092	1.0	33,735	93.4	4.0	1.3	0.5	0.7	82.1	76.0
Doncaster Royal Infirmary	29,239	25,734	0.7	25,548	91.6	4.4	2.8	0.6	0.6	86.4	85.7
Hull Royal Infirmary	32,612	30,186	0.7	29,972	91.7	5.8	0.9	0.6	1.0	82.3	76.0
Leeds Teaching Hospitals	93,919	87,132	2.2	85,208	96.1	2.7	0.4	0.2	0.7	83.2	83.5
Pathlinks Network ⁽¹⁾	78,131	73,095	1.0	72,400	94.9	2.9	1.1	0.4	0.7	87.7	83.1
Rotherham District General Hospital	19,367	17,898	1.0	17,716	94.9	2.4	1.3	0.6	0.9	87.1	86.1
Royal Hallamshire Hospital	35,394	32,302	1.1	31,959	95.0	3.0	0.8	0.3	0.9	90.7	80.7
York District Hospital	50,611	46,818	1.0	46,335	94.1	3.2	1.7	0.4	0.6	91.6	91.1
East Midlands	267,068	245,669	2.2	240,360	94.2	3.3	1.3	0.4	0.7
Chesterfield Royal Hospital NHS Foundation Trust	20,849	19,099	1.2	18,868	93.4	3.8	1.4	0.3	1.1	78.0	82.6
Derby Hospitals NHS Foundation Trust (Derby City General Hospital)	59,232	55,512	1.5	54,694	94.1	4.1	0.9	0.3	0.6	89.0	90.7
Kettering General Hospital NHS Trust	21,754	20,151	3.6	19,435	93.3	3.5	1.8	0.6	0.8	75.4	79.5
Northampton General Hospital NHS Trust	25,048	22,590	2.5	22,032	93.4	2.5	2.6	0.7	0.8	80.0	83.7
Nottingham University Hospitals NHS Trust (Nottingham City Hospital)	48,012	42,698	3.0	41,418	93.9	4.0	1.2	0.3	0.6	85.7	87.7
Sherwood Forest Hospitals NHS Foundation Trust (Kings Mill Hospital)	22,313	20,072	1.9	19,684	94.1	3.8	1.0	0.4	0.8	91.2	88.3
University Hospitals of Leicester NHS Trust (Leicester Royal Infirmary)	69,860	65,547	2.0	64,229	95.4	2.3	1.3	0.5	0.6	89.1	88.7
West Midlands	346,326	309,573	2.3	302,537	92.8	4.1	1.9	0.5	0.8
Birmingham Women's Foundation Hospital	30,454	26,783	2.2	26,202	93.4	3.3	2.1	0.6	0.7	71.4	75.7
Dudley Group of Hospitals NHS Foundation Trust	22,524	20,495	4.1	19,661	94.4	3.4	1.2	0.3	0.7	89.8	84.9
George Eliot Hospital (Nuneaton)	22,496	13,973	1.2	13,801	92.9	3.7	2.1	0.6	0.8	81.6	83.7
Heart of England NHS Foundation Trust (Birmingham Heartlands Hospital)	30,421	27,772	1.2	27,430	93.2	3.5	2.1	0.5	0.6	85.4	78.3
Heart of England NHS Foundation Trust (Good Hope Hospital)	17,260	15,700	1.5	15,471	93.0	4.0	2.2	0.3	0.6	79.4	82.6
Hereford Hospitals	14,270	12,880	1.2	12,722	90.6	4.9	3.0	0.7	0.8	80.4	77.8
Mid Staffordshire NHS Foundation Trust	18,724	16,373	1.5	16,121	93.4	4.1	1.5	0.4	0.5	84.4	84.7
Royal Wolverhampton Hospitals	20,047	18,545	1.1	18,350	92.7	4.9	0.9	0.5	0.9	85.5	89.6
Sandwell & West Birmingham Hospitals (City Hospital) *	36,079	33,377	2.9	32,401	93.6	4.4	1.2	0.3	0.5	88.5	90.4
Shrewsbury & Telford Hospitals	34,562	30,934	1.4	30,494	92.7	4.2	2.3	0.3	0.4	83.6	77.1
South Warwickshire General Hospitals	19,265	18,238	3.1	17,671	93.0	3.9	1.7	0.4	1.0	73.1	81.8
University Hospital of North Staffordshire	31,392	30,103	2.6	29,323	89.2	5.5	3.0	0.9	1.3	70.9	79.0
University Hospitals Coventry & Warwickshire (Walsgrave Hospital)	32,322	29,712	3.1	28,803	93.6	3.7	1.4	0.2	1.0	90.5	90.2
Walsall Hospitals	16,510	14,688	4.1	14,087	92.9	3.7	1.9	0.6	0.9	82.1	77.7
East of England	431,022	391,799	2.6	381,531	93.1	3.8	1.9	0.5	0.7
Basildon Hospital	27,342	24,649	5.2	23,371	93.2	4.0	1.9	0.4	0.5	79.0	83.5
Bedford Hospital	19,958	19,011	1.1	18,795	93.5	1.8	3.3	0.4	1.0	63.2	71.2
Broomfield Hospital	27,607	24,950	6.5	23,340	90.0	5.5	3.1	0.7	0.7	67.3	75.5
Colchester Hospital (Severalls)	27,578	24,384	2.5	23,775	90.6	5.6	2.6	0.5	0.6	75.9	75.1
Luton and Dunstable Hospital	21,399	19,396	1.7	19,074	92.4	4.4	2.3	0.6	0.4	80.0	80.7
Norfolk & Norwich University Hospital *	64,822	60,064	1.3	59,259	94.2	3.1	1.6	0.3	0.8	86.0	88.7
Peterborough District Hospital	33,292	24,544	4.6	23,424	94.6	3.7	0.8	0.4	0.5	94.3	93.2
Princess Alexandra Hospital	21,688	20,111	3.3	19,455	93.6	3.1	2.0	0.5	0.8	85.2	84.4
Queen Elizabeth II Hospital (Welwyn Garden City)	37,980	35,991	1.9	35,301	95.2	2.3	1.4	0.5	0.7	72.0	75.9
Southeast University Hospital	26,836	24,723	3.0	23,988	91.7	5.9	1.6	0.5	0.3	90.5	87.1
The Ipswich Hospital	23,841	21,994	2.6	21,423	93.1	4.7	1.2	0.4	0.7	83.9	85.9
Watford General Hospital	37,088	34,901	1.8	34,274	92.9	4.1	2.1	0.4	0.5	90.3	89.3
West Anglia Pathology Services	61,591	57,081	1.8	56,052	93.2	3.6	1.9	0.6	0.7	83.2	80.0

Table 19: GP and NHS Community Clinic samples from women aged 25-64 examined by pathology laboratories, by laboratory and result, 2008-09

	Samples from GP and NHS Community Clinics - women aged 25 - 64										
	Total samples examined		Result (as a percentage ⁽¹⁾ of total adequate)							PPV %	
	All sources all ages	GP & NHS CC (25 - 64)	Inadequate % (cat.1)	Total adequate samples	Negative % (cat.2)	Borderline % (cat.8)	Mild % (cat.3)	Moderate % (cat.7)	Severe % (cat.4,5 & 6)	Apr-08 to Jun-08	Apr-07 to Mar-08
London	723,264	626,505	3.1	607,315	93.0	3.5	2.5	0.5	0.4
Chase Farm Hospital	44,361	39,123	2.8	38,010	93.6	4.5	1.3	0.4	0.2	85.7	83.3
Hammersmith Hospitals *	28,345	22,639	3.1	21,946	93.3	4.9	1.3	0.4	0.2	75.6	82.7
Kings College Hospital	25,885	21,338	2.3	20,848	91.3	3.6	4.3	0.5	0.2	71.4	68.4
Kingston Hospital	38,225	34,098	3.5	32,918	93.5	3.4	2.3	0.5	0.4	83.5	79.3
Mayday University Hospital	31,410	28,832	2.3	28,162	93.0	2.9	3.0	0.6	0.5	57.1	77.2
North Middlesex University Hospital	23,834	21,181	2.7	20,605	89.2	6.0	3.5	0.7	0.6	67.6	71.4
Northwick Park Hospital	59,789	54,146	2.0	53,045	95.4	2.1	1.9	0.2	0.3	79.5	75.2
Princess Royal University Hospital (Orpington)	26,037	23,039	3.3	22,288	91.1	4.5	3.6	0.4	0.4	71.4	76.1
Queen Elizabeth (Greenwich)	21,373	19,507	2.8	18,952	93.2	4.3	1.5	0.6	0.4	81.1	75.4
Queen Mary's Hospital (Sidcup)	19,107	16,103	1.0	15,946	92.6	3.9	2.6	0.4	0.5	77.1	74.8
Queens Hospital	59,727	54,326	2.3	53,062	96.5	1.7	1.1	0.4	0.4	85.2	77.1
Royal Free Hospital and University College London Hospitals *	30,680	23,557	2.6	22,939	90.0	2.5	6.0	0.8	0.8	68.4	75.5
St George's Hospital	29,043	24,436	1.1	24,169	88.8	3.3	6.8	0.3	0.7	70.5	74.1
St Helier Hospital *	35,939	32,148	3.5	31,035	94.0	3.2	1.9	0.4	0.5	76.7	75.6
St Mary's Hospital *	47,864	37,469	2.9	36,380	92.7	4.4	2.2	0.4	0.2	84.6	76.5
St Thomas's Hospital	38,441	31,648	4.6	30,197	92.5	3.1	3.2	0.8	0.4	79.5	77.9
The Doctors Laboratory *	18,388	17,450	4.1	16,735	91.9	4.5	2.4	0.5	0.7	63.4	..
The Royal London Hospital	65,121	55,279	4.8	52,628	94.3	3.3	1.5	0.4	0.4	67.7	78.2
University Hospital Lewisham	27,724	23,657	8.1	21,740	92.4	4.0	2.9	0.3	0.3	70.7	77.8
Whipps Cross University Hospital	24,660	22,577	2.7	21,971	95.3	2.4	1.5	0.3	0.5	69.4	74.2
Whittington Hospital	27,311	23,952	0.9	23,739	89.2	6.4	3.3	0.7	0.4	74.4	73.8
South East Coast	325,642	297,147	2.2	290,715	93.2	3.9	1.7	0.5	0.7
Ashford & St Peter's Hospital	35,971	32,043	2.4	31,280	92.5	4.1	2.3	0.5	0.6	74.5	79.1
Conquest Hospital *	26,181	23,822	3.0	23,101	93.7	2.9	2.3	0.4	0.7	87.5	84.2
Darent Valley Hospital	17,706	16,497	1.6	16,225	91.0	5.7	2.3	0.6	0.5	78.8	75.9
East Surrey Hospital	31,323	29,295	1.4	28,884	93.0	4.4	1.6	0.4	0.7	90.0	82.3
Epsom General Hospital *	3,969	3,522	2.4	3,437	94.0	2.7	2.1	0.4	0.8	66.7	86.1
Medway Maritime	25,486	23,422	3.0	22,711	94.4	2.3	2.1	0.6	0.6	88.3	85.9
Partnership Pathology Services-Guildford	40,454	36,549	1.2	36,112	94.6	3.0	1.1	0.5	0.8	82.6	79.6
Preston Hall (Maidstone)	35,244	32,534	1.8	31,948	92.3	5.2	1.4	0.5	0.5	81.7	83.0
Royal Sussex County Hospital (Brighton)	33,741	31,392	1.2	31,009	94.0	2.3	2.0	0.6	1.1	90.5	84.1
St Richard's Hospital	15,285	13,837	3.5	13,358	92.4	5.2	1.3	0.5	0.6	83.9	84.4
William Harvey Hospital	41,681	37,268	2.8	36,215	92.9	5.0	1.5	0.3	0.3	80.7	85.4
Worthing Hospital	18,601	16,966	3.1	16,435	93.0	4.2	1.6	0.3	1.0	84.2	84.6
South Central	298,875	277,324	2.2	271,124	93.8	3.2	1.7	0.5	0.7
John Radcliffe Hospital	44,039	40,394	3.4	39,002	94.1	3.0	1.5	0.5	0.8	72.3	80.9
Queen Alexandra Hospital *	51,213	47,253	2.0	46,296	93.2	3.6	1.8	0.8	0.6	82.7	86.2
Royal Berkshire Hospital	40,681	38,509	2.5	37,553	95.0	2.7	1.3	0.4	0.6	84.3	87.5
Royal Hampshire County Hospital	38,648	36,729	2.2	35,919	93.1	3.9	1.9	0.6	0.5	78.5	78.0
Southampton General Hospital	34,688	31,956	2.3	31,224	92.0	5.0	1.8	0.5	0.7	82.1	83.8
Stoke Mandeville Hospital	37,448	34,510	1.5	34,009	93.4	3.5	1.6	0.6	0.9	88.1	82.6
Wexham Park Hospital	32,701	29,869	2.1	29,250	95.8	1.4	1.7	0.3	0.8	86.2	86.8
Wycombe General Hospital	19,457	18,104	1.3	17,871	94.7	1.9	2.2	0.4	0.8	95.5	87.6
South West	434,521	404,141	3.8	388,913	93.8	3.5	1.5	0.5	0.6
Derriford Hospital	34,889	31,796	6.8	29,640	94.6	3.2	1.0	0.5	0.6	85.0	78.6
Gloucestershire Royal Hospital	93,517	88,379	2.7	86,015	93.2	3.8	1.8	0.5	0.6	81.9	78.5
Great Western Hospital (Swindon)	21,634	20,102	4.8	19,142	93.0	4.2	1.6	0.6	0.6	85.5	84.1
Musgrove Park Hospital	48,456	44,305	3.9	42,558	94.2	3.9	1.0	0.3	0.5	89.4	86.2
Poole Hospital *	42,450	38,769	2.8	37,691	94.0	3.2	1.7	0.6	0.5	83.6	86.5
Royal Cornwall Hospital (Treliske)	31,477	29,032	3.8	27,929	92.4	4.2	2.0	0.7	0.7	80.4	79.9
Royal Devon & Exeter Hospital	39,064	35,117	3.5	33,895	93.3	2.8	2.4	0.6	0.9	81.3	81.4
Royal United Hospital	33,404	32,067	3.0	31,103	93.8	3.5	1.3	0.6	0.8	84.9	85.7
Southmead Hospital	71,391	67,827	4.3	64,889	95.3	2.7	1.0	0.5	0.5	84.2	87.1
Torbay Hospital	18,239	16,747	4.2	16,051	92.7	3.5	2.2	0.8	0.8	87.9	88.3

⁽¹⁾ Percentages are to one decimal place⁽²⁾ The Pathlinks network consists of Diana, Princess of Wales Hospital, Scunthorpe General Hospital, Lincoln County Hospital and Pilgrim Hospital

* The cytology activity provided by the following hospitals has transferred or changed:

Sandwell & West Birmingham Hospitals NHS Trust - Sandwell General Hospital service transferred to City Hospital November 2008

Queen Elizabeth Hospital (King's Lynn) to Norfolk & Norwich University Hospital

St Mary's Hospital, London includes Hammersmith Hospitals from November 2008

St Helier Hospital includes Epsom General Hospitals from September 2008

University College Hospital, London and the Royal Free Hospital now provide a joint service

The Doctors Laboratory is a private provider. They have no PPV data for Apr-07 to Mar-08 as this is prior to their service commencing

Eastbourne District General Hospital service transferred to Conquest Hospital May 2008

St Mary's Hospital, Isle of Wight service transferred to Queen Alexandra Hospital, Portsmouth in April 2008

Salisbury District Hospital transferred to Poole Hospital from September 2008

Activity at the Royal Bournemouth Hospital is now managed through a single department at the Poole Hospital

Source: KC61

Copyright © 2009, The Information Centre. All rights reserved

Table 20: Women referred to colposcopy: referral indication of first offered appointment, by Strategic Health Authority, 2008-09

England (220 returns)		Percentage									
Referral indication	Strategic Health Authority										
Result of screening sample	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of England	London	South East Coast	South Central	South West
Total number of referrals = 100%	133,774	7,392	20,048	12,245	8,765	13,652	13,230	25,381	10,820	9,348	12,893
Screening sample - Total ⁽¹⁾	79.7	81.1	73.8	76.1	74.7	84.9	80.9	79.2	85.0	78.7	85.4
Inadequate	1.6	0.4	1.8	1.6	0.9	1.4	2.7	1.8	0.9	0.9	2.4
Borderline changes	17.8	29.0	17.7	18.8	12.0	16.9	18.0	18.1	16.3	18.3	16.1
Mild dyskaryosis	31.4	21.2	30.3	23.2	31.3	34.5	27.6	38.2	34.7	26.3	34.6
Moderate dyskaryosis	12.6	11.9	10.3	11.9	11.6	13.0	14.2	11.4	14.2	14.8	15.4
Severe dyskaryosis	15.0	16.6	12.7	18.5	17.4	17.7	16.7	9.0	18.0	17.1	15.5
Severe / ?invasive carcinoma	0.4	0.9	0.2	0.6	0.4	0.5	0.3	0.2	0.2	0.4	0.5
?Glandular Neoplasia	0.9	1.1	0.8	1.4	1.0	1.0	1.2	0.6	0.7	0.9	0.9
Clinical indication - urgent	4.1	4.6	5.2	4.9	5.0	3.4	4.9	3.7	1.4	2.6	4.5
Clinical indication - non urgent	12.7	13.1	8.0	17.2	16.7	11.5	14.0	12.0	12.6	18.5	9.8
Other	3.5	1.2	13.0	1.8	3.6	0.2	0.3	5.0	1.0	0.2	0.2

⁽¹⁾ Sum of Inadequate, borderline changes, mild dyskaryosis, moderate dyskaryosis, severe dyskaryosis, severe / ?invasive carcinoma and ?glandular neoplasia
Totals may not add up to the sum of components due to rounding

Source: KC65 Part A

Copyright © 2009 The Information Centre. All rights reserved

Table 21: Women referred to colposcopy: time from referral to first offered appointment, by referral indication and Strategic Health Authority, 2008-09

England (220 returns)		Percentage									
Referral indication	Strategic Health Authority										
Waiting time	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of England	London	South East Coast	South Central	South West
All referrals											
less than or equal to 2 weeks	22.7	26.3	28.5	23.6	32.6	24.8	25.4	18.2	13.2	14.5	22.3
less than or equal to 4 weeks	62.4	72.8	71.1	63.9	74.6	65.2	70.1	55.2	47.8	50.4	57.9
less than or equal to 8 weeks	96.4	99.6	96.9	98.2	98.0	98.2	99.0	96.3	91.6	94.3	92.3
less than or equal to 12 weeks	99.2	99.9	98.9	99.6	99.6	99.4	99.8	99.4	98.0	99.0	98.5
Moderate or severe dyskaryosis											
less than or equal to 4 weeks	87.3	98.5	89.7	91.7	92.1	90.1	91.1	88.7	84.2	72.8	76.0
Severe / ?invasive carcinoma											
less than or equal to 2 weeks	89.7	98.6	89.4	97.4	87.9	92.3	93.2	91.4	77.8	70.0	82.3
?Glandular neoplasia											
less than or equal to 2 weeks	80.8	97.5	82.1	86.4	80.2	87.9	88.3	74.7	71.4	64.8	67.2

Source: KC65 Part A

Copyright © 2009, The Information Centre. All rights reserved

Table 22: Appointments for colposcopy: attendance status and appointment type, by Strategic Health Authority, 2008-09

England (220 returns)		Percentages									
Appointment type	Strategic Health Authority										
	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of England	London	South East Coast	South Central	South West
Total Appointments	402,406	20,804	69,445	35,630	23,790	41,635	31,317	89,805	31,396	22,450	36,134
New Appointments											
Total number = 100%	165,428	8,796	24,366	15,703	10,353	16,944	15,731	33,196	13,391	11,406	15,542
Attended	78.0	82.6	79.8	75.8	87.4	77.2	80.4	70.7	77.4	79.5	82.1
Cancelled by patient - in advance	10.2	7.9	7.7	11.7	5.4	10.0	10.5	13.1	11.0	11.5	9.3
Cancelled by patient - on the day	2.3	3.3	2.3	1.9	1.6	3.5	1.8	2.7	1.8	1.6	1.7
Cancelled by clinic	1.4	0.2	2.2	1.7	0.4	0.6	0.8	2.4	1.5	0.9	1.2
DNA - no advance warning	7.9	5.9	7.8	8.7	5.2	8.6	6.4	10.9	8.2	6.5	5.6
DNA - arrived late	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	-
DNA - left without being seen	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Return for treatment											
Total number = 100%	31,659	2,336	4,949	3,235	1,717	3,044	2,558	6,312	2,571	1,678	3,259
Attended	83.6	85.9	77.9	82.8	93.0	85.9	88.8	78.0	84.4	89.6	87.0
Cancelled by patient - in advance	7.8	6.4	9.5	7.3	1.7	6.0	5.2	11.6	8.9	4.4	7.1
Cancelled by patient - on the day	1.7	2.1	2.8	1.3	0.8	2.0	1.2	2.3	0.9	0.7	1.0
Cancelled by clinic	2.0	0.7	4.2	1.8	0.6	1.5	0.6	2.8	1.3	1.4	1.3
DNA - no advance warning	4.9	5.0	5.7	6.6	3.8	4.5	4.2	5.2	4.6	3.9	3.2
DNA - arrived late	0.0	-	0.0	0.0	0.1	0.1	0.0	0.0	-	-	0.1
DNA - left without being seen	0.0	-	-	0.2	0.1	-	-	0.0	-	-	0.2
Follow up											
Total number = 100%	205,319	9,672	40,130	16,692	11,720	21,647	13,028	50,297	15,434	9,366	17,333
Attended	68.2	74.8	67.7	64.9	75.6	72.3	72.6	61.8	73.4	66.8	69.7
Cancelled by patient - in advance	10.0	7.5	9.2	8.4	6.6	6.2	9.5	12.8	9.3	13.0	13.4
Cancelled by patient - on the day	3.1	3.6	2.8	2.3	1.9	4.3	2.7	3.5	2.8	2.0	3.0
Cancelled by clinic	4.2	1.8	6.1	7.4	1.5	1.0	2.4	5.4	2.6	5.2	2.9
DNA - no advance warning	14.5	12.3	14.2	16.9	14.3	16.1	12.7	16.3	12.0	12.9	11.0
DNA - arrived late	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0
DNA - left without being seen	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-	0.0

Source: KC65 Part B

Copyright © 2009, The Information Centre. All rights reserved

Table 23: Women referred to colposcopy: first attendance by result of referral, type of procedure and Strategic Health Authority, 2008-09

England (220 returns)		Percentages									
Treatment	England	Strategic Health Authority									
		North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of England	London	South East Coast	South Central	South West
Total number of referrals = 100% ⁽¹⁾	129,368	7,268	19,946	11,913	8,963	13,076	12,476	23,535	10,367	9,066	12,758
All referrals ⁽¹⁾											
No procedure	36.0	20.8	38.4	27.6	38.1	48.6	28.9	40.3	35.4	33.3	36.2
Procedure used	64.0	79.2	61.6	72.4	61.9	51.4	71.1	59.7	64.6	66.7	63.8
Diagnostic biopsy	45.7	57.7	47.7	50.4	36.3	29.2	44.8	55.4	38.5	42.3	46.1
Excision	16.3	20.7	11.6	19.8	22.2	19.8	23.7	3.6	22.9	23.1	16.3
Ablation without biopsy	0.7	0.3	0.8	0.5	1.9	0.7	1.0	0.2	1.0	0.5	0.6
Ablation with biopsy	0.3	0.1	0.5	0.3	0.4	0.3	0.2	0.1	1.5	0.2	0.1
Other	0.9	0.4	1.1	1.4	1.2	1.5	1.5	0.4	0.7	0.6	0.6
Inadequate											
No procedure	74.5	80.6	66.8	85.3	73.9	87.7	69.9	70.8	74.5	70.1	80.1
Procedure used	25.5	19.4	33.2	14.7	26.1	12.3	30.1	29.2	25.5	29.9	19.9
Diagnostic biopsy	23.0	12.9	29.3	11.6	20.5	8.9	27.4	28.5	22.3	28.7	19.0
Excision	0.9	6.5	2.3	1.1	-	-	0.6	-	3.2	-	0.7
Ablation without biopsy	0.3	-	0.3	-	2.3	-	0.9	0.2	-	-	-
Ablation with biopsy	0.0	-	-	-	-	-	-	-	-	-	-
Other	1.2	-	1.4	2.1	3.4	3.4	1.2	0.5	-	1.1	0.3
Low Grade ⁽²⁾											
No procedure	36.7	15.5	39.5	25.7	36.6	57.3	27.5	38.8	40.0	31.2	36.6
Procedure used	63.3	84.5	60.5	74.3	63.4	42.7	72.5	61.2	60.0	68.8	63.4
Diagnostic biopsy	58.3	81.8	56.9	68.6	52.4	36.1	66.2	60.5	49.7	60.4	60.2
Excision	4.2	2.4	2.9	5.3	10.1	5.4	5.5	0.6	7.5	8.2	2.6
Ablation without biopsy	0.2	0.0	0.1	0.1	0.3	0.1	0.3	0.0	0.6	0.0	0.2
Ablation with biopsy	0.3	0.0	0.4	0.1	0.3	0.2	0.1	0.0	1.8	0.1	0.1
Other	0.3	0.2	0.2	0.3	0.3	1.0	0.6	0.2	0.5	0.2	0.2
High Grade ⁽³⁾											
No procedure	16.8	7.3	18.1	12.3	15.6	24.0	11.4	19.4	17.2	19.1	18.0
Procedure used	83.2	92.7	81.9	87.7	84.4	76.0	88.6	80.6	82.8	80.9	82.0
Diagnostic biopsy	36.4	32.7	42.5	37.1	28.4	24.9	25.6	66.4	27.8	25.4	36.4
Excision	46.1	60.0	38.5	50.0	55.4	49.9	62.0	14.1	53.9	54.2	45.3
Ablation without biopsy	0.1	-	0.1	-	0.4	0.0	0.2	-	0.1	0.0	0.2
Ablation with biopsy	0.2	-	0.6	0.2	0.0	0.1	-	-	0.6	0.1	0.1
Other	0.4	-	0.2	0.4	0.1	1.0	0.7	0.1	0.4	1.2	0.0
Clinical Indication - Urgent											
No procedure	53.5	46.9	46.6	38.8	68.7	64.8	53.0	54.7	39.0	51.1	66.9
Procedure used	46.5	53.1	53.4	61.2	31.3	35.2	47.0	45.3	61.0	48.9	33.1
Diagnostic biopsy	36.9	42.8	45.3	48.4	19.6	21.1	34.5	41.9	44.2	40.9	24.1
Excision	4.3	7.1	1.1	7.7	4.9	4.8	5.7	1.0	11.7	6.3	5.3
Ablation without biopsy	1.8	0.6	3.0	0.7	2.1	2.9	2.6	0.8	1.9	0.8	1.4
Ablation with biopsy	0.5	-	0.8	0.2	1.7	0.7	-	0.1	2.6	0.4	-
Other	3.0	2.7	3.2	4.3	3.0	5.7	4.1	1.5	0.6	0.4	2.4
Clinical Indication - Non urgent											
No procedure	59.6	58.0	49.1	49.2	62.2	70.3	59.1	62.8	59.9	59.4	69.3
Procedure used	40.4	42.0	50.9	50.8	37.8	29.7	40.9	37.2	40.1	40.6	30.7
Diagnostic biopsy	28.7	33.9	38.6	38.3	20.0	14.7	26.4	33.5	23.0	29.8	20.7
Excision	3.9	4.2	3.0	3.6	5.1	5.8	3.3	0.8	6.8	7.0	2.1
Ablation without biopsy	3.5	2.0	2.8	2.3	7.9	4.5	4.7	1.2	5.3	2.7	3.8
Ablation with biopsy	0.8	0.3	0.5	0.9	0.9	0.9	0.9	0.4	2.9	0.4	0.1
Other	3.5	1.5	6.0	5.8	3.9	3.8	5.6	1.3	2.1	0.7	3.9

⁽¹⁾ Includes "others" which cannot be broken down into a specific category⁽²⁾ Low grade results include borderline changes and mild dyskaryosis⁽³⁾ High grade results include moderate dyskaryosis, severe dyskaryosis, severe dyskaryosis/?invasive carcinoma and ?glandular neoplasia

Source: KC65 Part C1

Copyright © 2009, The Information Centre. All rights reserved

Table 24: Biopsies taken at colposcopy: time from biopsy until patient informed of result, by Strategic Health Authority (4 month sample), 2008-09

England (220 returns)		Percentages									
Waiting time	England	Strategic Health Authority									
		North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of England	London	South East Coast	South Central	South West
All Referrals	45,147	3,401	7,124	4,326	3,527	3,818	4,768	8,857	2,858	1,400	5,068
All Referrals (as percentage = 100%)											
less than or equal to 2 weeks	28.8	30.8	27.3	33.1	24.5	29.8	45.0	18.3	19.9	34.6	34.8
more than 2 weeks up to 4 weeks	43.7	52.5	40.1	44.6	48.4	46.9	45.3	38.6	38.3	39.7	47.7
more than 4 weeks up to 8 weeks	22.9	16.0	24.2	19.9	23.2	19.6	8.4	37.1	29.7	24.1	15.4
more than 8 weeks up to 12 weeks	2.3	0.6	3.3	1.3	1.8	1.9	0.4	4.3	4.1	1.0	1.4
over 12 weeks	2.3	0.1	5.0	1.0	2.0	1.8	0.9	1.8	8.0	0.5	0.8
All informed within 8 weeks	95.4	99.3	91.7	97.6	96.1	96.3	98.7	94.0	87.9	98.5	97.8

Source: KC65 Part D

Copyright © 2009, The Information Centre. All rights reserved

Table 25: Non diagnostic biopsies taken at colposcopy: by type, outcome and Strategic Health Authority (4 month sample) 2008-09

England (220 returns)		Percentages									
Outcome	England	Strategic Health Authority									
		North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of England	London	South East Coast	South Central	South West
Number of biopsies reported	16,551	1,212	2,273	1,642	1,732	1,983	2,107	2,133	904	538	2,027
Biopsies with unknown result	229	-	72	6	68	1	4	39	38	1	-
Biopsies with known result = 100%	16,322	1,212	2,201	1,636	1,664	1,982	2,103	2,094	866	537	2,027
Cancer	1.5	2.6	1.2	2.6	1.0	1.7	1.0	0.8	1.0	1.5	1.7
Adenocarcinoma in situ	2.3	1.8	2.0	2.9	4.0	2.7	1.7	1.0	1.8	0.9	3.3
CIN 3	45.4	44.1	41.8	51.8	45.9	51.4	47.7	37.5	44.8	44.3	44.7
CIN 2	23.7	26.6	25.1	23.2	22.7	17.6	21.7	26.6	25.4	25.1	26.1
CIN 1	13.6	12.2	15.4	8.6	12.4	11.8	12.2	21.8	15.4	11.9	12.3
HPV / Cervicitis only	4.9	4.5	8.3	2.9	4.3	7.1	3.2	5.3	4.8	4.1	2.8
No CIN / No HPV	8.3	7.9	6.0	7.6	9.5	7.5	12.2	6.6	6.1	11.9	8.8
Inadequate / unsatisfactory biopsy	0.3	0.3	0.3	0.4	0.3	0.4	0.3	0.3	0.6	0.2	0.2
Total showing CIN or worse	86.5	87.2	85.5	89.1	85.9	85.1	84.3	87.7	88.5	83.8	88.1

Source: KC65 Part E

Copyright © 2009, The Information Centre. All rights reserved

Table 26a: Summary statistics by colposcopy clinic, England 2008-09

			KC65 Part A: 1st appointment						KC65 Part B				
Trust code and name	Name of unit	Clinical indication (%)	All referrals		Moderate or severe dyskariosis		Severe dyskariosis/ ?Invasive carcinoma		? Glandular neoplasia		Appointments for colposcopy		
			Total referrals	Less than 4 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Attendance (%)	DNA (%)	
England			133,774	16.8	36,904	87.3	522	89.7	1,226	80.8	73.4	11.1	
North East			7,392	17.7	2,108	98.5	69	98.6	81	97.5	79.4	8.8	
RLN	City Hospitals Sunderland NHS Foundation Trust		892	7.1	301	99.7	9	88.9	11	100.0	86.4	7.6	
RXP	County Durham and Darlington NHS Foundation Trust		353	8.5	104	100.0	5	100.0	5	100.0	74.0	6.6	
			284	13.6	75	100.0	6	100.0	2	100.0	84.4	6.0	
			253	13.4	75	100.0	-	-	-	-	82.8	7.5	
			326	10.4	79	100.0	-	-	-	-	81.8	9.1	
R77	Gateshead Health NHS Foundation Trust		878	23.0	234	100.0	2	100.0	28	100.0	80.5	6.9	
RTD	Newcastle Upon Tyne Hospitals NHS Foundation Trust		1,134	19.2	253	96.4	18	100.0	4	100.0	73.6	10.8	
RVW	North Tees & Hartlepool NHS Foundation Trust		365	30.7	95	98.9	-	-	4	100.0	82.6	8.6	
			505	29.9	139	93.5	-	-	4	50.0	79.1	7.5	
RTF	Northumbria Healthcare NHS Foundation Trust		27	7.4	4	100.0	-	-	-	-	70.5	9.0	
			164	14.6	31	100.0	1	100.0	-	-	82.5	8.9	
			656	22.0	172	100.0	16	100.0	4	100.0	73.2	10.3	
			527	14.6	140	100.0	9	100.0	2	100.0	82.0	10.5	
RTR	South Tees Hospitals NHS Trust		166	12.7	60	100.0	-	-	1	100.0	79.8	7.2	
			640	11.7	282	96.1	3	100.0	12	100.0	92.9	6.9	
RE9	South Yorkshire NHS Foundation Trust		242	35.1	64	100.0	-	-	-	-	71.2	11.5	
North West			20,048	13.2	4,620	89.7	47	89.4	151	82.1	72.6	11.4	
REM	Aintree Hospitals NHS Trust		1,446	13.7	285	93.3	5	100.0	4	100.0	77.7	5.0	
RXL	Blackpool, Fylde & Wyre Hospitals NHS Trust (1)		522	-	236	85.2	-	-	4	25.0	85.7	7.7	
RMC	Bolton Hospitals NHS Trust		603	5.3	206	88.8	1	100.0	4	100.0	70.1	11.8	
SJX	Bury PCT		9	-	6	83.3	-	-	-	-	94.6	-	
SNP	Central & Eastern Cheshire PCT		56	1.8	20	100.0	-	-	-	-	79.5	11.1	
RW3	Central Manchester & Manchester Children's University Hospitals NHS Trust		842	7.4	127	89.2	1	100.0	6	83.3	68.4	15.0	
RJR	Counsell of Chester Hospital NHS Foundation Trust		703	8.0	196	95.4	3	66.7	7	100.0	49.5	10.7	
RXR	East Lancashire Hospitals NHS Trust		414	8.0	78	64.1	1	100.0	5	20.0	70.2	17.3	
			481	8.3	91	75.8	-	-	5	80.0	82.9	9.5	
RJN	Eastern Cheshire Hospitals NHS Trust		196	12.8	86	87.2	1	100.0	1	100.0	69.3	6.9	
SNQ	Heywood, Middleton & Rochdale PCT		180	10.0	70	100.0	-	-	-	-	72.7	11.2	
RXN	Lancashire Teaching Hospitals NHS Foundation Trust		1,085	14.4	305	92.8	7	85.7	7	85.7	68.9	9.8	
REP	Liverpool Women's NHS Foundation Trust		1,970	21.6	332	96.4	3	100.0	9	88.9	75.1	11.2	
SNT	Manchester PCT		99	-	16	93.8	-	-	-	-	84.0	7.5	
RBT	Mid Cheshire Hospitals NHS Foundation Trust		382	1.0	165	82.4	2	100.0	6	83.3	71.2	13.1	
RWW	North Cheshire Hospitals NHS Trust		1,124	21.9	219	87.7	5	60.0	9	77.8	93.5	6.3	
RNL	North Cumbria Acute Hospitals NHS Trust		457	6.5	233	93.5	4	100.0	4	75.0	83.2	24.3	
RM3	Salford Royal NHS Foundation Trust		457	10.9	114	100.0	-	-	3	100.0	75.7	15.4	
RVY	Southport & Ormskirk Hospital NHS Trust		382	24.9	69	91.3	-	-	4	75.0	68.9	9.6	
RBN	St Helens & Knowsley NHS Trust		258	18.2	42	69.0	-	-	2	50.0	79.1	4.6	
RWJ	Stockport NHS Foundation Trust		947	24.4	204	95.9	2	100.0	8	75.0	65.5	18.5	
RMP	Tameside & Glossop Acute Services NHS Trust		757	4.8	254	90.9	1	100.0	3	100.0	83.6	5.5	
RW6	The Pennine Acute Hospitals NHS Trust		537	0.2	111	100.0	4	100.0	11	100.0	84.0	15.8	
			444	15.9	129	97.4	-	-	7	85.7	85.7	10.0	
			644	10.4	138	96.4	-	-	1	100.0	67.5	23.5	
			134	25.4	30	76.7	1	-	2	-	87.9	9.9	
			610	19.3	147	100.0	-	-	9	77.8	71.4	4.9	
RO6	The Royal Liverpool & Broadgreen University Hospitals NHS Trust		198	17.7	65	96.9	-	-	-	-	83.3	19.9	
RM4	Trafford Healthcare NHS Trust		359	9.2	48	72.9	-	-	1	100.0	75.9	1.5	
RM2	University Hospital of South Manchester NHS Foundation Trust		229	-	47	51.1	-	-	-	-	82.1	10.6	
			551	11.3	90	78.9	3	100.0	4	100.0	71.8	16.2	
RTX	University Hospitals of Morecambe Bay NHS Trust		231	8.1	70	97.1	-	-	1	100.0	85.6	9.8	
			316	10.4	77	88.3	-	-	-	-	86.4	9.3	
			167	16.8	35	82.9	-	-	1	-	92.1	6.7	
RBL	Wirral University Teaching Hospital NHS Foundation Trust		1,033	22.4	210	97.6	-	-	19	84.7	65.6	11.3	
RRF	Wrightington, Wigan & Leigh NHS Trust		1,040	10.0	121	75.2	-	-	4	75.0	71.8	9.5	
Yorkshire & Humber			12,245	22.1	3,725	91.7	77	97.4	177	86.4	71.3	12.5	
RCF	Airedale NHS Trust		285	40.4	76	97.4	-	-	6	83.3	72.9	11.1	
RFN	Barnsley Hospital NHS Foundation Trust		882	23.4	243	97.5	3	66.7	9	88.9	50.2	12.7	
RAE	Bradford Teaching Hospitals NHS Foundation Trust		671	34.9	188	93.6	-	-	13	92.3	71.7	12.6	
			27	51.9	2	-	-	-	-	-	85.2	8.0	
RWY	Calderdale & Huddersfield NHS Foundation Trust		370	5.7	172	94.2	-	1	100.0	12	83.3	89.5	5.4
			135	25.9	44	95.5	-	-	1	-	79.7	4.6	
			347	13.0	129	98.4	-	100.0	6	75.0	67.5	10.0	
SJ6	Calderdale PCT		63	12.7	17	76.5	-	-	1	100.0	88.8	6.5	
RP5	Doncaster & Bassetlaw Hospitals NHS Foundation Trust		227	23.8	62	91.9	-	-	2	100.0	67.0	17.6	
			54	48.1	2	100.0	-	-	-	-	67.5	20.1	
			161	13.5	192	97.4	4	100.0	6	100.0	80.0	14.2	
			124	16.1	31	87.1	1	100.0	1	100.0	68.1	21.6	
SN5	Doncaster PCT		101	34.7	25	100.0	-	-	-	-	93.6	2.9	
RCD	Harrogate District NHS Foundation Trust		434	55.1	78	89.7	-	-	3	66.7	79.6	9.6	
RWA	Hull & East Yorkshire Hospitals NHS Trust		318	6.8	115	86.1	6	100.0	6	100.0	67.8	10.0	
RR8	Leeds Teaching Hospitals NHS Trust		866	7.4	359	83.3	3	100.0	6	83.3	70.3	12.4	
			1,697	28.1	420	87.6	32	100.0	40	75.0	77.5	14.0	
			46	47.8	3	66.7	-	-	-	-	96.6	3.2	
RXF	Mid Yorkshire Hospitals NHS Trust		837	14.6	242	100.0	5	100.0	8	100.0	80.8	13.8	
TAN	North East Lincolnshire Care Trust		63	32.1	19	100.0	-	-	1	100.0	82.8	2.6	
RJL	Northern Lincolnshire & Goole Hospitals NHS Foundation Trust		75	13.3	27	92.6	-	-	2	100.0	85.5	12.7	
			345	27.2	98	98.0	4	100.0	9	88.9	73.6	15.7	
RCC	Scarborough & North East Yorkshire Healthcare NHS Trust		38	22.2	8	75.0	-	-	-	-	81.8	12.1	
			363	31.4	90	98.9	-	-	6	83.3	63.6	6.0	
RHO	Sheffield Teaching Hospitals NHS Foundation Trust		1,183	16.2	345	87.2	5	100.0	12	91.7	68.8	13.7	
RFN	The Rotherham NHS Foundation Trust		639	27.1	266	98.1	4	75.0	10	100.0	73.8	9.4	
SN3	Wakefield District PCT		36	8.6	9	77.8	-	-	-	-	80.0	11.3	
RCB	York Hospitals NHS Foundation Trust		558	20.4	201	85.0	2	100.0	7	85.7	73.6	9.5	
East Midlands			8,765	21.7	2,544	92.1	33	87.9	91	80.2	82.0	9.7	
RFS	Chesterfield Royal Hospital NHS Foundation Trust		731	19.8	244	98.8	2	100.0	2	50.0	80.7	10.7	
RTG	Derby Hospitals NHS Foundation Trust		866	21.4	230	98.7	2	100.0	8	100.0	87.0	10.7	
SN6	Derbyshire County PCT		89	11.2	27	92.6	-	-	-	-	91.2	8.8	
			44	13.5	13	76.9	-	-	2	100.0	88.5	8.0	
SN6	Derbyshire County PCT (Derbyshire Community Health Services)		139	20.1	17	76.5	-	-	-	-	83.1	11.6	
RNQ	Kettering General Hospital		590	8.8	203	99.5	11	100.0	3	100.0	87.7	6.3	
RNS	Northampton General Hospital		1,008	16.3	324	87.3	3	100.0	13	100.0	83.8	5.2	
RX1	Nottingham University Hospitals NHS Trust		999	36.7	209	93.8	1	100.0	16	62.5	78.5	12.5	
			720	17.1	148	81.8	-	-	6	50.0	75.7	12.3	
RK5	Sheenwood Forest Hospitals NHS Foundation Trust		595	18.7	188	89.9	1	100.0	2	100.0	82.6	6.1	
RWD	United Lincolnshire Hospitals NHS Trust		190	15.3	65	98.5	-	-	7	85.7	88.4	4.0	
			693	39.1	202	86.6	9	55.6	15	66.7	89.1	6.7	
			373										

Table 26a: Summary statistics by colposcopy clinic, England 2008-09

			KC65 Part A: 1st appointment						KC65 Part B			
			All referrals		Moderate or severe dyskariosis		Severe dyskariosis/ ?Invasive carcinoma		? Glandular neoplasia		Appointments for colposcopy	
			Total	Clinical indication (%)	Number of cases	Less than 4 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Attendance (%)	DNA (%)
Trust code and name		Name of unit										
England			133,774	16.8	36,904	87.3	522	89.7	1,226	80.8	73.4	11.1
East of England			13,230	18.8	4,099	91.1	44	93.2	163	88.3	77.8	8.9
RDD	Basildon & Thurrock University Hospitals NHS Foundation Trust	Basildon	582	20.4	101	100.0	1	100.0	5	100.0	78.1	10.3
RC1	Bedford Hospital NHS Trust	Bedford	541	2.4	251	80.9	5	60.0	9	88.9	78.0	8.1
RGT	Cambridge University Hospitals NHS Foundation Trust	Addenbrooke's	1,206	32.4	361	84.2	3	100.0	9	100.0	85.7	7.2
RDE	Colchester Hospital University NHS Foundation Trust	Colchester General	809	19.0	306	96.7	1	100.0	4	100.0	64.6	8.3
RWH	East & North Herts NHS Trust	Lister	387	25.1	181	69.6	-	-	9	55.6	84.2	9.1
RQO	Hitchingbrooke Healthcare NHS Trust	Queen Elizabeth II	392	15.1	193	53.9	1	100.0	6	33.3	68.4	11.3
RGO	Ipswich Hospital NHS Trust	Hitchingbrooke	628	32.8	201	100.0	3	100.0	5	100.0	75.6	8.5
RGF	James Paget University Hospitals NHS Foundation Trust	Ipswich	519	4.6	190	86.8	2	100.0	25	88.0	71.7	6.9
RQ8	Mid Essex Hospital Services NHS Trust	James Paget	591	7.6	157	96.2	-	-	8	100.0	84.5	12.0
RM1	Norfolk & Norwich University Hospital NHS Trust	St John's	998	14.6	283	100.0	-	-	19	100.0	85.3	6.2
RGN	Peterborough & Stamford Hospitals NHS Foundation Trust	Norfolk & Norwich	1,388	10.1	357	90.5	3	66.7	18	88.9	81.4	8.0
5P1	South East Essex PCT	Peterborough District	687	11.9	225	97.8	3	100.0	8	100.0	81.9	8.5
RAJ	Southern University Hospital NHS Foundation Trust	Queensway	37	-	8	100.0	-	-	1	-	87.0	8.7
RC9	The Luton & Dunstable Hospital NHS Foundation Trust	Southern	706	12.6	188	99.5	1	100.0	7	100.0	75.1	9.1
ROW	The Princess Alexandra Hospital NHS Trust	Luton & Dunstable	450	4.7	166	98.2	2	100.0	6	83.3	82.7	10.7
RCX	The Queen Elizabeth Hospital King's Lynn NHS Trust	Princess Alexandra	1,054	26.8	270	98.1	11	100.0	7	100.0	73.5	10.3
RWG	West Herts Hospitals NHS Trust	Queen Elizabeth	422	13.3	184	89.7	1	100.0	7	57.1	82.3	10.1
RGR	West Suffolk Hospitals NHS Trust	St Albans	540	28.5	130	100.0	3	100.0	5	100.0	81.4	8.6
		Watford	526	16.7	133	94.7	-	-	1	100.0	61.8	11.9
		West Suffolk	367	42.6	214	99.1	4	100.0	4	100.0	75.8	7.9
London			25,381	15.7	5,175	88.7	58	91.4	150	74.7	66.3	13.7
RF4	Barking, Havering & Redbridge Hospitals NHS Trust	Queens Hospital	1,163	24.0	314	73.2	-	-	4	50.0	83.1	13.0
RVL	Barnet & Chase Farm Hospitals NHS Trust	Barnet Hospital	834	14.6	122	100.0	-	-	2	100.0	65.0	16.5
RNJ	Barts & The London NHS Trust	Chase Farm Hospital	469	9.2	107	89.7	1	100.0	2	100.0	60.5	14.8
RG3	Bromley Hospital NHS Trust	St Bartholomew's Hospital	712	15.4	141	95.0	5	100.0	5	80.0	62.1	15.0
RCM	Chelsea and Westminster Healthcare NHS Trust	Princess Royal University Hospital	819	2.8	167	59.3	1	-	11	36.4	66.5	10.8
RC3	Ealing Hospital NHS Trust	Chelsea & Westminster Hospital	1,140	24.3	112	96.4	4	100.0	5	80.0	65.0	13.1
RVR	Epsom & St Helier University Hospitals NHS Trust	Ealing Hospital	481	12.5	85	100.0	1	100.0	5	100.0	82.9	11.2
RJ1	Guy's & St Thomas' NHS Foundation Trust	St Helier Hospital	510	14.7	171	93.6	2	100.0	3	100.0	69.8	13.7
RDX	Homerton University Hospital NHS Foundation Trust	Guy's Hospital	1,867	11.7	483	96.7	1	-	8	75.0	66.4	11.6
RJY	Imperial College Healthcare NHS Trust	Homerton Hospital	973	22.6	201	96.6	2	50.0	5	80.0	65.0	21.8
RAJ	King's College Hospital NHS Trust	Hammersmith Hospital	634	15.0	103	96.1	1	100.0	5	60.0	62.7	20.5
RAX	Kingston Hospital NHS Trust	St Mary's Hospital	1,065	26.9	144	100.0	2	100.0	7	100.0	59.1	16.1
RJ2	Lewisham Hospital NHS Trust	King's College Hospital	640	20.8	120	46.7	-	-	3	100.0	64.8	18.9
RJ6	Maidway Healthcare NHS Trust	Kingston Hospital	754	0.8	196	71.9	10	90.0	5	80.0	61.8	13.7
RNH	Newham University Hospital NHS Trust	Queen Mary's, Roehampton	369	0.3	109	78.0	-	-	1	100.0	69.0	18.6
RAP	North Middlesex University NHS Trust	University Hospital Lewisham	1,211	20.1	180	96.7	3	100.0	4	100.0	66.1	13.9
RG2	Queen Elizabeth Hospital NHS Trust	Maidway Hospital	866	7.6	304	94.5	7	100.0	6	83.3	68.0	15.8
RGZ	Queen Mary's Sidcup NHS Trust	Newham Hospital	686	28.7	135	100.0	2	100.0	8	100.0	88.2	14.1
RAL	Royal Free Hampstead NHS Trust	North Middlesex Hospital	1,088	5.1	210	100.0	-	-	5	-	65.4	17.9
RJ7	St George's Healthcare NHS Trust	Queen Elizabeth Hospital	390	4.6	106	92.6	1	100.0	2	50.0	55.3	19.1
RAS	The Hillingdon Hospital NHS Trust	Queen Mary's Hospital, Sidcup	651	13.1	122	98.4	3	100.0	5	100.0	63.9	8.0
RV8	The North West London Hospitals NHS Trust	The Royal Free Hospital	941	10.7	247	82.6	-	-	6	33.3	71.1	16.5
RKE	The Whittington Hospital NHS Trust	St George's Hospital	1,400	22.5	247	95.1	6	83.3	9	55.6	87.4	10.1
RVV	University College London NHS Foundation Trust	The Hillingdon Hospital	773	14.7	131	90.8	-	-	3	66.7	55.7	10.8
RFW	West Middlesex University Hospital NHS Trust	Central Middlesex Hospital	506	7.5	58	93.1	1	100.0	2	50.0	70.4	17.7
RGV	Whipps Cross University Hospital NHS Trust	Northwick Park Hospital	756	13.1	101	99.0	-	-	4	100.0	78.6	10.2
		The Whittington Hospital	1,423	16.8	293	96.2	-	-	3	66.7	55.7	10.8
		University College Hospital	930	26.0	205	96.0	4	100.0	6	100.0	65.9	4.2
		West Middlesex Hospital	291	16.5	40	50.0	-	-	3	33.3	60.8	5.6
		Whipps Cross University Hospital	1,039	17.0	219	96.8	1	100.0	6	83.3	64.5	12.3
South East Coast			10,820	14.0	3,478	84.2	27	77.8	77	71.4	76.0	9.8
RTK	Ashford & St Peter's Hospitals NHS Trust	Ashford & St Peter's	997	6.1	345	96.5	1	100.0	15	100.0	72.8	11.0
RXH	Brighton & Sussex University Hospitals NHS Trust	Blanche Henri GUM	42	14.3	16	68.8	-	-	-	-	95.4	4.6
RN7	Dartford & Gravesend NHS Trust	Princess Royal	390	3.7	206	75.2	-	-	4	50.0	72.2	12.8
RVV	East Kent Hospitals NHS Trust	Royal Sussex County	635	14.3	319	77.4	-	-	8	37.5	72.2	12.6
RXC	East Sussex Hospitals NHS Trust	Darent Valley	756	7.9	181	82.9	2	50.0	3	66.7	84.1	7.2
RVR	Epsom & St Helier University Hospitals NHS Trust	Buckland	189	14.8	34	100.0	-	-	-	-	71.5	12.2
RDU	Frimley Park Hospital Foundation Trust	Kent & Canterbury	279	11.5	39	97.4	-	-	2	50.0	87.0	4.0
RWF	Madstone & Tunbridge Wells NHS Trust	Queen Elizabeth Queen Mother Hospital	516	16.3	91	80.2	-	-	4	75.0	83.0	15.0
RPA	Medway NHS Trust	William Harvey	419	11.0	78	100.0	-	-	1	-	82.2	4.9
RA2	Royal Surrey County Hospital NHS Trust	Conquest	376	13.0	128	93.0	1	-	1	100.0	72.7	10.9
RPR	Royal West Sussex NHS Trust	Eastbourne	447	14.6	152	98.0	2	100.0	2	100.0	87.0	4.0
RTP	Surrey & Sussex Healthcare NHS Trust	Leatherhead	366	32.5	106	98.1	-	-	3	33.3	66.0	6.5
RPL	Worthing & Southlands Hospitals NHS Trust	Frimley Park	691	8.5	333	98.5	8	100.0	11	100.0	78.8	7.8
		Madstone	436	2.8	142	83.1	-	-	5	33.3	63.0	7.7
		Pembury	640	4.8	180	60.6	1	100.0	3	100.0	72.1	18.8
		Medway Maritime	899	7.1	269	62.8	4	25.0	4	25.0	84.3	12.1
		Royal Surrey	531	36.2	179	92.2	3	66.7	1	100.0	86.6	9.6
		St Richards	633	22.9	177	85.3	-	-	7	42.9	77.7	6.8
		Crawley	599	13.7	241	86.7	1	100.0	3	66.7	66.4	5.9
		Dorking	131	3.1	55	89.1	-	-	-	-	53.8	15.6
		Worthing & Southlands	858	28.8	207	67.1	4	100.0	5	80.0	64.2	10.2
South Central			9,348	21.1	2,974	72.8	40	70.0	88	64.8	74.9	9.0
RXQ	Buckinghamshire Hospitals NHS Trust	Stoke Mandeville Hospital	443	9.5	196	95.4	2	100.0	5	80.0	83.6	7.9
RD7	Heatherwood & Wexham Park Hospitals	Wycombe	476	14.7	191	99.5	4	100.0	5	100.0	80.7	3.6
5QT	Isle of Wight Healthcare PCT	Heatherwood	820	37.9	105	56.2	-	-	4	50.0	74.3	10.2
RD8	Milton Keynes General Hospital NHS Trust	Wexham Park	404	43.4	141	63.1	1	100.0	7	57.1	68.1	16.5
RN5	North Hampshire Hospitals NHS Trust	St Mary's Hospital	316	13.3	88	96.6	-	-	1	100.0	75.8	8.7
RTH	Oxford Radcliffe Hospitals NHS Trust	Basingstoke	711	14.6	305	97.4	12	25.0	8	-	80.0	7.5
RHU	Plymouth Hospitals NHS Trust	Basingstoke	609	18.4	135	100.0	-	-	-	-	83.3	7.6
RHW	Royal Berkshire & Bathle Hospitals NHS Trust	Basingstoke	1,149	12.0	473	45.9	8	87.5	9	77.8	83.8	6.9
RHM	Southampton University Hospitals NHS Trust	Royal Berks	1,399	9.9	450	30.0	3	33.3	20	30.0	68.4	11.6
RNI	Winchester & Eastleigh Healthcare NHS Trust	Royal Berks	951	33.6	303	90.8	5	100.0	15	93.3	71.7	7.3
		Southampton University Hospitals NHS Trust	1,452	30.2	420	84.8	1	100.0	12	100.0	70.5	8.4
		Winchester & Eastleigh Healthcare NHS Trust	628	10.2	167	83.8	4	100.0	2	100.0	82.8	4.0
South West			12,893	14.4	3,993	76.0	62	82.3	116	67.2	76.6	8.0
REF	Bodmin Independent Treatment Centre	Ramsay Health	153	-	51	62.7	-	-	-	-	90.1	6.3
RA4	East Somerset NHS Trust	Yeovil	385	30.4	72	94.4	2	50.0	4	100.0	93.5	2.1
RTG	Gloucestershire Hospitals NHS Foundation Trust	Royal Gloucestershire Hospital	1,474	4.2	486	86.8	10	70.0	11	90.9	77.8	8.4
RVJ	North Bristol NHS Trust	Southmead Hospital	904	8.4	203	37.9	3	100.0	10	60.0	67.8	

Table 26b: Summary statistics by colposcopy clinic, England 2008-09

Trust code and name	Name of unit	KC65 Part C1 : 1st appointment						Biopsy outcome	Non diagnostic biopsies		
		Procedure type used (all referrals)								All informed within 8 weeks (%)	Total showing CIN or worse (%)
		No procedure (%)	Procedure used (%)	Diagnostic biopsy (%)	Excision (%)	Ablation & no biopsy (%)	Ablation with biopsy (%)				
England		36.0	64.0	45.7	16.3	0.7	0.3	0.9	95.4	16,322	86.5
North East		20.8	79.2	57.7	20.7	0.3	0.1	0.4	99.3	1,212	87.2
RLN City Hospitals Sunderland NHS Foundation Trust	Sunderland Royal Hospital	9.8	90.2	66.1	23.6	-	-	0.4	100.0	158	86.1
RXP County Durham and Darlington NHS Foundation Trust	Bishop Auckland General Hospital	24.2	75.8	69.4	5.8	0.6	-	-	99.3	46	84.8
	Darlington Memorial Hospital	17.5	82.5	69.6	12.2	0.4	0.4	-	100.0	51	84.3
	Stobdy Bridge Community Hospital	20.7	79.3	69.7	9.6	-	-	-	100.0	33	93.9
	UH of North Durham	20.1	79.9	75.2	4.7	-	-	-	100.0	40	82.5
RR7 Gateshead Health NHS Foundation Trust	Queen Elizabeth Hospital	27.1	72.9	46.2	26.7	-	-	-	100.0	138	89.1
RTD Newcastle Upon Tyne Hospitals NHS Foundation Trust	Royal Victoria Infirmary	24.2	75.8	55.0	18.4	-	-	2.3	99.6	157	88.5
RVV North Tees & Hartlepool NHS Foundation Trust	UH of Hartlepool	17.0	83.0	62.1	19.2	1.6	-	-	100.0	55	81.8
	UH of North Tees	17.0	83.0	62.1	19.2	1.6	-	-	97.8	79	83.5
RTF Northumbria Healthcare NHS Foundation Trust	Berwick Infirmary	33.3	66.7	51.9	14.8	-	-	-	95.7	6	83.3
	Hexham General Hospital	21.7	78.3	70.2	7.5	-	0.6	-	99.0	27	81.5
	North Tyneside General Hospital	19.3	80.7	53.4	24.3	3.8	-	-	100.0	106	93.7
	Wansbeck General Hospital	21.1	78.9	58.5	20.0	-	0.4	-	98.4	92	94.6
RTR South Tees Hospitals NHS Trust	Frilage Hospital	12.7	87.3	52.2	34.4	-	-	0.6	100.0	21	95.2
	James Cook UH	11.5	88.5	52.3	36.2	-	-	-	98.1	154	87.7
RE9 South Tyneside NHS Foundation Trust	South Tyneside District Hospital	43.5	56.5	21.1	35.3	-	-	-	98.4	47	74.5
North West		38.4	61.6	47.7	11.6	0.8	0.5	1.1	91.7	2,201	85.5
REM Aintree Hospitals NHS Trust	University Hospital Aintree	62.9	37.1	19.4	14.4	2.5	0.1	0.7	100.0	137	89.1
RXL Blackpool, Fylde & Wyre Hospitals NHS Trust	Blackpool Victoria Hospital	34.5	65.5	24.8	40.3	0.4	-	-	95.3	151	100.0
RMC Bolton Hospitals NHS Trust	Royal Bolton Hospital	14.4	85.6	63.1	11.9	0.6	10.0	-	92.6	39	87.2
SJM Bury PCT	Monarch Medical Centre	100.0	0.0	100.0	0.0	-	-	-	100.0	1	100.0
SNP Central & Eastern Cheshire PCT	Cumberland House	6.5	93.5	50.0	43.5	-	-	-	100.0	14	100.0
RW3 Central Manchester & Manchester Children's University Hospitals NHS Trust	St Mary's Hospital for Women & Children	51.1	48.9	42.5	5.5	0.4	-	0.4	90.0	68	85.3
RJR Countess of Chester Hospital NHS Foundation Trust	Countess of Chester Hospital	33.0	67.0	48.4	18.6	-	-	-	100.0	99	85.9
RXR East Lancashire Hospitals NHS Trust	Burnley General Hospital	50.7	49.3	37.8	7.1	2.9	1.0	0.5	83.2	33	75.8
	Queens Park Hospital, Blackburn	50.7	49.3	37.8	7.1	2.9	1.0	0.5	92.6	100	100.0
	Macclesfield District General Hospital	6.6	93.4	53.1	35.2	0.5	2.6	2.0	96.6	26	80.8
RJN Eastern Cheshire Hospitals NHS Trust	Dawes Family Practice	33.1	66.9	43.8	22.5	0.6	-	-	97.6	32	87.5
SNQ Heywood, Middleton & Rochdale PCT	Sharone Green Hospital & Chorley	22.7	77.3	54.8	21.6	0.5	0.4	-	99.8	170	84.1
RJN Lancashire Teaching Hospitals NHS Foundation Trust	Liverpool Women's NHS Foundation Trust	31.4	68.6	47.9	1.4	-	-	-	92.2	186	92.6
REP Liverpool Women's NHS Foundation Trust	The Palatine Centre	31.4	68.6	68.6	-	-	-	-	100.0	25	84.0
5NT Manchester PCT	Laithon Hospital	40.4	59.6	31.4	19.5	0.7	-	8.0	92.2	98	86.7
RBT Mid Cheshire Hospitals NHS Foundation Trust	Warrington Hospital	55.8	44.2	36.5	4.2	1.4	-	0.1	93.9	61	93.4
RWW North Cheshire Hospitals NHS Trust	The Cumberland Infirmary	17.5	82.5	55.9	25.8	-	-	-	96.2	86	92.6
RNL North Cumbria Acute Hospitals NHS Trust	Hope Hospital	17.1	82.9	67.8	14.0	-	1.0	-	93.0	54	88.9
RM3 Salford Royal NHS Foundation Trust	Ormskirk & District General Hospital	27.6	72.4	70.7	1.0	0.8	-	-	100.0	25	84.0
RVY Southport & Ormskirk Hospital NHS Trust	Southport & Formby District General Hospital	27.4	72.6	72.6	-	-	-	-	98.9	19	89.5
RBN St Helens & Knowsley NHS Trust	Whiston Hospital	77.1	22.9	66.2	7.8	0.2	2.6	-	90.5	86	92.6
RWJ Stockport NHS Foundation Trust	Stepping Hill Hospital	29.1	70.9	68.8	2.1	-	-	-	99.8	144	81.3
RMP Tameside & Glossop Acute Services NHS Trust	Tameside General Hospital	23.4	76.6	70.3	6.3	-	-	-	99.5	42	85.7
RW6 The Pennine Acute Hospitals NHS Trust	Fairfield General Hospital	11.9	88.1	87.6	0.5	-	-	-	87.2	46	73.9
	North Manchester General Hospital	31.1	68.9	62.5	2.9	-	-	0.4	95.4	105	85.5
	Rochdale Infirmary	33.1	66.9	62.5	2.9	-	-	1.5	53.1	12	75.0
	The Royal Oldham Hospital	23.7	76.3	73.5	2.6	0.2	-	-	98.9	57	89.5
RQ6 The Royal Liverpool & Broadgreen University Hospitals NHS Trust	Royal Liverpool University Hospital	27.6	72.4	53.3	15.1	-	-	4.0	91.8	55	98.2
RM4 Trafford Healthcare NHS Trust	North Manchester General Hospital	51.4	48.6	54.3	2.5	0.8	0.3	0.6	97.6	49	80.8
RM2 University Hospital of South Manchester NHS Foundation Trust	Withington Hospital	28.2	71.8	62.1	9.2	-	-	-	65.1	7	85.7
	Wythenshawe Hospital	47.0	53.0	42.6	9.2	1.0	0.2	-	89.9	54	70.4
RTX University Hospitals of Morecambe Bay NHS Trust	Furness General Hospital	25.9	74.1	72.3	1.8	-	-	-	100.0	24	95.8
	Royal Lancaster Infirmary	46.7	53.3	52.1	1.3	-	-	-	89.2	32	75.0
	Westmorland General Hospital	29.7	70.3	63.4	2.9	1.2	-	2.9	87.2	14	68.7
RBL Wirral University Teaching Hospital NHS Foundation Trust	Arrowe Park Hospital	53.6	46.4	28.1	16.5	0.7	0.3	0.9	95.7	56	87.5
RRF Wighington, Wigan & Leigh NHS Trust	Leigh Infirmary	24.3	75.7	61.5	11.7	1.8	-	0.8	88.9	113	64.6
Yorkshire & Humber		27.6	72.4	50.4	19.8	0.5	0.3	1.4	97.6	1,636	89.1
RCF Airedale NHS Trust	Airedale General Hospital	54.7	45.3	28.8	16.5	-	-	-	100.0	20	100.0
RFF Barnsley Hospital NHS Foundation Trust	Barnsley DGH	40.5	59.5	36.9	20.3	-	-	2.4	98.8	97	84.5
RAE Bradford Teaching Hospitals NHS Foundation Trust	Bradford Royal Infirmary	26.8	73.2	49.8	22.3	0.5	-	0.6	93.4	81	91.4
	Eccleshill Hospital	71.4	28.6	14.3	-	9.5	-	4.8	-	-	-
RWY Calderdale & Huddersfield NHS Foundation Trust	Calderdale Royal Hospital	14.5	85.5	38.4	46.3	0.5	-	0.3	100.0	67	98.5
	Holme Valley Memorial Hospital	21.1	78.9	53.4	22.6	-	-	-	100.0	23	100.0
	Huddersfield Royal Infirmary	26.2	73.8	43.0	30.2	0.3	-	0.3	100.0	32	93.8
SJ6 Calderdale PCT	Upper Valley Colposcopy Unit	17.2	82.8	56.3	21.9	3.1	-	1.6	97.2	12	75.0
RP5 Doncaster & Bassetlaw Hospitals NHS Foundation Trust	Bassetlaw DGH	43.2	56.8	50.0	5.0	1.8	-	-	98.1	17	100.0
	Doncaster GUM	17.3	82.7	32.7	8.0	-	-	-	100.0	1	100.0
	Doncaster Royal Infirmary	17.3	82.7	74.4	6.6	1.4	0.3	-	98.2	60	86.7
	Reford Hospital	54.2	45.8	42.5	1.7	1.7	-	-	95.0	1	100.0
5NS Doncaster PCT	Carcroft Health Centre	42.6	57.4	53.5	3.0	-	1.0	-	100.0	14	92.9
RCD Harrogate District NHS Foundation Trust	Harrogate District Hospital	25.1	74.9	47.4	22.6	0.2	3.6	-	97.7	46	82.6
RWA Hull & East Yorkshire Hospitals NHS Trust	Castle Hill Hospital	20.4	79.6	43.4	36.2	-	-	-	96.8	78	87.2
	Hull Royal Infirmary	34.3	65.7	32.9	32.3	0.1	-	0.4	93.0	122	90.2
RR8 Leeds Teaching Hospitals NHS Trust	St James's University Hospital	24.5	75.5	53.2	16.3	0.1	0.4	5.7	95.4	201	84.8
	Wharfedale General Hospital	42.6	57.4	46.8	12.2	-	6.4	4.3	100.0	2	100.0
RXF Mid Yorkshire Hospitals NHS Trust	Dewsbury & District Hospital	28.2	71.8	58.5	13.3	-	-	-	94.1	53	98.1
	Pontefract General Infirmary	23.3	76.7	56.9	15.1	2.3	1.8	0.6	97.9	91	86.8
TAN North East Lincolnshire Care Trust	Littlefield Lane GP Surgery	20.8	79.2	47.2	30.2	-	-	1.9	100.0	9	100.0
RJL Northern Lincolnshire & Goole Hospitals NHS Foundation Trust	Dixie Princess of Wales Hospital	21.0	79.0	45.8	20.5	-	-	2.7	99.0	57	93.0
	Goole & District Hospital	30.1	69.9	21.9	47.9	-	-	-	100.0	27	70.4
	Scarborough General Hospital	21.2	78.8	35.6	42.6	0.6	-	0.6	100.0	63	74.6
RCC Scarborough & North East Yorkshire Healthcare NHS Trust	Briddling & District Hospital	27.8	72.2	55.6	16.7	-	-	-	93.8	5	100.0
	Scarborough Hospital	27.8	72.2	55.6	16.7	-	-	0.8	2.0	67	99.3
RHQ Sheffield Teaching Hospitals NHS Foundation Trust	Jessop Wing	13.9	86.1	79.2	6.9	-	-	-	99.0	172	95.5
RFR The Rotherham NHS Foundation Trust	Rotherham DGH	49.3	50.7	39.0	11.4	0.3	-	-	99.6	104	84.6
5N3 Wakefield District PCT	White Rose GP Surgery	3.0	97.0	97.0	-	-	-	-	100.0	8	75.0
RCB York Hospitals NHS Foundation Trust	York Hospital	22.0	78.0	49.0	27.0	1.4	-	0.7	100.0	104	84.6
East Midlands		38.1	61.9	36.3	22.2	1.9	0.4	1.2	96.1	1,664	85.9
RFS Chesterfield Royal Hospital NHS Foundation Trust	Chesterfield Royal Hospital	34.6	65.4	41.7	23.7	-	-	-	97.3	110	85.5
RTG Derby Hospitals NHS Foundation Trust	Derby City General Hospital	26.9	73.1	51.8	17.8	-	-	3.5	99.5	151	86.8
5N6 Derbyshire County PCT	Buxton Medical Centre	20.2	79.8	68.5	1.1	-	-	10.1	100.0	11	100.0
	Goyt Valley Medical Practice	27.3	72.7	68.2	1.6	-	-	4.5	100.0	-	-
	Heanor Hospital	35.2	64.8	59.4	1.6	-	-	-	96.9	50	78.0
5N6 Derbyshire County PCT (Derbyshire Community Health Services)	Heanor Hospital	35.2	64.8	59.4	1.6	-	-	-	96.9	50	78.0
RNQ Kettering General Hospital	Kettering General Hospital	23.4	76.6	52.4	17.0	6.6	0.5	-	100.0	89	91.0
RNS Northampton General Hospital	Northampton General Hospital	52.4	47.6	32.8	13.3	0.6	0.2	0.6	84.9	155	94.2
RX1 Nottingham University Hospitals NHS Trust	City Hospital	28.7	71.3	63.9	6.0	1.3	0.1	-	99.8	181	88.4
	Queens Campus	46.4	53.6	38.8	12.1	-	1.5	1.1	85.0	50	92.0
RK5 Sherwood Forest Hospitals NHS Foundation Trust	Kings Mill, Newark	17.4	82.6	58.8	19.7	2.8	0.7	0.6	95.6	82	95.1
RWD United Lincolnshire Hospitals NHS Trust	Grantham & District General Hospital	15.7	84.3	46.2	33.5	4.6	-	-	100.0	31	87.1
	Lincoln County Hospital	31.7	68.3	18.7	39.8	7.2					

Table 26b: Summary statistics by colposcopy clinic, England 2008-09

Trust code and name	Name of unit	KC65 Part C1 : 1st appointment						Biopsy outcome	Non diagnostic biopsies	Total showing CIN or worse			
		Procedure type used (all referrals)									All informed within 8 weeks (%)	Number of cases	Total showing CIN or worse (%)
		No procedure (%)	Procedure used (%)	Diagnostic biopsy (%)	Excision (%)	Ablation & no biopsy (%)	Ablation with biopsy (%)						
England		36.0	64.0	45.7	16.3	0.7	0.3	0.9	95.4	16,322	86.5		
East of England		28.9	71.1	44.8	23.7	1.0	0.2	1.5	98.7	2,103	84.3		
RDD	Basildon & Thurrock University Hospitals NHS Foundation Trust	77.5	22.5	10.4	9.5	0.7	-	1.9	100.0	79	86.1		
RC1	Bedford Hospital NHS Trust	34.3	65.7	37.6	21.1	0.2	0.2	6.7	98.2	94	68.1		
RC7	Cambridge University Hospitals NHS Foundation Trust	37.0	63.0	37.9	25.0	-	-	-	100.0	183	83.0		
RDE	Colchester Hospital University NHS Foundation Trust	29.5	70.5	47.8	22.2	0.1	0.1	0.3	96.4	99	87.9		
RWH	East & North Herts NHS Trust	22.5	77.5	18.0	47.0	11.8	-	0.6	99.1	75	86.7		
RQO	Hinchingbrooke Healthcare NHS Trust	15.8	84.2	59.9	23.5	0.9	-	-	97.1	65	83.1		
RQJ	Ipswich Hospital NHS Trust	52.8	47.2	18.5	28.2	1.2	0.9	0.5	98.8	117	81.2		
RQP	James Paget University Hospitals NHS Foundation Trust	25.1	74.9	36.1	36.1	1.2	0.6	0.8	98.5	99	83.8		
RQ8	Mid Essex Hospital Services NHS Trust	7.3	92.7	64.2	28.0	-	-	0.5	87.7	101	90.1		
RM1	Norfolk & Norwich University Hospital NHS Trust	43.1	56.9	48.5	8.3	-	-	0.1	100.0	136	82.4		
RM2	Norfolk & Norwich University Hospital NHS Trust	12.0	88.0	51.9	42.0	-	-	-	98.9	164	82.9		
RM3	Norfolk & Norwich University Hospital NHS Trust	24.4	75.6	54.0	19.4	0.2	-	2.1	100.0	124	86.3		
SP1	South East Essex PCT	2.9	97.1	57.1	40.0	-	-	-	100.0	4	100.0		
RAJ	Southeast University Hospital NHS Foundation Trust	16.8	83.2	58.0	24.6	0.6	-	-	100.0	107	90.7		
RC3	The Luton & Dunstable Hospital NHS Foundation Trust	26.9	73.1	50.7	21.9	-	-	0.5	97.4	80	85.0		
RQW	The Princess Alexandra Hospital NHS Trust	37.0	63.0	31.2	25.7	0.9	0.5	4.7	100.0	148	82.4		
RCX	The Queen Elizabeth Hospital King's Lynn NHS Trust	15.9	84.1	48.6	33.2	0.8	0.5	1.0	99.3	69	78.3		
RWG	West Herts Hospitals NHS Trust	13.9	86.1	61.6	22.2	2.2	0.2	-	100.0	136	93.4		
RWR	West Herts Hospitals NHS Trust	21.3	78.7	56.1	20.1	0.8	0.2	1.4	99.7	100	82.0		
RGR	West Suffolk Hospitals NHS Trust	29.3	70.7	34.7	25.9	3.1	0.1	6.8	99.6	123	67.5		
London		40.3	59.7	55.4	3.6	0.2	0.1	0.4	94.0	2,094	87.7		
RF4	Barking, Havering & Redbridge Hospitals NHS Trust	40.2	59.8	57.0	2.6	-	0.2	-	84.6	186	86.6		
RVL	Barnet & Chase Farm Hospitals NHS Trust	30.5	69.5	69.1	0.3	0.1	-	-	95.5	26	96.2		
RNU	Barts & The London NHS Trust	13.8	86.2	85.0	0.7	0.2	-	-	98.8	23	91.3		
RG3	Bromley Hospitals NHS Trust	52.5	47.5	41.6	4.2	-	-	0.2	98.6	70	84.5		
RQM	Chelsea & Westminster Healthcare NHS Trust	49.3	50.7	40.1	9.3	0.3	-	0.9	63.1	76	89.5		
RC3	Chelsea & Westminster Healthcare NHS Trust	41.1	58.9	57.9	0.4	0.5	0.2	-	100.0	66	97.0		
RC3	Ealing Hospital NHS Trust	21.9	78.1	77.1	0.7	0.2	-	-	100.0	39	71.8		
RVR	Epsom & St Helier University Hospitals NHS Trust	14.1	85.9	85.0	0.9	-	-	-	98.3	85	85.6		
RJ1	Guy's & St Thomas' NHS Foundation Trust	34.3	65.7	56.8	8.3	0.4	0.1	0.1	89.6	207	77.8		
RQX	Homerton University Hospital NHS Foundation Trust	36.7	63.3	59.5	3.0	-	-	0.9	99.7	93	89.2		
RYJ	Imperial College Healthcare NHS Trust	45.7	54.3	54.1	0.2	-	-	-	75.6	48	91.7		
RJZ	King's College Hospital NHS Trust	63.7	36.3	36.1	0.2	-	-	0.1	100.0	80	83.0		
RAX	Kingston Hospital NHS Trust	52.5	47.5	42.7	2.8	0.7	-	1.2	87.4	40	80.0		
RJ2	Lewisham Hospital NHS Trust	53.3	46.7	44.5	0.4	0.3	-	1.5	95.3	78	92.3		
RJ2	Lewisham Hospital NHS Trust	50.1	49.9	49.9	0.9	-	-	-	96.4	72	88.0		
RJ6	Mayday Healthcare NHS Trust	59.0	41.0	56.6	1.8	0.2	0.1	0.3	97.4	89	92.4		
RNH	Newham University Hospital NHS Trust	31.8	68.2	61.8	6.0	0.3	0.1	-	97.2	128	96.9		
RAP	North Middlesex University NHS Trust	43.8	56.2	40.7	15.4	-	0.2	-	100.0	61	90.2		
R52	Queen Elizabeth Hospital NHS Trust	30.3	69.7	67.5	1.5	0.4	0.2	-	95.7	57	93.0		
RG2	Queen Mary's Sidcup NHS Trust	32.0	68.0	67.5	1.5	0.4	0.2	0.6	96.3	22	93.9		
RAL	Royal Free Hampstead NHS Trust	25.3	74.7	65.4	8.4	0.1	0.4	0.3	93.9	87	90.8		
RJ7	St George's Healthcare NHS Trust	49.2	50.8	50.8	-	-	-	-	84.7	95	91.6		
RAS	The Hillingdon Hospital NHS Trust	50.1	49.9	34.4	14.9	-	-	0.6	97.3	121	82.6		
RV8	The Hillingdon Hospital NHS Trust	32.0	68.0	55.4	3.4	0.9	-	0.4	98.8	84	74.1		
RKE	The Whittington Hospital NHS Trust	31.4	68.6	68.6	-	-	-	-	99.3	20	70.0		
RKV	University College London NHS Foundation Trust	31.2	68.8	67.2	1.6	-	-	-	99.6	17	88.2		
RFW	West Middlesex University Hospital NHS Trust	58.4	41.6	39.3	0.4	0.1	-	1.8	91.3	54	94.4		
RGC	Whipps Cross University Hospital NHS Trust	36.0	64.0	62.0	1.2	0.2	0.2	-	100.0	10	97.0		
RGC	Whipps Cross University Hospital NHS Trust	27.2	72.8	72.0	0.8	-	-	-	83.6	23	85.6		
RGC	Whipps Cross University Hospital NHS Trust	51.4	48.6	47.4	0.3	0.8	-	-	100.0	75	81.3		
South East Coast		35.4	64.6	38.5	22.9	1.0	1.5	0.7	87.9	866	88.5		
RTK	Ashford & St Peter's Hospitals NHS Trust	39.8	60.2	37.7	21.8	0.2	0.3	0.1	96.6	141	95.0		
RXH	Brighton & Sussex University Hospitals NHS Trust	3.7	96.3	92.6	-	-	-	-	100.0	1	100.0		
RN7	Dartford & Gravesend NHS Trust	5.5	94.5	19.2	56.7	8.1	10.2	0.3	94.0	66	92.4		
RVV	East Kent Hospitals NHS Trust	16.9	83.1	35.0	47.2	0.3	0.7	-	96.4	134	97.0		
RXC	East Sussex Hospitals NHS Trust	31.6	68.4	29.7	28.7	1.6	8.4	-	94.0	93	91.4		
RVR	Epsom & St Helier University Hospitals NHS Trust	40.5	59.5	50.3	9.2	-	-	-	100.0	23	65.2		
RDU	Frimley Park Hospital Foundation Trust	61.3	38.7	51.1	7.6	-	-	-	95.7	10	100.0		
RWF	Maidstone & Tunbridge Wells NHS Trust	60.9	39.1	28.7	10.0	-	0.2	0.2	85.1	34	58.8		
RPA	Medway NHS Trust	44.3	55.7	45.3	10.4	-	-	-	100.0	1	100.0		
RA2	Royal Surrey County Hospital NHS Trust	18.1	81.9	64.4	16.7	0.3	0.6	-	93.7	29	93.1		
RPR	Royal Surrey County Hospital NHS Trust	57.5	42.5	15.3	26.5	0.1	0.6	0.1	78.6	17	70.6		
RTP	Surrey & Sussex Healthcare NHS Trust	37.7	62.3	47.0	14.4	0.5	0.2	0.2	86.5	23	87.0		
RPL	Worthing & Southlands Hospitals NHS Trust	74.6	25.4	25.2	11.9	0.4	0.2	0.2	91.7	10	100.0		
RPL	Worthing & Southlands Hospitals NHS Trust	28.6	71.4	53.6	13.9	0.9	2.1	0.9	83.1	58	93.1		
RPL	Worthing & Southlands Hospitals NHS Trust	51.0	49.0	6.2	38.8	2.8	1.1	0.2	96.9	37	78.4		
RPL	Worthing & Southlands Hospitals NHS Trust	14.2	85.8	66.0	16.3	1.9	1.2	0.3	92.3	2	100.0		
RPL	Worthing & Southlands Hospitals NHS Trust	14.3	85.7	65.1	19.8	-	-	-	100.0	15	86.7		
RPL	Worthing & Southlands Hospitals NHS Trust	55.4	44.6	25.3	14.6	1.4	1.5	1.8	84.7	86	77.9		
South Central		33.3	66.7	42.3	23.1	0.5	0.2	0.6	98.5	537	83.8		
RXQ	Buckinghamshire Hospitals NHS Trust	22.1	77.9	45.4	32.5	-	-	-	98.2	25	92.0		
RD7	Heatherwood & Wexham Park Hospitals	21.2	78.8	41.3	35.9	1.7	-	-	100.0	27	96.3		
SQT	Isle of Wight Healthcare PCT	53.3	46.7	30.0	15.1	1.5	-	-	89.5	-	-		
RD8	Milton Keynes General Hospital NHS Trust	67.9	32.1	5.7	23.8	1.8	0.6	0.1	50.0	7	57.1		
RNS	North Hampshire Hospitals NHS Trust	17.7	82.3	54.1	25.2	2.3	0.7	-	100.0	7	100.0		
RTH	Oxford Radcliffe Hospitals NHS Trust	36.1	63.9	37.9	25.1	0.6	0.3	0.1	96.7	33	81.8		
RHU	Portsmouth Hospitals NHS Trust	38.7	61.3	53.2	7.6	0.3	0.2	-	95.7	10	100.0		
RHW	Royal Berkshire & Battle Healthcare NHS Trust	20.4	79.6	54.4	20.7	0.3	-	4.1	99.6	186	73.1		
RHM	Southampton University Hospitals NHS Trust	27.7	72.3	38.8	32.9	0.2	0.2	0.3	98.8	45	95.6		
RN1	Winchester & Eastleigh Healthcare NHS Trust	24.2	75.8	47.5	28.0	-	-	-	100.0	33	81.8		
RN1	Winchester & Eastleigh Healthcare NHS Trust	37.0	63.0	46.6	15.0	0.2	0.1	-	98.8	148	89.9		
RN1	Winchester & Eastleigh Healthcare NHS Trust	39.0	61.0	46.5	14.5	-	-	-	100.0	16	87.5		
South West		36.2	63.8	46.1	16.3	0.6	0.1	0.6	97.8	2,027	88.1		
REF	Bodmin Independent Treatment Centre	11.8	88.2	60.8	27.5	-	-	-	100.0	11	100.0		
RA4	East Somerset NHS Trust	68.1	31.9	26.8	4.1	0.7	-	0.2	97.8	43	88.4		
RTE	Gloucestershire Hospitals NHS Foundation Trust	15.5	84.5	61.7	22.8	-	-	-	97.7	452	93.9		
RVJ	North Bristol NHS Trust	30.8	69.2	59.4	9.7	-	-	-	98.1	128	94.5		
RBZ	Northern Devon Healthcare NHS Trust	82.3	17.7	12.2	5.3	-	0.2	-	100.0	81	80.2		
RD3	Poole Hospital NHS Trust	19.3	80.7	67.5	12.1	0.4	0.8	-	99.7	86	88.4		
RDZ	Royal Bournemouth & Christchurch Hospitals NHS Foundation Trust	14.7	85.3	81.8	1.5	0.4	0.2	1.3	98.9	87	92.0		
REF	Royal Cornwall Hospitals NHS Trust	26.9	73.1	65.8	4.3	2.4	-	0.6	100.0	60	91.7		
RH8	Royal Devon & Exeter NHS Foundation Trust	31.3	68.7	36.9	30.3	1.5	-	-	91.8	149	92.6		
RD1	Royal United Hospital Bath NHS Trust	58.7	41.3	20.6	17.8	-	-	3.0	99.2	226	72.1		
RNZ	Salisbury Healthcare NHS Trust	29.3	70.7	33.5	34.8	2.4	-	-	99.7	199	91.0		
RA9	South Devon Healthcare NHS Trust	40.3	59.7	49.4	6.5	2.9	0.2	0.7	100.0	72	79.2		
RN3	Swindon & Marlborough NHS Trust	69.2	30.8	7.5	23.0	-	-	0.4	100.0	71	95.8		
RBA	Taunton &												

**Published by The NHS Information Centre for health and social care
Part of the Government Statistical Service**

ISBN 978-1-84636-346-7

This publication may be requested in large print or other formats.

Responsible Statistician

Jim Waldron – Programme Manager

For further information:

www.ic.nhs.uk

0845 300 6016

enquiries@ic.nhs.uk

Copyright © 2009 The Health and Social Care Information Centre, Workforce and Facilities team. All rights reserved.

This work remains the sole and exclusive property of the Health and Social Care Information Centre and may only be reproduced where there is explicit reference to the ownership of the Health and Social Care Information Centre.

This work may be re-used by NHS and government organisations without permission.

This work is subject to the Re-Use of Public Sector Information Regulations and permission for commercial use must be obtained from the copyright holder.